

Guidance for the Reregistration of Pesticide
Products Containing Glyphosate as the
Active Ingredient

(U.S.) Environmental Protection Agency
Washington, DC

Jun 86



U.S. Department of Commerce
National Technical Information Service

NTIS

GUIDANCE FOR THE REREGISTRATION
OF PESTICIDE PRODUCTS CONTAINING
GLYPHOSATE
AS THE ACTIVE INGREDIENT
CASE NUMBER 0178

ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDE PROGRAMS
WASHINGTON, D.C. 20460

JUNE 1986

REPORT DOCUMENTATION PAGE	1. REPORT NO.	2.	3. Recipient's Accession No. PB87 103214/AS
4. Title and Subtitle Guidance for the Reregistration of Pesticide Products Containing GLYPHOSATE as the Active Ingredient.			5. Report Date Issued
7. Author(s) EPA, Office of Pesticide Programs, Registration Division			6.
9. Performing Organization Name and Address US Environmental Protection Agency Office of Pesticide Programs Registration Division TS-767C 401 M Street, SW Washington, D. C. 20460			8. Performing Organization Rept. No. 540/RS-86- 156
12. Sponsoring Organization Name and Address Same as #9			10. Project/Task/Work Unit No.
			11. Contract(C) or Grant(G) No. (C) (G)
			13. Type of Report & Period Covered
15. Supplementary Notes			14.
16. Abstract (Limit: 200 words) This document contains information regarding the reregistration of pesticide products containing the subject active ingredient. The document includes how to register under a registration standard, regulatory position and rationale, and summaries of data requirements and data gaps. Also included is a bibliography containing citations of all studies reviewed by EPA in arriving at the positions and conclusions contained in the standard.			
17. Document Analysis a. Descriptors Pesticides, standards, regulations, manufacturing, chemistry, toxicology, residues, ecology, path of pollutants. b. Identifiers/Open-Ended Terms c. COSATI Field/Group			
18. Availability Statement Publicly Available		19. Security Class (This Report) Unclassified	21. No. of Pages 212
		20. Security Class (This Page) Unclassified	22. Price

TABLE OF CONTENTS

I.	Introduction	1
II.	Chemicals Covered By This Standard	4
	A. Description of Chemical	
	B. Use Profile	
III.	Agency Assessment	5
	A. Summary Science Statement	
	B. Toxicology Characteristics	
	C. Physiological and Biochemical Behavior Characteristics	
	D. Environmental Characteristics	
	E. Ecological Characteristics	
	F. Tolerance Reassessment	
IV	Regulatory Position And Rationale	20
	A. Regulatory Position and Rationale	
	B. Criteria For Registration	
	C. Acceptance Ranges and Limits	
	D. Required Labeling	
V.	Products Subject to this Standard	35
VI.	Requirement for Submission of Generic Data	37
	A. What are Generic Data ?	
	B. Who must submit generic data ?	
	C. What generic data must be submitted ?	
	D. How to comply with DCI requirements	
	E. Procedures for requesting a change in protocol	
	F. Procedures for requesting extensions of time	
	G. Existing stocks provisions upon suspension or cancellation	
VII.	Requirement for Submission of Product Specific Data .	42
VIII.	Requirement for Submission of Revised Labeling	43
IX.	Instructions for Submission	44
	A. Manufacturing use products (sole active)	
	B. Manufacturing use products (multiple active)	
	C. End use products	
	D. Intrastate products	
	E. Addresses	

APPENDICES

I. DATA APPENDICES

Guide to Tables

Table A

Table B

Table C

II. LABELING APPENDICES

Summary of label requirements and table

40 CFR 162.10 Labeling Requirements

Physical/Chemical Hazards Labeling Statements

Storage Instructions

Pesticide Disposal Instructions

Container Disposal Instructions

III. USE INDEX APPENDIX

IV. BIBLIOGRAPHY APPENDICES

Guide to Bibliography

Bibliography

V. FORMS APPENDICES

EPA Form 8580-1 FIFRA §3(c)(2)(B) Summary Sheet

EPA Form 8580-6 Certification of Attempt to Enter Into an Agreement with Other Registrants for Development of Data

EPA Form 8580- Product Specific Data Report (End-Use Products)

EPA Form 8580- Formulator's Exemption Statement

I. INTRODUCTION

The Registration Standards Program

EPA has established the Registration Standards program in order to provide an orderly mechanism by which pesticide products containing the same active ingredient can be reviewed and standards set for compliance with FIFRA. The standards are applicable to reregistration and future applications for registration of products containing the same active ingredient. Each registrant of a product containing an active ingredient subject to this Standard who wishes to continue to sell or distribute that product must bring his product and labeling into compliance with FIFRA, as instructed by this Standard. Pesticides have been grouped into use clusters and will be reviewed on the basis of a ranking scheme giving higher priority to (1) pesticides in clusters used on food and feed crops; and (2) pesticides produced in large volumes.

The Registration Standards program involves a thorough review of the scientific data base underlying a pesticide's registration. The purpose of the Agency's review is to reassess the potential hazards arising from the currently registered uses of the pesticide; to determine the need for additional data on health and environmental effects; and to determine whether the pesticide meets the "no unreasonable adverse effects" criteria of FIFRA. In its review EPA identifies:

1. Studies that are acceptable to support the data requirements for the currently registered uses of the pesticide.
2. Additional studies necessary to support continued registration. The additional studies may not have been required when the product was initially registered or may be needed to replace studies that are now considered inadequate.
3. Labeling revisions needed to ensure that the product is not misbranded and that the labeling is adequate to protect man and the environment.

The detailed scientific review, which is not contained in this document, but is available upon request¹, focuses on the pesticide active ingredient. The scientific review primarily discusses the Agency's evaluation of and conclusions from available data in its files pertaining to the pesticide

¹The scientific reviews may be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield Virginia 22161 approximately 90 days after issuance.

active ingredient. However, during the review of these data the Agency is also looking for potential hazards that may be associated with the end use products that contain the active ingredient. The Agency will apply the provisions of this Registration Standard to end use products if necessary to protect man and the environment.

EPA's reassessment results in the development of a regulatory position, contained in this Registration Standard, on the pesticide and each of its registered uses. See Section IV - Regulatory Position and Rationale. Based on its regulatory position, the Agency may prescribe a variety of steps to be taken by registrants to maintain their registrations in compliance with FIFRA. These steps may include:

1. Submission of data in support of product registration;
2. Modification of product labels;
3. Modifications to the manufacturing process of the pesticide to reduce the levels of impurities or contaminants;
4. Restriction of the use of the pesticide to certified applicators or other specially trained individuals;
5. Modification of uses or formulation types; or
6. Specification of packaging limitations.

Failure to comply with these requirements may result in the issuance of a Notice of Intent to Cancel or a Notice of Intent to Suspend (in the case of failure to submit data).

In addition, in cases in which hazards to man or the environment are identified, the Agency may initiate a special review of the pesticide in accordance with 40 CFR Part 154 to examine in depth the risks and benefits of use of the pesticide. If the Agency determines that the risks of the pesticide's use outweigh the benefits of use, the Agency may propose additional regulatory actions, such as proposed cancellation of uses of the pesticide which have been determined to cause unreasonable adverse effects on the environment.

EPA has authority under the Data Call-In (DCI) provisions of FIFRA sec. 3(c)(2)(B) to require that registrants submit data to answer our questions regarding the chemical, toxicological, and environmental characteristics and fate of a pesticide. This Registration Standard lists the data EPA believes are necessary to resolve our concerns about this pesticide. These data are listed in Section V - Requirement for Submission of Generic Data, and Section VI - Requirement for Submission of Product-Specific data. Failure to comply with the DCI requirements enumerated in this Registration Standard may result in issuance by EPA of a Notice of Intent to Suspend the affected product registrations.

Registrants are reminded that FIFRA sec. 6(a)(2) requires them to submit factual information concerning possible unreasonable adverse effects of a pesticide at any time that they become aware of such information. You should notify the Agency of any information, including interim or preliminary results of studies, if those results suggest possible adverse effects on man or the environment. This requirement continues as long as your products are registered by the Agency.

II. CHEMICALS COVERED BY THIS STANDARD

A. Description of Chemicals

The following chemicals are covered by this Registration Standard:

Common name: isopropylamine salt (IPA) of glyphosate
Chemical name: isopropylamine salt of N-(phosphonomethyl) glycine
CAS Number: 38641-94-0
OPP Shaughnessy Number: 103601
Empirical Formula: $C_3H_8NO_5P$
Trade Names: Roundup; Rodeo, Roundup L&G, Shackle, Shackle C
Description of chemical characteristics: White crystalline solid with a melting point of 200 °C with a bulk density of 1.74. This chemical is 1 percent soluble in water at 25 °C; insoluble in ethanol, acetone, or benzene.

Common name: sodium salt of glyphosate
Chemical name: sodium salt of N-(phosphonomethyl) glycine
CAS Number: 38641-94-0
OPP Shaughnessy Number: 103603
Trade Names: Polado
Description of chemical characteristics: White crystalline solid which decomposes at 140 °C with a bulk density of 30 pounds per cubic foot (lb/ft³). This chemical is soluble in water and insoluble in organic solvents.

B. Use Profile

Type of pesticide: IPA salt herbicide
Sodium salt - plant growth regulator
Pests controlled: Grasses, sedges, and broadleaf weeds (annual and perennial)
Registered Uses: IPA salt (terrestrial food, nonfood crop, and noncrop; aquatic food and noncrop; greenhouse nonfood, domestic outdoor, and forestry); sodium salt (terrestrial food crop).

Predominant Uses:
IPA salt of glyphosate: soybeans, cotton, corn, sorghum, wheat, rice, vegetables, citrus fruits, pome fruits, stone fruits, tropical fruits, pastures, and alfalfa.
Sodium salt of glyphosate: sugarcane.

Mode of activity: Inhibition of amino acid synthesis.

Formulation Types Registered: 1.04 lb active ingredient (ai)/gal emulsifiable concentrate (EC); 0.42, 3, and 4 lb ai/gal soluble concentrate/liquid (SC/L); 5% and 6.6% ai SC/L; 0.5%, 0.96%, and 1% ai liquid ready to use (RTU); and 0.75% and 0.96% ai pressurized liquid (Pr1).

Methods of Application: Foliarly, in broadcast application, using conventional ground equipment, handheld, recirculating, and shielded sprayers, wiper applicators and aerial application.

III. AGENCY ASSESSMENT

Summary Science Statement

Glyphosate has low acute toxicity (Category III) for acute oral, acute dermal, and primary eye irritation and is in Category IV for primary skin irritation. It is not teratogenic to rats or rabbits and is not mutagenic. The oncogenic potential is not fully defined at this time. Repeat oncogenic studies are required in mice and rats.

Glyphosate is no more than slightly toxic to birds, aquatic invertebrates, and fish. It does pose a risk to some endangered species.

Glyphosate is stable to hydrolysis and strongly adsorbed onto the soil and has a low potential to contaminate ground water.

Toxicology Characteristics

Acute Toxicity

Acute oral and dermal toxicity data place technical glyphosate in Toxicity Category III. Primary eye and skin irritation data indicate that technical glyphosate is not a primary skin irritant (Toxicity Category IV), and is only minimally irritating to the eye (Toxicity Category III). Acute inhalation or dermal sensitization studies have not been submitted and are required.

Chronic Feeding/Oncogenicity Data

Available chronic feeding/oncogenicity data include chronic feeding/oncogenicity studies in mice and rats and a 1-year chronic feeding study in dogs. A discussion of these studies follows.

The chronic feeding/oncogenicity study in mice tested dosages of 1000, 5000, and 30,000 parts per million (ppm). Glyphosate produced an equivocal oncogenic response in the mouse, causing a slight increase in the incidence of renal tubular adenomas (a benign tumor of the kidney) in males at the highest dose tested of 30,000 ppm. The Toxicology Branch Ad Hoc Oncogenicity Committee tentatively classified glyphosate as a "Class C" oncogen. The studies were reexamined by a consulting pathologist, and data were submitted indicating that an additional kidney tumor had been found in control males (no renal tumors were found in controls in the original examination). The Agency then requested that additional kidney sections from the mouse study be prepared and examined. The resultant microslides were examined by a number of pathologists. These examinations revealed no additional tumors, but confirmed the presence of the tumors identified in the original study report. The apparent lesion in the control kidney was not present in any of the additional sections. After examination of the slides, the Agency concluded that this lesion did not "represent a pathophysiologically significant change."

However the apparent oncogenic response was a marginal response at best. The doses tested were quite high, 3 percent of the diet, and there was no corresponding increase in the incidence of preneoplastic changes, such as hyperplasia or dysplasia, in the target tissue. Further, glyphosate is negative in a number of acceptable mutagenicity studies, therefore the compound is not known to be genotoxic.

Because of the equivocal nature of the findings, the Toxicology Ad Hoc Oncogenicity Committee asked the expert assistance of the FIFRA Science Advisory Panel (SAP) in determining the proper Weight-of-the-Evidence classification of the study. After reviewing all the available evidence, the SAP proposed that glyphosate be classified as "Class D," or having "inadequate animal evidence of oncogenicity." The principal reason for this assessment by the SAP was their determination that, after adjusting for the greater survival in the high dose mice compared to concurrent controls, no statistically significant difference existed. The SAP further noted that, although comparison of these findings to historical control incidences yielded a statistically significant result, this finding did not over-ride the lack of significance of comparisons to concurrent controls. The SAP determined that the oncogenic potential of glyphosate could not be determined from existing data and proposed that the study be repeated in order to clarify these equivocal findings.

After consideration of the expert opinion of the SAP, and reconsideration of all relevant data for this compound in particular the statistical assessment provided by the SAP, the Agency agrees that available data are not sufficient to adequately address the question of whether the apparent effects noted in the mouse study are biologically relevant. Therefore, in order to fully address this question, the Agency is requiring that this study be repeated with a larger number of animals in each test group, so that the statistical power of the study is increased.

Other non-neoplastic changes noted in high-dose male mice included centrilobular hypertrophy and necrosis of hepatocytes, chronic interstitial nephritis, and proximal tubule epithelial cell basophilia and hypertrophy in females. The no-observable effect level (NOEL) for non-neoplastic chronic effects was the mid-dose level, 5000 ppm. This study is acceptable as a chronic feeding study.

The lifetime feeding study in rats tested dietary concentrations of glyphosate of 0, 30, 100, and 300 ppm. These concentrations were adjusted during the course of the study so that actual doses of 0, 3, 10, and 31 mg/kg/day in males and 0, 3, 11, and 34 mg/kg/day in female rats were maintained. Thus, the doses tested in the rat chronic study were about 1/100 of those tested in the mouse study. Although no effect of treatment on the incidence of non-neoplastic lesions was noted, a marginal apparent increase in the incidence of interstitial cell tumors of the testes was observed in the rats. Historical controls were used in the Weight-of-the-Evidence analysis to provide an indication of the range of variability in the background spontaneous incidence of any lesion, and were used to supplement the data provided by a concurrent control group. Because of the absence of a dose-dependent effect, the lack of preneoplastic changes, the wide variability in the spontaneous incidence of this tumor, the similarity in incidences between the high dose group and the historical controls, and lack of any evidence of genotoxicity, it was concluded that the observed incidence did not demonstrate an oncogenic response. An independent review of the data raised a question of possible thyroid carcinoma in high-dose females. After a review of the slides by a consulting pathologist, and a reassessment of all relevant data, including the fact that no effect of treatment on tumor latency or the combined incidences of adenoma and carcinoma was apparent, the Agency concluded that the data did not demonstrate a carcinogenic response in the thyroid.

However, in view of the large difference in doses between the rat and mouse studies, the Toxicology Branch Oncogenicity Review Committee speculated that "a toxic, or MTD [Maximally

Tolerated Dose], was not reached in [the rat] study," and that at doses "close to an MTD, tumors might have been induced." The rat study was rereviewed for evidence that the highest dose tested was an MTD. No effect of treatment on survival, body weight gain, clinical pathology, or findings at necropsy was noted. Therefore, there is no evidence that the highest dose tested was an MTD. A repeat rat study is required in which the highest dose tested is an MTD. This study is acceptable as a chronic feeding study, since an MTD is not required to satisfy Agency guidelines for chronic toxicity studies. Since an MTD was apparently not reached in this study, it does not fulfill the Guideline (§158.135 83-2) requirement for a rat oncogenicity study.

A 1-year chronic feeding study in dogs tested doses of 0, 20, 100, and 500 mg/kg/day, administered by capsule. The only effect of treatment was an apparent decrease in the absolute and relative weights of pituitaries from mid- and high-dose dogs. Additional data have been requested to better assess this apparent effect. The tentative NOEL is 20 mg/kg/day pending submission of requested data.

Subchronic Toxicity Studies

No acceptable rat or dog subchronic feeding studies are available for technical glyphosate. IBT studies submitted for both species were invalid.

A 3-month subchronic study in mice tested dietary concentrations of 0, 5000, 10,000, and 50,000 ppm of technical glyphosate. A decrease in body weight gain was noted in high-dose mice; however, no gross or microscopic changes were observed at necropsy. The study was classified as Supplementary data because hematology, clinical chemistry, and urinalysis measurements were not performed.

The 3-month subchronic study in mice does not have to be repeated because the lifetime chronic feeding study in rats discussed above fulfills the Guideline requirement (§158.135, 82-1) for a subchronic feeding study in a rodent. A 3-month subchronic study in dogs is not required because the 1-year chronic feeding study in dogs discussed above fulfills the Guideline requirement (§158.135 82-1) for a subchronic feeding study in a nonrodent.

A 21-day dermal toxicity study in rabbits testing dermal doses of 100, 1000, and 5000 mg/kg/day for 5 days/week for 3 weeks has been submitted. The only effect noted was slight edema and erythema of the skin at the high dose (5000 mg/kg/day). The no observable effect level (NOEL) for these effects was 1000 mg/kg/day. This study is acceptable. No additional data are required.

Teratology and Reproduction Studies

Acceptable teratology and reproduction studies have been submitted. Therefore, no additional data are required for these topics. A discussion of the acceptable data follows.

A teratology study in rats tested levels of 0, 300, 1000, and 3500 mg/kg/day with no evidence of teratology observed in the study. Evidence of developmental toxicity in the form of unossified sternebrae was noted in fetuses from the high dose (3500 mg/kg/day). This dose was also toxic to dams as evidenced by weight gain deficits, altered physical appearance, and mortality during treatment. The fetotoxic and maternal toxic NOEL for this study is 1000 mg/kg/day.

A teratology study in rabbits tested dosage levels of 0, 75, 175, or 350 mg/kg/day with no evidence of teratogenicity observed. The highest dose tested was toxic to does as evidenced by altered physical appearance and mortality. No treatment-related fetal effects were noted. The NOEL for maternal toxicity is 175 mg/kg/day and the NOEL for fetotoxicity is 350 mg/kg/day.

In the three-generation rat reproduction study and addendum, the most significant finding was focal, unilateral, renal tubular dilation in the kidneys of male pups from the F_{3b} generation of high-dose dams (30 mg/kg/day). The NOEL for this effect was 10 mg/kg/day. No effects on fertility or reproductive parameters were noted.

Mutagenicity

Acceptable studies have been submitted to satisfy the Agency's testing requirements for gene mutations, chromosomal aberrations, and primary DNA damage. Glyphosate was negative for gene mutations in Chinese hamster ovary cells in the presence or absence of microsomal activation. Glyphosate was also negative for gene mutations in bacteria, with or without activation. Glyphosate was negative for chromosomal aberrations in the mouse dominant lethal test and in the in vivo cytogenetics assay. No primary DNA effects were seen with glyphosate in the B. subtilis rec assay or in the rat hepatocyte DNA repair assay. No additional mutagenicity data are required.

Neurotoxicity

Even though glyphosate is not an organophosphate or carbamate pesticide, a delayed neurotoxicity study was conducted in chickens at Industrial Bio-Test Laboratories. Although no

evidence of neurotoxicity was noted in the study, the validation report for this study noted an absence of raw data for dose preparation and administration, body weight measurements, and pathological observations for untreated and positive control birds. After evaluation of the study for scientific content, the study was classified as invalid on the basis of the extensive gaps in the raw data supporting study findings and conclusions.

A repeat neurotoxicity study is not required because the guidelines (§158.135 81-7) require this study only for organophosphate or carbamate pesticides. Glyphosate is neither an organophosphate nor a carbamate pesticide, therefore, the study is not required.

Metabolism

Available metabolism data demonstrate that glyphosate is rapidly excreted by rats, as > 90 percent of the administered dose was eliminated within 48 hours of treatment. In males, the majority of excretion was via the feces (80%), and about 15 percent of the administered dose was eliminated in the urine. In females, about 40 percent of the administered dose was excreted in the urine, which suggests that female rats absorbed more glyphosate from the gastrointestinal tract than did males.

After a single oral or intraperitoneal dose less than 1 percent of the administered dose was retained at 120 hours after treatment. In animals fed 1, 10, or 100 ppm of ^{14}C -glyphosate for 14 days, a steady-state equilibrium between intake and excretion of label was reached within about 8 days. The amount of radioactivity excreted in the urine declined rapidly after withdrawal of treatment. By 10 days after withdrawal, detectable levels of radioactivity were measured in the urine and feces of only the rats fed 10 or 100 ppm of the test diet. Only minimal residues of 0.1 ppm or less remained in the tissues of high-dose rats after 10 days of withdrawal, with no single tissue showing a significant difference in the amount of label retained.

The submitted studies are deficient in that data for the analysis of excreta for the presence of metabolites were not submitted, and only one to three animals was used in each experimental group. The submitted data demonstrated differential effects on excretion and retention of radioactivity depending on the molecular location of the radioactive label. These findings are strong evidence that some metabolism of glyphosate occurred in rats.

These studies are not adequate to fulfill Guideline requirements (§158.135 85-1), therefore repeat studies are required.

N-Nitroso-Glyphosate

The Agency has determined that technical glyphosate contains N-nitroso-glyphosate (NNG) as a contaminant at levels of 0.1 ppm or less. The Agency has determined that oncogenicity testing of nitroso contaminants will normally be required only in those cases in which the level of nitroso compounds exceeds 1.0 ppm (see "Pesticide Contaminated with N-nitroso Compounds, proposed policy 45 FR 42854 (June 25, 1980)"). Therefore, although a chronic feeding study in rats was reviewed and found unacceptable, no additional studies are requested at this time.

Acute oral toxicity data for NNG place it in Toxicity Category III. Other acute toxicity data for NNG are not available.

Chronic toxicity studies on NNG in the dog and rat were conducted at IBT. After a raw data audit, both studies were judged to be "supplementary" (not adequate to fulfill guideline requirements). Both studies were then evaluated for scientific acceptability, and the rat study was invalid due to dosing of the control groups with an excessive amount of NaCl which resulted in high mortality of control animals. The dog study remained classified "supplementary" due to the lack of supporting raw data as identified in the raw data audit validation report. The only apparent treatment-related findings in the dog study were an increase in absolute and relative kidney weights and in blood glucose in high-dose (30 mg/kg/day) females. The NOEL for this apparent effect was 10 mg/kg/day.

A 90-day subchronic oral toxicity study with NNG was conducted in the rat. The principal effect of treatment was a dose-related decrease in survival, food consumption, and body weight gain. A NOEL was not established in this study since these effects were noted at the lowest dose tested, 3000 mg/kg/day. The study was classified as "supplementary" data due to inadequate reporting of clinical signs and necropsy data, and inadequate identification of the test material.

A rat metabolism study conducted with NNG demonstrated that NNG is rapidly absorbed and excreted, with the kidneys the preferential route of elimination. These findings are in direct contrast with the results of the metabolism studies with glyphosate, which found that absorption from the gut

was poor and the majority of excretion occurred in the feces due to unabsorbed radiolabel. Tissue residues after five consecutive doses were minimal, as no tissue contained more than 1.5 ppm of radiolabel.

No acceptable studies for mutagenic or reproductive effects are available at present for NNG.

Because the amount of N-nitroglyphosate is less than 1.0 ppm no additional toxicology data are required; therefore, none of the above studies are to be repeated or required.

Plant Metabolite--Aminomethylphosphonic Acid

The Agency has determined that the metabolite aminomethylphosphonic acid (AMPA) is formed on plants in amounts that can range as high as 28 percent of the total residue on the plant. Since the extent of glyphosate metabolism was not adequately addressed in the rat metabolism study, the possibility exists that the AMPA metabolite could pose a hazard to humans that was not evaluated by testing the parent compound glyphosate. If an acceptable rat metabolism study is submitted which demonstrates significant conversion of glyphosate to AMPA in animals, additional studies on this metabolite may be not necessary, since the toxicity of AMPA will have been assessed by chronic feeding studies with the parent compound glyphosate.

Acute oral toxicity and primary skin irritation data place AMPA in Toxicity Category IV. The primary eye irritation study demonstrated that AMPA was slightly irritating to the eye, corresponding to Toxicity Category III.

A 90-day subchronic feeding study was submitted that demonstrated irritation of the urinary bladder in rats treated with 1200 mg/kg/day, the lowest effect level (LEL) in this study. This irritation was manifested in the form of hyperplasia of the cells lining the bladder, and was noted with increased incidence and severity at the highest dose tested, 4800 mg/kg/day. Epithelial hyperplasia of the renal pelvis was also noted in high-dose rats. The NOEL for this effect was 400 mg/kg/day, and the study was classified as Core-Minimum.

A rat metabolism study demonstrated that AMPA is rapidly excreted as the parent compound. No evidence for bioaccumulation was noted in this study, which was classified as Supplementary data because the number of animals studied was not reported, only males were studied, and the effects of a minimally toxic dose and repeated nontoxic doses on excretion, metabolism, and accumulation were not assessed.

The limited data available for AMPA do not suggest that this compound poses any hazard distinct from that of the parent compound. No studies are available by which to assess potential mutagenic, reproductive, oncogenic, or chronic effects of AMPA. The need for additional testing of this compound will be assessed after the submission of an acceptable rat metabolism study with glyphosate.

Physiological and Biochemical Behavior Characteristics

Foliarly applied glyphosate is readily absorbed and translocated from treated areas to untreated shoot regions and fruits of grapes, apples, pears, dwarf citrus, and coffee, and to untreated shoots and roots of seedling almond, pecan, and walnut.

The mechanism of pesticidal action for glyphosate is believed to be inhibition of amino acid biosynthesis resulting in a reduction of protein synthesis and inhibition of growth.

The metabolism of glyphosate occurs via N-methylation and ultimately yields N-methylated glycines and phosphonic acids. In plants, degradation of [^{14}C] glyphosate to $^{14}\text{CO}_2$ and the subsequent photofixation of respired $^{14}\text{CO}_2$ was evidenced by presence of ^{14}C -residues in control plants housed in close proximity to treated plants. The parent compound and its metabolite AMPA are considered to be the residues of concern in plants. No additional plant metabolism data are required.

In animal feeding studies using nonradiolabeled glyphosate and AMPA in a 3:1 ratio, glyphosate was detected in the liver of poultry, swine, and cattle and the kidney of swine and cattle; AMPA was detected in liver of poultry, swine, and cattle and in the kidney of swine and cattle. Residues of the parent glyphosate and AMPA have also been identified in the tissues, urine, and feces of rats and rabbits. Additional metabolism studies with ruminants and poultry are required.

Environmental Characteristics

Glyphosate and its degradate aminomethylphosphonic acid are stable to hydrolysis in sterile, buffered water at pH 3, 6, and 9. In three natural waters (pH 4.2, 6.2, and 7.2) glyphosate degraded with half-lives of < 50, 63, and > 35 days, respectively. Addition of sediment to the three natural water systems increased the rate of dissipation of glyphosate from water via sorption to sediment. Glyphosate dissipated in pondwater with a half-life of between 14 and 21 days. In two canal waters, glyphosate was not detected 6 months posttreatment. Glyphosate and aminomethylphosphonic acid dissipation rates and concentrations in treated forest soils

are extremely variable ranging from < 0.002 ppm in streamwater samples to 89 ppm in foliage samples. Based on the available data that indicate that glyphosate is strongly adsorbed to the soil, the potential of glyphosate to contaminate groundwater is expected to be low. Glyphosate has the potential to contaminate surface waters because of application to aquatic sites. Glyphosate residues have a low potential to bioaccumulate in fish or clams.

Only the hydrolysis study is acceptable to fulfill Guideline requirements. The following data are required to fully assess the environmental fate of glyphosate: photo-degradation studies in water, on soil, and in air; aerobic and anaerobic soil metabolism studies; aerobic and anaerobic aquatic metabolism studies; adsorption and desorption studies; laboratory volatility studies; terrestrial, forestry, and aquatic field dissipation studies; and accumulation studies on rotational, irrigated crops and fish. Additional data may be required if requested studies indicate the need for additional data.

Exposure

The primary potential for exposure from the soluble concentrate/liquid (SC/L) formulation is during mixing and loading where both dermal and ocular exposure via splashing may occur. Inhalation and dermal exposure may occur during application of liquid ready to use (RTU) and pressurized liquid (Prl) formulations. Application from aircraft increases the potential exposure of humans and nontarget organisms to glyphosate due to spray drift and volatilization.

The California Department of Food and Agricultural reported that glyphosate ranked third in the number of illnesses reported from exposure to pesticides. The majority of these illnesses were associated with skin and eye irritation during mixing, loading and application of glyphosate. Although technical glyphosate has very low toxicity (Toxicity Category III or IV) the formulated products for agricultural use cause moderate eye irritation (Toxicity Category II) and some dermal irritation (Toxicity Category III). To reduce the risk of injury to skin and eyes from use of glyphosate the Agency is requiring that "Worker Safety Rules" requiring protective clothing appear on all formulated products labeled for agricultural or aquatic use.

The end-use products registered for homeowner use are of very low concentration (0.1 to 10% active ingredient) and have very low acute toxicity (Category III and IV); therefore the Agency will not require protective clothing for these products.

Available acute dermal toxicity data place technical glyphosate and its formulated products for agricultural use in Toxicity Category III. Because of the low toxicity of glyphosate materials as applied, the Agency believes that there is no risk of acute injury to field workers from applications of glyphosate. Therefore reentry data will not be required by the Agency.

Ecological Characteristics

Terrestrial Organisms

Based on an acute oral toxicity of > 2000 mg/kg/day for bobwhite quail, glyphosate is no more than slightly toxic to bobwhite quail on an acute oral basis. Available data indicate that the 8-day dietary toxicity of glyphosate is > 4000 ppm for both mallard ducks and bobwhite quail. Based on the forgoing data, the Agency has determined that glyphosate is no more than slightly toxic to birds. Avian reproduction studies indicate reproductive impairment would not be expected at dietary levels up to 1000 ppm. Glyphosate is relatively nontoxic to honeybees. Available data indicate that the 48-hour acute toxicity to honeybees is > 100 micrograms per bee.

Aquatic Organisms

Based on a 48-hour acute toxicity of 780 ppm for Daphnia magna, technical glyphosate is no more than slightly toxic to aquatic invertebrates. Three tests on warmwater species, one bluegill and two fathead minnow, produced the 96-hour toxicities of 120 ppm, 84 mg/L and 97 mg/L, respectively; two rainbow trout 96-hour toxicities of 86 mg/L and 140 mg/L. These data indicate that glyphosate is no more than slightly toxic to freshwater species.

In addition to the acute studies a fish lifecycle study showed no effects at 25.7 mg/L, the highest level tested, indicating that glyphosate has a maximum acceptable threshold concentration (MATC) greater than 25.7 mg/L. A Daphnia study with MATC between 50 and 96 mg/L reported reduced reproductive capacity, the most sensitive parameter.

A series of studies was performed on marine/estuarine species. A 96-hour toxicity of 281 mg/L was found for grass shrimp. In a study on fiddler crabs, it was determined that 96-hour toxicity is 934 mg/L glyphosate. Both of these studies indicate that glyphosate is no more than slightly toxic. An embryolarvae 48-hour acute toxicity test indicated that glyphosate is no more than moderately toxic.

Plant Protection

No studies were evaluated under this type.

Tier 1 testing is required on a case-by-case basis to support (I) products for which phytotoxicity problems arise and open literature data are not available (II) products that may pose hazards to endangered or threatened species. Since glyphosate has use patterns similar to those chemicals that have jeopardy opinions prepared by Office of Endangered Species (OES), the Agency is assuming that use of glyphosate may also pose hazards to endangered plants. The Agency is requiring that Tier 1 testing be performed with glyphosate. Refer to charts in Appendix I for testing required.

Endangered Species

In considering the hazard to endangered species the previous consultations with the OES were reviewed. The Endangered Species Act requires all federal agencies to formally consult with OES whenever an action taken by them may affect an endangered species. The consultation provides an opinion which may or may not indicate hazard to an endangered species. An opinion which indicates hazard is a jeopardy opinion. Consultations on crops (alfalfa, apples, barley, corn, cotton, pears, and wheat), rangeland/pastureland, and silvicultural sites has resulted in jeopardy opinions relating to glyphosate. In order to protect the jeopardized species, the Agency will require additional product labeling

The consultation for the crop cluster indicated jeopardy for Solano grass, Houston toad, and the Valley elderberry longhorn beetle. Glyphosate products with crop uses are required to bear the labeling entitled, "Glyphosate Endangered Species Labeling (crop sites)." Refer to Section D of Part IV for label wording.

Silviculture sites were addressed under the forest cluster. The following plant species were identified to be at risk: green pitcher plant, Chapman rhododendron, Florida torreyia, hairy rattlesnake, persistent trillium, small-whorled pogonia, northern wild monkshood, Furbish lousewort, mountain golden-heather, and Virginia round-leaf birch. Glyphosate products with silvicultural uses are required to bear the labeling entitled "Glyphosate Endangered Species Labeling (Silvicultural Sites)." Refer to Section D of Part IV for label wording.

The OES has indicated jeopardy for the following plants when rangeland/pastureland is treated with herbicides: green pitcher plant, Arizona agave, Nichol's Turk's head cactus, Arizona hedgehog cactus, Brady pincushion cactus, Peebles Navajo cactus, Siler pincushion cactus, Arizona cliffrose, Carex specuicola, Thornber's fishhook cactus, large-flowered

fiddleneck, San Benito evening-primrose, salt marsh birds-beak, San Clemente Island Indian paintbrush, San Clemente Island larkspur, Eureka dune grass, Solano grass, Antioch Dunes evening-primrose, San Clemente Island bush-mallow, San Diego mesa mint, San Clemente Island broom, Raven's manzanita, Santa Barbara Island liveforever, Pedate checker-mallow, slender-petaled mustard, Contra Costa wallflower, McDonald's rockcress, Truckee barberry, Uinta Basin hookless cactus, Mesa Verde cactus, North Park phacelia, clay-loving wild-buckwheat, purple-spined hedgehog cactus, knowlton cactus, spineless hedgehog cactus, Clay phacelia, Hairy rattleweed, Nehe, Harper's beauty, Miccosukee gooseberry, Gouania hillebrandii, Stenogyne angustifolia var. angustifolia, Haplostachys haplostachya var. angustifolia, Ewa Plains' akoko, Diamond Head schiedeana, Liochaeta venosa, caneate bidens, MacFarlane's four-o'clock, Short's goldenrod, Robbins cinquefoil, Lee pincushion cactus, Sneed pincushion cactus, Kuenzler hedgehog cactus, McKittrick pennyroyal, Todsen's pennyroyal, gypsum wild-buckwheat, Rhizome fleabane, Cirsium vinaceum, bunched arrowhead, Malheur wire-lettuce, Tennessee purple coneflower, Ashy dogweed, Tobusch fishhook cactus, Nellie cory cactus, bunched cory cactus, Lloyd's hedgehog cactus, black lace cactus, Davis' green pitaya, Lloyd's mariposa cactus, Johnston's frankenia, Texas poppy-mallow, Texas snowbells, Novasota ladies'-tresses, Texas wild-rice, Maguire daisy, Wright fishhook cactus, Rydberg milk-vetch, Dwarf bear-poppy and Last Chance townsendia. As a result of this consultation, glyphosate products with uses for range and pastureland are required to bear the labeling entitled "Glyphosate Endangered Species Labeling (Range and Pastureland Uses)." Refer to Part D of Section IV for label wording.

Endangered species labeling may be required for aquatic and noncrop uses when the respective generic consultations from Office of Endangered Species are available.

The following registered uses of glyphosate have not been reviewed in the cluster project or in registration submissions: almond, apricot, artichoke (Jerusalem), asparagus, avocado, banana, beans, beet greens, beets (red), bermudagrass (seed crop), broccoli, cabbage, carrot, cauliflower, celery, cherry, chicory, citrus, coffee, cranberry, filbert, gardens, grapes, grasses grown for seed, guava, horseradish, kale, lentils, lettuce, macadamia nuts, mango, mustard greens, nectarine, okra, onions, papaya, parsnips, peaches, peanuts, peas, pecans, pineapple, pistachio, plum, potato (Irish), prune, radish, rutabaga, spinach, sugar beets, sugarcane, sweet potato, tea, turnips, walnut, watercress, and ornamentals.

Tolerance Reassessment

Tolerances have been established for residues of glyphosate in a variety of raw agricultural commodities, in meat, fat, and meat byproducts (40 CFR 180.364) and in processed food (21 CFR 193.235) and feed (21 CFR 561.253). EPA has evaluated the residue and toxicology data supporting tolerances, and has addressed the following questions:

- a. Whether the available data support all currently registered use patterns (including those registered under FIFRA section 24(c) and intrastate uses and methods of application).
- b. Whether the existing uses of glyphosate require the establishment of tolerances in animal products because of residues that may transfer to animals from feed items derived from raw agricultural commodities.
- c. Whether food additive regulations are necessary because residues in the raw agricultural commodity concentrate in processing.
- d. Whether group tolerances could be established in accordance with 40 CFR 180.34(f).
- e. Whether, in the absence of tolerances, restrictions on use, grazing, or feeding of treated commodities are necessary.
- f. Whether the tolerances are expressed accurately and in current terminology.

The regulatory results of the Agency's review are set out in Section IV A, Regulatory Positions and Rationales.

Residue Data

The residue data reviewed in support of these tolerances include the following:

- a. Data on the nature of the residues in both plants and animals, including identification of major metabolites and degradates of glyphosate. Available data indicate that the major metabolite of glyphosate is aminomethylphosphonic acid (AMPA). The established tolerances are based on occurrence of glyphosate and AMPA in plants and animals.

- b. Radiolabeled studies on the uptake, translocation, and metabolism of glyphosate in plants which show that the parent compound, glyphosate, and its metabolite, AMPA, are the residues of concern in plants.
- c. Radiolabeled studies on the uptake, translocation, and metabolism of glyphosate in poultry, swine, cattle, rats, and rabbits which show that glyphosate and its metabolite, AMPA, occur in liver of poultry, swine, and cattle and kidney of swine and cattle. These residues have also been identified in the tissues, urine, and feces of rats and rabbits.
- d. Analytical methodology for determining levels of residues of glyphosate in plants, animals, and water. The available gas liquid chromatography (GLC) method for analysis in milk, eggs, and animal tissues is adequate for data collection and enforcement. Available methods for analysis of residues of glyphosate and its major metabolite, AMPA, in or on plant commodities or water are adequate for data collection.
- e. Storage stability data demonstrating residues of glyphosate. Available data are sufficient to ascertain that residues of glyphosate and its AMPA metabolite are stable in or on frozen plant products for up to 7 months. No data were submitted concerning storage stability of glyphosate in or on animal products (tissue, milk, or eggs) or water.
- f. Data on magnitude and levels of residues of glyphosate in individual raw agricultural commodities, animal products, and processed food and feed items.

Toxicology Data

The toxicology data considered in support of the tolerances include: a chronic feeding study in mice with a NOEL of 5000 ppm; a chronic feeding study in rats with a NOEL greater than 31 mg/kg/day; a rat teratology study with a fetotoxic and maternal NOEL of 1000 mg/kg/day and no observed teratogenic effects; a rabbit teratology study with a maternal toxicity NOEL of 175 mg/kg/day, a fetotoxicity NOEL of 350 mg/kg/day and no observed teratogenic effects; a three-generation reproduction study in rats with a NOEL of 10 mg/kg/day; and

several mutagenicity studies, all negative. Refer to the toxicology section above for detailed information on available data and additional requirements.

The acceptable daily intake (ADI) for glyphosate is currently based on the finding of renal tubular dilation in F_{3b} pups in the rat three-generation reproduction study. The NOEL for this effect was 10 mg/kg/day. Using a hundred-fold safety factor, the ADI for glyphosate is 0.1 mg/kg/day, which is equivalent to a maximum permissible intake (MPI) of 6.0 mg/day in a 60-kg individual. Existing tolerances produce a theoretical maximum residue contribution (TMRC) of 1.4238 mg/day from a 1.5 kg diet which occupies 23.73 percent of the ADI.

Tolerances Issued

Refer to 40 CFR 180.364, 21 CFR 193.235, and 21 CFR 561.253 for tolerances established on glyphosate and its metabolite aminomethylphosphonic acid.

Canadian tolerances have been established for residues of glyphosate in or on carrots, sugar beets, lettuce, cabbage, beans, peas, soybeans, citrus, pome fruits, stone fruits, grapes, cereals, grasses, and forage legumes at 0.1 ppm.

No Mexican or Codex tolerances have been established for glyphosate.

IV. REGULATORY POSITION AND RATIONALE

A. REGULATORY POSITION AND RATIONALE

1. None of the risk criteria listed in 40 CFR 154.7 have been exceeded for glyphosate. Therefore, no referral to Special Review is being made at this time. The Agency is requiring a repeat of the mouse and rat oncogenicity studies.

Rationale: A review of the data indicates no risk criteria have been exceeded or met. A review of the mouse oncogenicity study noted a slight increase in the incidence of renal tubular

adenomas. Based on reviews by the Toxicology Branch Ad Hoc Oncogenicity Committee and the Science Advisory Panel, the Agency concluded that the mouse study was not adequate to define the oncogenic potential of glyphosate. A review of the rat oncogenicity study determined that a maximum tolerated dose had not been reached; therefore, the rat study was also inadequate to determine oncogenic potential. Refer to Part III - Agency Assessments for detailed discussion of data.

2. The Agency will issue registrations for substantially similar products and will issue significant* new uses on a case-by-case basis.

Rationale: The available data do not clearly demonstrate whether glyphosate is an oncogen. However, even if it is assumed to be an oncogen, the data suggests that it would be relatively weak. Pending completion and review of the required chronic feeding studies the Agency would use the Q* from the existing mouse study and other relevant data in assuming the potential risk from addition of any significant new use.

3. The Agency is not imposing a ground water advisory statement for glyphosate.

Rationale: Available data indicate that glyphosate is strongly adsorbed to the soil; therefore, the potential of glyphosate to contaminate ground water is expected to be low. Refer to the Environmental Characteristics Section of Part III - Agency Assessments for a detailed discussion of available data.

4. The Agency is not imposing any reentry statements nor is it requesting that reentry data be submitted.

Rationale: Available acute dermal toxicity data place technical glyphosate and its formulated products for agricultural use in Toxicity Category III. Based on glyphosate's low acute toxicity and the fact that the major routes of exposure are via splashing during mixing and loading, it is not expected that field workers would be exposed to acutely toxic levels of glyphosate following agricultural treatments. Therefore, reentry data or intervals are not required by the Agency.

5. The Agency is requiring that labeling on all end-use products except those labeled for homeowner use only bear "Worker Safety Rules" requiring protective clothing requirements (face shield or goggles), chemical resistant

*Significant new use is defined in 44 FR 27934, May 11, 1979. In the case of a new food or feed use, the Agency will consider as significant an increase in Theoretical Maximum Residue Contribution of greater than 1 percent.

gloves, chemical resistant apron and chemical resistant shoes, shoe coverings, or boots). Refer to Section D of Part IV for detailed wording.

Rationale: The major routes of exposure are dermal and ocular via splashing during mixing or loading. Exposure to all formulations of glyphosate during application is expected to be dermal. Information from the California Department of Food and Agriculture reported incidents of worker poisonings or illnesses due to skin or eye irritation. Although technical glyphosate has very low toxicity (not irritating), formulations of glyphosate for agricultural use cause moderate eye irritation and some dermal irritation. The "Worker Safety Rules" required will reduce the exposure of workers to formulations of glyphosate. The formulated products labeled for homeowner uses only are of very low concentration and available data show they are not very irritating to either skin or eyes.

6. The Agency is imposing endangered species labeling for crops (alfalfa, apples, barley, cotton, pears, and wheat), rangeland and pastureland, and silvicultural sites. Refer to Section IV D for labeling requirements.

Rationale: Consultations with the Office of Endangered Species resulted in jeopardy opinions for several species (refer to Endangered Species Section of Part III for lists of species). The proposed labeling is intended to reduce the hazard to endangered or threatened species.

7. The Agency is imposing a label restriction prohibiting the rotation of food or feed crops in glyphosate treated soils unless glyphosate is registered for use on those crops. This restriction will be in effect until the requested rotational crop data are submitted and reviewed. Refer to Section IV Part D for exact wording.

Rationale: Rotational crop data are unavailable for glyphosate. Therefore the Agency cannot determine a length of time after treatment of soil with glyphosate that food or feed crops may be planted without exposure to residues of glyphosate. This statement is to ensure that food or feed crops without tolerances are not exposed to residues of glyphosate.

8. The Agency is imposing a label restriction prohibiting the use of glyphosate on rice fields in which crayfish and catfish are included in cultural practice.

Rationale: Tolerances are not established for residues of glyphosate in crayfish and catfish. This restriction is to ensure that crayfish and catfish harvested for human food are not exposed to residues of glyphosate.

9. The Agency is imposing label restrictions prohibiting the use of water containing glyphosate from rice cultivation for irrigation of feed or food crops not appearing on glyphosate labels.

Rationale: Data are not available to support the use of water containing glyphosate for irrigation purposes on feed or feed crops not appearing on the label. These restrictions are to ensure that food or feed crops not having tolerances are not exposed to residues of glyphosate.

10. The Agency will not require additional residue data on the following raw agricultural commodities: garden beets; carrots; potatoes; rutabagas; sugar beets; sweet potatoes; garden beet tops; chicory tops; sugar beet tops; celery; lettuce; spinach; cauliflower; kale; mustard greens; dried beans; lentils; lima beans; peas (succulent or dried); snap beans; soybeans; bean vines and hay; lentil forage and hay; soybean forage and hay; grapes; barley grain; corn grain (including popcorn), and sweet corn (kernels plus cob with husks removed); oat grain; rice grain; wheat grain; barley forage, hay, and straw; corn forage, silage, and fodder; oat forage, hay, and straw; rice straw; wheat forage, hay, and straw; avocados; bananas (including plantains); cotton; guava; okra; papayas; pineapple; pistachionuts; and watercress. Additional residue data are not required for the following processed food or feeds: soybean hulls, almond hulls, barley milled products, oat milled products; and sugarcane molasses. Additional residue data are not required for the following crop groupings: legume vegetables; foliage of legumes vegetables group; pome fruits group; treenuts; grass forage; fodder and hay group; and forage and hay of nongrass animal feeds.

Rationale: The Agency has determined that the available residue data adequately support the established tolerances for these raw agricultural commodities, foods, feeds, and crop groups.

11. The Agency is requiring that additional residue data and/or information be submitted on the following raw agricultural commodities: parsnips; turnips, turnip greens; onions; cranberries; sorghum grain; asparagus; coffee; mangos; peanuts,

peanut forage, hay, and hulls; and sugarcane. Additional residue data and/or information are required on the following processed foods or feeds; potato granules, chips and dried potatoes; processed commodities of sugar beets (dehydrated pulp, molasses, and refined sugar); dried citrus pulp; prunes; processed products of grapes; corn oil (crude and refined); corn-milled products; processed products of grain and sorghum; wheat-milled products; alfalfa seed; and processed olives, and olives. Additional residue data and/or information are required on the following crop groups: root and tuber vegetables; leaves of root and tuber vegetables, bulb vegetables groups; leafy vegetables (except brassica vegetables group, brassica leafy vegetables group; fruiting vegetables (except cucurbits) group; citrus fruits group; small fruits and berries group; and cereal grains group. Refer to the data tables in Appendix I for a detailed discussion of types of data and/or information needed.

Rationale: The Agency has determined that the available residue data do not adequately support the established tolerances for these raw agricultural commodities, foods, feeds and crop groups.

12. The Agency requires residue data together with a petition for establishing tolerances, if necessary, for sugarcane forage and pineapple forage. Alternatively, a statement may be placed on the label restricting the grazing or feeding of treated commodities. Each registrant will have 6 months to notify the Agency which alternative it chooses. Refer to the data tables in Appendix I for details of residue data required.

Rationale: Review of available data indicates that residue data are required to determine whether residues are transferred to animals from feed items. A grazing restriction prevents the transfer of residues from animals to feed items.

13. The Agency intends to disapprove the registrations of the following 24(c) registrations (KS820001, MO820014, NE820009, NM820001, OK820010, and TX820023. Alternatively, residue data and petitions for tolerances must be submitted proposing tolerances on sorghum forage, fodder, and hay reflecting these uses. Each registrant will have 6 months to notify the Agency which alternative he chooses. Refer to the data tables in Appendix I for details of the residue data required.

Rationale: Available residue data do not support this use pattern.

14. The Agency is requiring the following changes in the tolerance listings.

a. The tolerance for residues in or on root crop vegetables should be deleted and individual tolerances established or proposed for individual members of the root and tuber vegetables crop group.

b. The tolerance for residues in or on seed and pod vegetables should be deleted and individual tolerances established for members of the former seed and pod vegetables group on which use of glyphosate is registered.

c. The entry "Nuts" will be amended read "Tree Nuts."

d. The tolerance for residues in or on leafy vegetables should be deleted and tolerances established for residues in or on individual members of the leafy vegetable crop group.

e. The existing tolerances for alfalfa, clover, and forage legumes should be deleted and separate tolerances for residues of glyphosate and AMPA of 100 ppm should be established for residues of forage and hay of nongrass animal feeds.

f. The existing tolerance for residues in or on forage legumes should be deleted and separate tolerances of 0.2 ppm should be established in or on legume vegetables (except soybeans) and the foliage of legume vegetables, except soybean forage and hay.

g. The established tolerances for forage grasses, grasses, forage, Bahiagrass, bermudagrass, bluegrass, bromegrass, fescue, orchardgrass, ryegrass, timothy and wheat grass should be deleted and a separate tolerance of 100 ppm for residues in or on grass forage and hay must be established.

Rationale: The crop groupings as listed have been superseded by publication of new crop groupings. (Refer to 40 CFR 180.34.)

15. The tolerance for cottonseed forage and hay must be cancelled.

Rationale: These tolerances are inappropriate because cotton hay is not fed to animals; therefore, hay is not considered a raw agricultural commodity of cotton. Since a grazing restriction prohibits feeding of cotton forage, no residues are transferred to animals from the feed item cotton forage.

16. The food additive tolerances for instant tea from imported dried tea will be raised from 4 ppm to 7 ppm.

Rationale: The available processing data indicate that residues of glyphosate concentrating in the processed commodity instant tea are 5 to 7 times more than in the processed commodity imported dried tea. Available data support the established tolerance of 1 ppm on imported dried teas.

17. The Agency is requiring additional data on crops treated with irrigation water containing residues of glyphosate. Once these data are submitted, the crop groupings presently listed in § 180.364(c) must be deleted and tolerances based on the requested field irrigation tests must be established for glyphosate residues in or on members of the current, appropriate crop groups and all major irrigated crops which are not included in a crop group, such as cottonseed, sugarcane, peanuts, etc.

Rationale: Available data are not sufficient to determine the magnitude of glyphosate residues in or on crops treated with irrigation water containing residues of glyphosate.

18. While data gaps are being filled, currently registered manufacturing use products (MPs) and end use products (EPs) containing glyphosate as the sole active ingredient may be sold, distributed, formulated, and used, subject to the terms and conditions specified in this Standard. Registrants must provide or agree to develop additional data, as specified in the Data Appendices, in order to maintain existing registrations.

Rationale: Under FIFRA, the Agency may choose not to cancel or withhold registration if data are missing or are inadequate (see FIFRA sec. 3(c)(2)(B) and 3(c)(7)).

Issuance of this Standard provides a mechanism for identifying data needs. These data will be reviewed and evaluated, after which the Agency will determine if additional regulatory changes are necessary.

B. CRITERIA FOR REGISTRATION

To be registered or reregistered under this Standard, products must contain glyphosate as the sole active ingredient, bear required labeling, and conform to the product composition, acute toxicity limits, and use pattern requirements listed in this section.

C. ACCEPTABLE RANGES AND LIMITS

1. Product Composition Standard

To be registered or reregistered under this Standard, manufacturing-use products (MP's) must contain glyphosate as the sole active ingredient. Each MP formulation proposed for registration must be fully described with an appropriate certification of limits, stating maximum and minimum amounts of the active ingredient and inert ingredients which are present in products, as well as impurities found at greater than 0.1 percent.

2. Acute Toxicity Limits

The Agency will consider registration of technical grade and manufacturing-use products containing glyphosate provided that the product labeling bears appropriate precautionary statements for the acute toxicity category in which each product is placed.

D. REQUIRED LABELING

All MPs (and EPs if covered by Standard) must bear appropriate labeling as specified in 40 CFR 162.10. Appendix II contains information on label requirements. All labeling changes must appear on all products in channels of trade by June 30, 1988.

In addition to the above, the following information must appear on the labeling:

1. Ingredients Statement

The ingredient statement for MP's must list the active ingredient as:

Glyphosate, N-phosphonomethyl glycine

2. Precautionary Statements

Statements for Manufacturing-Use Products

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES* permit. Do not discharge effluent

*National Pollution Discharge Elimination System.

containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Statements for End-Use Products

Outdoor Uses

Products not labeled for aquatic use

Do not apply directly to water or wetland (swamps, bogs, marshes, and potholes). Do not contaminate water by cleaning of equipment or disposal of waste.

Products Labeled for Aquatic Use

Do not contaminate water by cleaning of equipment or disposal of waste. Treatment of aquatic weeds can result in oxygen loss from decomposition for dead plants. This loss can cause fish suffocation.

3. The following label statements must appear on all end-use products.

Rotational Crop

Do not use glyphosate on rice fields in which crayfish and catfish farming are included in the cultural practice and do not plant crops other than those with registered glyphosate uses for food or feed in glyphosate-treated soil.

Irrigated Crops

Do not use water containing glyphosate residues from rice cultivation to irrigate food or feed crops not listed on the glyphosate label.

4. The following Worker Safety Rules must appear on end-use products containing glyphosate except for those labeled for homeowner use only.

Worker Safety Rules

THIS PRODUCT CAUSES EYE IRRITATION AND SKIN IRRITATION

Keep all unprotected persons, children, livestock, and pets away from treated areas or where there is danger of drift.

Do not rub eyes with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical Treatment) section.

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE PROTECTIVE CLOTHING AND EQUIPMENT.

Wear goggles or a face shield, chemical-resistant gloves, chemical resistant apron, and chemical-resistant shoes, shoe coverings, or boots.

WEAR THE FOLLOWING PROTECTIVE CLOTHING DURING APPLICATION, EQUIPMENT REPAIR, CLEANING, DISPOSAL OF THE PESTICIDE SPRAY SOLUTION, AND DURING REENTRY TO TREATED AREAS BEFORE THE SPRAY HAS DRIED.

Wear goggles or a face shield, chemical-resistant gloves and chemical-resistant shoes, shoe covers, or boots. A helmet with visor may be worn during open cockpit aerial application.

During application only from a tractor with a completely enclosed cab or aerially with an enclosed cockpit the above protective clothing is waived. Chemical-resistant gloves must be available in the cab or cockpit and must be worn while exiting.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK, wash protective clothing and protective equipment with soap and water after each use. Personal clothing worn during use should be laundered separately from household articles. Clothing or protective equipment heavily contaminated or drenched with glyphosate must be disposed of in accordance with State and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

5. The following Endangered Species labeling is required for all end-use products labeled for the following use patterns.

Glyphosate products with silviculture uses are required to bear the following labeling:

Glyphosate Endangered Species Labeling
(Silvicultural Sites)

ENDANGERED SPECIES RESTRICTIONS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the following counties you must obtain the EPA Forest Herbicide Endangered Species Bulletin (EPA/ES-FOREST). The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The Forest Herbicide Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters, or the appropriate Regional Office of either the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protection Agency (EPA) indicated below. THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

Contact FWS or EPA in Atlanta, Georgia

ALABAMA: counties of Cherokee, DeKalb, Marshall, Jackson, and Etowah

FLORIDA: counties of Clay, Gadsden, Gulf, Liberty, and Jackson

GEORGIA: counties of Decatur, Towns, Wayne, Brantley, Rabun, Habersham, and Stephens

NORTH CAROLINA: counties of Burke, Macon, and Henderson

SOUTH CAROLINA: Oconee county

Contact FWS in Newton Corner, Massachusetts or EPA in Philadelphia, Pennsylvania

NEW JERSEY: Sussex county

PENNSYLVANIA: counties of Venango and Centre

VIRGINIA: counties of Smyth, Caroline, and James City

Contact FWS in Newton Corner, Massachusetts or EPA in Boston, Massachusetts

MAINE: counties of Arrostook, Cumberland, and Kennebec

MASSACHUSETTS: counties of Hampshire and Essex

NEW HAMPSHIRE: counties of Strafford, Belknap, Merrimack, Rockingham, and Carroll

RHODE ISLAND: Providence county

Glyphosate products with uses for rangeland and pastureland are required to bear the following labeling:

Glyphosate Endangered Species Labeling (Rangeland and Pasture Uses)

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in the following counties you must obtain and review the EPA Rangeland and Endangered Species Bulletin (Bulletin EPA/ES-RANGE). The use of this pesticide is prohibited in these counties unless specified otherwise in the Bulletin. The Rangeland Bulletin is available from your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters, or the appropriate Regional Office of the Wildlife Agency Headquarters or the appropriate Regional Office of the U.S. Fish and Wildlife Service (FWS) or the U.S. Environmental Protection Agency (EPA) indicated below. THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

Contact FWS in Portland, Oregon or EPA in San Francisco,
California

CALIFORNIA: counties of San Benito, Monterey, San Luis Obispo, Fresno, Kings, Kern, Santa Barbara, Ventura, Tulare, San Joaquin, San Diego, Los Angeles, Inyo, Solano, San Francisco, San Bernardino, Contra Costa, Mendocino, and Nevada

HAWAII: Island of Maui, District of Lahaina, Island of Hawaii, and Island of Oahu

Contact FWS in Portland, Oregon or EPA in Seattle, Washington

IDAHO: Idaho county

OREGON: counties of Harney and Wallowa

Contact FWS in Albuquerque, New Mexico or EPA in San Francisco, California

ARIZONA: counties of Yavapai, Maricopa, Pinal, Pima, Gila, Navajo, Mohave, and Graham

Contact FWS in Albuquerque, New Mexico or EPA in Dallas, Texas

NEW MEXICO: counties of Eddy, Dona Ana, Otero, Chaves, Lincoln, San Juan, Sierra, McKinley, and Catron

TEXAS: counties of El Paso, Culberson, Zapata, Bandera, Kerr, Brewster, Terrell, Pecos, Jim Wells, Kelburg, Refugio, Starr, Runnels, Edwards, Real, Kimble, Val Verde, Brazos, and Hays

Contact FWS or EPA in Atlanta, Georgia

ALABAMA: counties of Cherokee, De Kalb, Jackson, and Marshall

FLORIDA: counties of Franklin, Liberty, and Jefferson

GEORGIA: counties of Towns, Wayne, and Brantley

KENTUCKY: counties of Nicholas, Fleming, and Robertson

NORTH CAROLINA: Henderson county

SOUTH CAROLINA: counties of McCormick and Greenville

TENNESSEE: counties of Rutherford, Wilson, and Davidson

Contact FWS or EPA in Boston, Massachusetts

NEW HAMPSHIRE: Coos county

Contact FWS or EPA in Denver, Colorado

COLORADO: counties of Delta, Mesa, Montrose,
Montezuma, Jackson, Washington, La Plata, and
Duray

UTAH: counties of Washington, San Juan, Duchesne,
Summit, Emery, Wayne, Piute, Garfield, Utah, and
Sevier

Glyphosate products labeled for use on field crops (corn, cotton, soybeans, sorghum, small grains, alfalfa, and for apples and pears) must bear the following label:

[GLYPHOSATE (LABELING INFORMATION FOR FIELD CROP USES:
CORN, COTTON, SOYBEANS, SORGHUM, SMALL GRAINS, ALFALFA,
AND FOR APPLES AND PEARS)]

ENDANGERED SPECIES RESTRICTIONS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law.

The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range:

STATE Species	County		
	Corn Cotton Wheat Barley Pears Apples	Soybeans Sorghum	Alfalfa
(BULLETIN NO.)			
CALIFORNIA Solano grass (EPA/ES-85-13)	SOLANO		
Valley elderberry longhorn beetle (EPA/ES-85-08)	MERCED		
TEXAS Houston toad (EPA/ES-85-28)	BURELSON BASTROP	HARRIS	

Before using any pesticide in the above counties you must obtain the EPA Bulletin specific to your area. The use of this pesticide is prohibited in the above-named counties unless specified otherwise in the Bulletins. The EPA Bulletins are available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters, or the appropriate Regional Office of the U.S. Fish and Wildlife Service or the U.S. Environmental Protection Agency. THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

V. PRODUCTS SUBJECT TO THIS STANDARD

All products containing one or more of the pesticides identified in Section II.A. are subject to certain requirements for data submission or changes in composition, labeling or packaging of the product. The applicable requirements depend on whether the product is a manufacturing or end use product and whether the pesticide is the sole active ingredient or one of multiple active ingredients.

Products are subject to this Registration Standard as follows:

A. Manufacturing use products containing this pesticide as the sole active ingredient are subject to:

1. The restrictions (if any) upon use, composition, or packaging listed in Section IV, if they pertain to the manufacturing use product.
2. The data requirements listed in Tables A and B²
3. The labeling requirements specified for manufacturing use products in Section IV.
4. Administrative requirements (application forms, Confidential Statement of Formula, data compensation provisions) associated with reregistration.

² Data requirements are listed in the three Tables in Appendix I of this Registration Standard. The Guide to Tables in that Appendix explains how to read the Tables.

Table A lists generic data requirements applicable to all products containing the pesticide subject to this Registration Standard. Table B lists product-specific data applicable to manufacturing use products. The data in Tables A and B need not be submitted by a producer who is eligible for the formulator's exemption for that active ingredient.

Table C lists product-specific data applicable to end use products. The Agency has decided that, in most cases, it will not require the submission of product-specific data for end use products at this time. Therefore most Registration Standards do not contain a Table C.

B. Manufacturing use products containing this pesticide as one of multiple active ingredients are subject to:

The data requirements listed in Table A.

C. End use products containing this pesticide as the sole active ingredient are subject to:

1. The restrictions (if any) upon use, composition, or packaging listed in Section IV if they pertain to the end use product.
2. If eligible for the formulator's exemption³, the data requirements listed in Table C.
3. If not eligible for the formulator's exemption, the data requirements listed in Table A and the data requirements listed in Table C.
4. The labeling requirements specified for end use products in Section IV.

D. End use products containing this pesticide as one of multiple active ingredients are subject to:

- a. If not eligible for the formulator's exemption, the data requirements listed in Tables A and C.
- b. If eligible for the formulator's exemption, the data requirements listed in Table C.

³ If you purchase from another producer and use as the source of your active ingredient only EPA-registered products, you are eligible for the formulator's exemption for generic data concerning that active ingredient (Table A) and product-specific data for the registered manufacturing use product you purchase (Table B).

Two circumstances nullify this exemption:

1) If you change sources of active ingredient to an unregistered product, formulate your own active ingredient, or acquire your active ingredient from a firm with ownership in common with yours, you individually lose the exemption and become subject to the data requirements in Table A.

2) If no producer subject to the generic data requirements in Table A agrees to submit the required data, all end use producers lose the exemption, and become subject to those data requirements.

VI. REQUIREMENT FOR SUBMISSION OF GENERIC DATA

This portion of the Registration Standard is a notice issued under the authority of FIFRA sec. 3(c)(2)(B). It refers to the data listed in Table A, which are required to be submitted by registrants to maintain in effect the registration of products containing this active ingredient.⁴

A. What are generic data?

Generic data pertain to the properties or effects of a particular active ingredient. Such data are relevant to an evaluation of all products containing that active ingredient regardless of whether the product contains other ingredients. (unless the product bears labeling that would make the data requirement inapplicable).

Generic data may also be data on a "typical formulation" of a product. "Typical formulation" testing is often required for ecological effects studies and applies to all products having that formulation type. These are classed as generic data, and are contained in Table A.

B. Who must submit generic data?

All current registrants are responsible for submitting generic data in response to a data request under FIFRA sec. 3(c)(2)(B) (DCI Notice). EPA has decided, however, not to require a registrant who qualifies for the formulator's exemption (FIFRA sec. 3(c)(2)(D) and § 152.85) to submit generic data in response to a DCI notice if the registrant who supplies the active ingredient in his product is complying with the data request.

If you are not now eligible for a formulator's exemption, you may qualify for one if you change your source of supply to a registered source that does not share ownership in common with your firm. If you choose to change sources of supply, the Confidential Statement of Formula must identify the new source(s) and you must submit a Formulator's Exemption Statement form.

If you apply for a new registration for products containing this active ingredient after the issuance of this Registration Standard, you will be required to submit or cite generic data relevant to the uses of your product if, at the time

⁴ Registrations granted after issuance of this Standard will be conditioned upon submission or citation of the data listed in this Registration Standard.

the application is submitted, the data have been submitted to the Agency by current registrants. If the required data have not yet been submitted, any new registration will be conditioned upon the new registrant's submission or citation of the required data not later than the date upon which current registrants of similar products are required to provide such data. See FIFRA sec. 3(c)(7)(A). If you thereafter fail to comply with the condition of that registration to provide data, the registration may be cancelled (FIFRA sec. 6(e)).

C. What generic data must be submitted?

You may determine which generic data you must submit by consulting Table A. That table lists the generic data needed to evaluate current uses of all products containing this active ingredient, the uses for which such data are required, and the dates by which the data must be submitted to the Agency.

D. How to comply with DCI requirements.

Within 90 days of your receipt of this Registration Standard, you must submit to EPA a completed copy of the form entitled "FIFRA Section 3(c)(2)(B) Summary Sheet" (EPA Form 8580-1, enclosed) for each of your products. On that form you must state which of the following six methods you will use to comply with the DCI requirements:

1. You will submit the data, and either--

(a) Submit the existing data that you believe will satisfy the data requirements, or

(b) State that you will secure the data or have made a contract to have any necessary studies completed within the applicable time period.

2. You have entered into an agreement with one or more registrants to jointly develop (or share in the cost of developing) the data, but will not be submitting the data yourself. If you use this method, you must state who will submit the data on which you will rely. You must also provide EPA with documentary evidence that an agreement has been formed which allows you to rely upon the data to be submitted. Such evidence may be: (1) your letter offering to join in an agreement and the other registrant's acceptance of your offer, (2) a written statement by the parties that an agreement exists, or (3) a written statement by the person who will be submitting the data that you may rely upon its submission. The Agency will also require adequate assurance that the person whom you state will provide the data is taking appropriate steps to secure it. The agreement to produce the data need not specify all of the terms of the final arrangement between the parties or a mechanism to resolve the terms.

3. You have attempted to enter into an agreement to jointly develop data, but no other registrant has accepted your offer. You request that EPA not suspend your registration for non-compliance with the DCI. EPA has determined that, as a general policy, it will not suspend the registration of a product when the registrant has in good faith sought and continues to seek to enter into a data development/cost sharing program, but the other registrants developing the data have refused to accept its offer. [If your offer is accepted, you may qualify for Option 2 above by entering into an agreement to supply the data.]

In order to qualify for this method, you must:

1. File with EPA a completed "Certification of Attempt to Enter into an Agreement with other Registrants for Development of Data" (EPA Form 8580-6, enclosed).

2. Provide us with a copy of your offer to the other registrant and proof of the other registrant's receipt of your offer (such as a certified mail receipt). Your offer must, at a minimum, contain the following language or its equivalent:

[Your company name] offers to share in the burden of producing the data required pursuant to FIFRA sec. 3(c)(2)(B) in the [name of active ingredient] Registration Standard upon terms to be agreed or failing agreement to be bound by binding arbitration as provided by FIFRA section 3(c)(2)(B)(iii).

The remainder of your offer may not in any way attempt to limit this commitment. If the other registrant to whom your offer is made does not accept your offer, and if the other registrant informs us on a DCI Summary Sheet that he will develop and submit the data required under the DCI, then you may qualify for this option. In order for you to avoid suspension under this method, you may not later withdraw or limit your offer to share in the burden of developing the data. In addition, the other registrant must fulfill its commitment to develop and submit the data.

4. You request a waiver of the data requirement. If you believe that a data requirement does not (or should not) apply to your product or its uses, you must provide EPA with a statement of the reasons why you believe this is so. Your statement must address the specific composition or use factors that lead you to believe that a requirement does not apply. Since the Agency has carefully considered the composition and uses of pesticide products in determining that a data requirement applies, EPA does not anticipate that many waivers will be granted. A request for waiver does not automatically extend the timeframes for developing required data, and if your waiver request is denied, your registration may be suspended if you fail to submit the data.

5. You request that EPA amend your registration by deleting the uses for which the data are needed. You are not required to submit data for uses which are no longer on your label.

6. You request voluntary cancellation of the registration of your product(s) for which the data are needed.

E. Procedures for requesting a change in testing protocol.

If you will generate the required data and plan to use test procedures which deviate from (or are not specified in) either EPA's Pesticide Assessment Guidelines or the Reports of Expert Groups to the Chemicals Group, Organization for Economic Cooperation and Development (OECD) Chemicals Testing Programme, you must submit for EPA approval the protocols you propose to use.

You should submit your protocols before beginning testing and await EPA approval, because the Agency will not ordinarily accept as sufficient studies using unapproved protocols. A request for protocol approval will not automatically extend the timeframe for submission of the data, nor will extensions generally be given to conduct studies due to submittal of inappropriate protocols.

F. Procedures for requesting extensions of time.

If you plan to submit the data, and think that you will need more time to generate the data than is allowed by EPA's schedule, you may submit a request for an extension of time. The extension request must be submitted in writing to the Product Manager listed at the end of this section and must be made before the deadline for response. EPA will view failure to request an extension before the response deadline as a waiver of any future claim that there was insufficient time to submit the data. While EPA considers your request, you must strive to meet the deadline for submitting the data.

The extension request should state the reasons why you believe that an extension is necessary and the steps you have taken to meet the testing deadline. Time extensions normally will not be granted due to problems with laboratory capacity or adequacy of funding, since the Agency believes that with proper planning these can be overcome. Time extensions may be considered when joint data development is planned, or when the Agency must approve a new or modified protocol before the study can be begun.

A request for an extension does not automatically extend the timeframe for submission of the data. If EPA denies your request for a time extension and you do not submit the data as requested, EPA may begin proceedings to suspend the registrations of your products.

G. Existing stocks provision upon suspension or cancellation.

EPA will permit continued sale and distribution of existing stocks of a pesticide product which has been suspended or cancelled if doing so would be consistent with the purposes of the Act. However, the Agency has determined that if a registration is suspended for failure to respond to a DCI request under FIFRA sec. 3(c)(2)(B), an existing stocks provision is not consistent with the Act. Accordingly, the Agency does not anticipate granting permission to sell or distribute existing stocks of suspended product except in rare circumstances. If you believe that your product will be suspended or cancelled and that an existing stocks provision should be granted, you have the burden of clearly demonstrating to EPA that granting such permission would be consistent with the Act. The following information must be included in any request for an existing stocks provision:

1. Explanation of why an existing stocks provision is necessary, including a statement of the quantity of existing stocks and your estimate of the time required for their sale or distribution; and
2. Demonstration that such a provision would be consistent with the provisions of FIFRA.

VII. REQUIREMENT FOR SUBMISSION OF PRODUCT-SPECIFIC DATA

Under its DCI authority, EPA has determined that certain product-specific data are required to maintain your registrations in effect. Product-specific data are derived from testing using a specific formulated product, and, unlike generic data, generally support only the registration of that product. All such data must be submitted by the dates specified in this Registration Standard.

If you have a manufacturing use product, these data are listed in Table B. If you have an end use product, the data are listed in Table C. As noted earlier, the Agency has decided that it will not routinely require product-specific data for end use products at this time. Therefore, Table C may not be contained in this Registration Standard; if there is no Table C, you are not required to submit the data at this time.

In order to comply with the product specific data requirements, you must follow the same procedures as for generic data. See Section IV.D, E, F, and G. You should note, however, that product chemistry data are required for every product, and the only acceptable responses are options IV.D.1. (submit data) or IV.D.6.(cancellation of registration).

Failure to comply with the product-specific data requirements for your products will result in suspension of the product's registration.

VIII. REQUIREMENT FOR SUBMISSION OF REVISED LABELING

FIFRA requires each product to be labeled with accurate, complete and sufficient instructions and precautions, reflecting the Agency's assessment of the data supporting the product and its uses. General labeling requirements are set out in 40 CFR 162.10 (see Appendix II - LABELING and SUMMARY). In addition, labeling requirements specific to products containing this pesticide are specified in Section IV.D of this Registration Standard. Applications submitted in response to this notice must include draft labeling for Agency review.

If you fail to submit revised labeling as required, which complies with 40 CFR 162.10 and the specific instructions in Section IV.D., EPA may issue a Notice of Intent to Cancel the registration of your product under FIFRA sec. 6(b)(1).

IX. INSTRUCTIONS FOR SUBMISSION

A. Manufacturing Products (MUPs) containing Glyphosate as sole active ingredient.

1. Within 90 days from receipt of this document, you must submit to the Product Manager in the Registration Division for each product subject to this Registration Standard:

- a. The "FIFRA Section 3(c)(2)(B) Summary Sheet" (EPA Form 8580-1), with appropriate attachments.⁵
- b. Confidential Statement of Formula (EPA Form 8570-4).
- c. Formulator's Exemption Statement (EPA Form).
- d. Product Specific Data Report (EPA Form 8580-4).
- e. Evidence of compliance with data compensation requirements of FIFRA sec. 3(c)(1)(D). Refer to 40 CFR 152.80-152.99.

2. Within 12 months from receipt of this document you must submit to the Product Manager:

- a. Two copies of any required product-specific data (See Table B or C).
- b. Three copies of draft labeling, including the container label and any associated supplemental labeling. Labeling should be either typewritten text on 8-1/2 x 11 inch paper or a mockup of the labeling suitable for storage in 8-1/2 x 11 files. The draft label must indicate the intended colors of the final label, clear indication of the front panel of the label, and the intended type sizes of the text.

⁵ If on the Summary Sheet, you commit to develop the data, present arguments that a data requirement is not applicable or should be waived, or submit protocols or modified protocols for Agency review, you must submit a copy of the Summary Sheet (and any supporting information) to the Office of Compliance Monitoring, which will be monitoring the data generated in response to this notice. This submission is in addition to responding to the Product Manager, and should be submitted to the Office of Compliance Monitoring at the address given at the end of this section. (Actual studies are not to be submitted to the Office of Compliance Monitoring.)

3. Within the times set forth in Table A, you must submit to the Registration Division all generic data, unless you are eligible for the formulator's exemption. If for any reason any test is delayed or aborted so that the agreed schedule cannot be met, immediately notify the Product Manager and the Office of Compliance Monitoring of the problem, the reasons for the problem, and your proposed course of action.

B. Manufacturing Use Products containing Glyphosate in combination with other active ingredients.

1. Within 90 days from receipt of this document, you must submit to the Product Manager in the Registration Division:

a. FIFRA sec. 3(c)(2)(B) Summary Sheet, with appropriate attachments⁵ (EPA Form 8580-1).

b. Confidential Statement of Formula (EPA Form 8570-4)

c. Formulator's Exemption Statement (EPA Form), if applicable.

2. Within the time frames set forth in Table A, you must submit to the Registration Division all generic data, unless you are eligible for the formulator's exemption. If for any reason any test is delayed or aborted so that the agreed schedule cannot be met, immediately notify the Product Manager and the Office of Compliance Monitoring of the problem, the reasons for the problem, and your proposed course of action.

C. End Use Products containing Glyphosate alone or in or in combination with other active ingredients.

1. Within 90 days from receipt of this document, you must submit to the Product Manager in the Registration Division:

a. FIFRA Section 3(c)(2)(B) Summary Sheet, with appropriate attachments⁵ (EPA Form 8580-1).

b. Confidential Statement of Formula (EPA Form 8570-4).

c. Formulator's Exemption Statement (EPA Form), if applicable.

d. Product Specific Data Report (EPA Form 8580-4), if Table C lists required product-specific data.

2. Within 12 months from receipt of this document you must submit to the Product Manager:

a. Two copies of any product-specific data, if required by Table C.

b. Three copies of draft labeling, including the container label and any associated supplemental labeling. Labeling should be either typewritten text on 8-1/2 x 11 inch paper or a mockup of the labeling suitable for storage in 8-1/2 x 11 files. The draft labeling must indicate the intended colors of the final label, clear indication of the front panel of the label, and the intended type sizes of the text. End use product labeling must comply specifically with the instructions in Section IV (Regulatory Position and Rationale).

D. Intrastate Products containing Glyphosate either as sole active ingredient or in combination with other active ingredients.

These products are being called in for full Federal registration. Producers of these products are being sent a letter instructing them how to submit an application for registration.

E. Addresses

The required information must be submitted to the following address:

Robert J. Taylor (PM-25)
Registration Division (TS-767C)
Office of Pesticide Programs
Environmental Protection Agency
401 M St., SW
Washington, D.C. 20460

The address for submissions to the Office of Compliance Monitoring is:

Laboratory Data Integrity Program
Office of Compliance Monitoring (EN-342)
Environmental Protection Agency
401 M St., SW
Washington, D.C. 20460.

I. DATA APPENDICES

Guide to Tables

Table A

Table B

TGUIDE-1

GUIDE TO TABLES

Tables A, B, and C contain listings of data requirements for the pesticides covered by this Registration Standard.

Table A contains generic data requirements that apply to the pesticide in all products, including data requirements for which a "typical formulation" is the test substance.

Table B contains product-specific data requirements that apply only to a manufacturing use product.

Table C contains product-specific data requirements that apply only to an end use product.

The data tables are generally organized according to the following format:

1. Data Requirement (Column 1). The data requirements are listed in the order in which they appear in 40 CFR Part 158. The reference numbers accompanying each test refer to the test protocols set out in the Pesticide Assessment Guidelines, which are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.
2. Test Substance (Column 2). This column lists the composition of the test substance required to be used for the test, as follows:

TGAI = Technical grade of the active ingredient
PAI = Pure active ingredient
PAIRA = Pure active ingredient, radio labeled
TEP = Typical end use formulation
MP = Manufacturing use product
EP = End use product

Any other test substances, such as metabolites, will be specifically named in Column 2 or in footnotes to the table.

3. Use pattern (Column 3). This column indicates the use patterns to which the data requirement applies. Use patterns are the same as those given in 40 CFR Part 158. The following letter designations are used for the given use patterns:

A = Terrestrial, food
B = Terrestrial, non-food
C = Aquatic, food
D = Aquatic, non-food
E = Greenhouse, food
F = Greenhouse, non-food
G = Forestry
H = Domestic outdoor
I = Indoor

Any other designations will be defined in a footnote to the table.

TEGUIDE-2

4. Does EPA have data? (Column 4). This column indicates one of three answers:

YES - EPA has data in its files that completely satisfy this data requirement. These data may be cited by other registrants in accordance with data compensation requirements of Part 152, Subpart E.

PARTIALLY - EPA has some data in its files, but such data do not fully satisfy the data requirement. In some cases, the Agency may possess data on one of two required species, or may possess data on one test substance but not all. The term may also indicate that the data available to EPA are incomplete. In this case, when the data are clarified, or additional details of the testing submitted by the original data submitter, the data may be determined to be acceptable. If this is the case, a footnote to the table will usually say so.

NO - EPA either possesses no data which are sufficient to fulfill the data requirement, or the data which EPA does possess are flawed scientifically in a manner that cannot be remedied by clarification or additional information.

5. Bibliographic citation (Column 5). If the Agency has acceptable data in its files, this column lists the identifying number of each study. This normally is the Master Record Identification (MRID) number, but may be a GS number if no MRID number has been assigned. Refer to the Bibliography Appendices for a complete citation of the study.

6. Must additional data be submitted? (Column 6). This column indicates whether the data must be submitted to the Agency. If column 3 indicates that the Agency already has data, this column will usually indicate NO. If column 3 indicates that the Agency has only partial data or no data, this column will usually indicate YES. In some cases, even though the Agency does not have the data, EPA will not require its submission because of the unique characteristics of the chemical; because data on another chemical can be used to fulfill the data requirement; or because the data requirement has been waived or reserved. Any such unusual situations will be explained in a footnote to the table.

7. Timeframe for submission (Column 7). If column 5 requires that data be submitted, this column indicates when the data are to be submitted, based on the issuance date of the Registration Standard. The timeframes are those established either as a result of a previous Data Call-In letter, or standardized timeframes established by PR Notice 85-5 (August 22, 1985).

3. Footnotes (at the end of each table). S49-explanatory.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.120 Product Chemistry</u>						
<u>Product Identity</u>						
61-2 - Description of Beginning Materials and Manufacturing Process	TGAI	All	No	N/A	Yes ^{2/3/}	6 Months
61-3 - Discussion of Formation of Impurities	TGAI	All	No	N/A	Yes ^{4/}	6 Months
<u>Analysis and Certification of Product Ingredients</u>						
62-1 - Preliminary Analysis	TGAI	All	No	N/A	Yes ^{5/}	12 Months
<u>Physical and Chemical Characteristics</u>						
63-2 - Color	TGAI	All	No	N/A	Yes	6 Months
63-3 - Physical State	TGAI	All	No	N/A	Yes	6 Months
63-4 - Odor	TGAI	All	No	N/A	Yes	6 Months
63-5 - Melting Point	TGAI	All	No	N/A	Yes	6 Months
63-6 - Boiling Point	TGAI	All	No	N/A	Yes	6 Months

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.120 Product Chemistry - Continued</u>						
<u>Physical and Chemical Characteristics</u> (Continued)						
63-7 - Density, Bulk Density, or Specific Gravity	TGAI	All	No	N/A	Yes	6 Months
63-8 - Solubility	TGAI or PAI	All	No	N/A	Yes	6 Months
63-9 - Vapor Pressure	PAI	All	No	N/A	Yes	6 Months
63-10 - Dissociation constant	PAI	All	No	N/A	Yes	6 Months
63-11 - Octanol/water partition coefficient	PAI	All	No	N/A	Yes	6 Months
63-12 - pH	TGAI	All	No	N/A	Yes	6 Months
63-13 - Stability	TGAI	All	No	N/A	Yes	6 Months
63-17 - Storage Stability	PAI	A,C	Partially	00039142 00040083 00051980 00053002	Yes ^{6/} 00061553 00061555 00108129 00108102	15 Months
<u>Other Requirements</u>						
64-1 - Submittal of samples	TGAI, PAI	All	No	N/A	Yes	6 Months

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

- 1/ Not applicable. Although product chemistry data may have been submitted in the past, the Agency has determined that these data must be resubmitted for each pesticide. New requirements have been introduced and previously submitted data must be updated. Therefore bibliographic citations for the old data are not applicable.
- 2/ Details of the manufacturing process, including the relative amounts of beginning materials, a description of equipment used to produce the product, reaction conditions, the duration of each step of the process, and purification procedures and quality control measures for 41.04% formulation intermediate (FI), the 53.5% FI, the 62% FI, the unregistered technical isopropylamine glyphosate salt product used to produce the FI's, and the unregistered technical trisodium salt are required.
- 3/ The name and address of manufacturer, producer, or supplier of each beginning material used to manufacture the 41.04% FI, the 53% FI, the unregistered technical products to produce the FIs and the unregistered trisodium salt are required. Also, a copy of all available technical specifications, data sheets, and other documents in which the manufacturer, producer, or supplier of the beginning material describes the composition and properties must be submitted.
- 4/ A discussion of each impurity believed to be present at 0.1% or more based on knowledge of the beginning materials, all possible chemical reactions and any contamination are required for the 41.04% FI, the 53.5% FI, the 62% FI, and the technical trisodium salt.
- 5/ Five or more representative samples of the 41.04% FI, the 53.5% FI, the 62% FI, and the unregistered technical trisodium salt analyzed for the amount of active ingredient and each impurity present at 0.1% (w/w) (including any nitroso-amines which may be present at ~0.1 ppm) are required.
- 6/ No data were submitted concerning the storage stability of glyphosate in or on animal products (tissue, milk, eggs) or water. The following additional data are required:
 - ° The storage intervals and conditions of storage of plant, animal, and water samples used to support all established tolerances (ARLOW for water), for residues in or on these commodities must be submitted. These data must be accompanied by data depicting the percent decline in residues at the times and under the conditions specified. (No additional stability studies are required for plant commodities stored frozen for < 7 months.) On receipt of these data, the adequacy of the aforementioned tolerances will be reevaluated.
 - ° All residue data requested in this standard must be accompanied by data regarding storage length and conditions of storage must be analyzed. These data must be accompanied by data depicting the stability of residues under the conditions and for the time intervals specified, with the exception of plant commodities stored frozen for < 7 months.
 - ° If the requested metabolism data reveal the presence of metabolites of toxicological concern other than glyphosate and aminomethylphosphonic acid (AMPA), additional data depicting the stability of such metabolites will be required.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry</u>					6 Months
171-2 - Chemical Identity	TGAI	No		Yes	
171-3 - Directions for Use	--	Yes	Product Label	No	
171-4 - Nature of Residue (Metabolism)					
- Plants	PAIRA	Yes	00038771 00108133 00039141 00108140 00051983 00108151 00065753 00111945 00108097 GS0178-003 00108129	No	
- Livestock	PAIRA and Plant Metabolites	Partially	00094971 00108101 00108098 00108116 00108099 00108200 00108100 GS0178-004	Yes ^{1/}	18 Months
171-4 - Residue Analytical Method					
- Plants	TGAI and Metabolites	Yes	00028853 00078823 00036223 00078824 00037688 00108144 00038770 00108149 00044423 00108151 00051982 00108175 00053002 00108176 00053005 00108186 00060103 00111945	No ^{2/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
§158.125 Residence Chemistry - Continued					
171-4 - Residence Analytical Method - Continued					
- Plants - Continued					
			00061559 00111949		
			00063714 00122715		
			00065751 GS0178-019		
			00065752 GS0178-020		
			00067425 GS1278-021		
			00076805 GS0178-022		
- Animals	TCAI and Metabolites	Partially	00036231 GS1278-014	Yes	18 Months
			00038979 GS0178-023		
- Water	TCAI and Metabolites	Yes	00036222	No	
			00108231		
			GS0178-017		

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
171-4 - Magnitude of the Residue Residue Studies for Each Food Use					
Root and Tuber Vegetables Group ^{3/}					
- Beets, garden	TEP	Yes	00108159	No _{4/}	24 Months
- Carrots	TLP	Yes	00108159	No _{4/}	
- Radishes	TEP	Yes	00108159	No _{4/}	
- Potatoes	TEP	Yes	00108151	No _{4/}	
- Processed Potato Commodities (Granules, Chips, Dried Potatoes)	EP	No		Yes _{5/}	18 Months
- Rutabagas	TEP	No		No _{6/}	
- Parsnips	TEP	No		Yes _{4/7/}	
- Sugar beets	TEP	Yes	00039381 00108151	No _{4/}	
- Processed Sugar beet Commodities (dehydrated pulp, molasses, refined sugar)	EP	No		Yes _{8/}	24 Months
- Sweet potatoes	TEP	Yes	00108151	No _{4/}	18 Months
- Turnips	TEP	No		Yes _{9/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
Leaves of Root and Tuber Vegetable Group ^{10/}					
- Beet tops, garden	TEP	No		No ^{11/}	
- Chicory tops	TEP	No		No ^{11/}	
- Sugar beet tops	TEP	Yes	00039381 00108151	No ^{4/11/}	
- Turnip greens	TEP	No		Yes ^{11/12/}	18 Months
Bulb Vegetable Group ^{13/}					
- Onions	TEP	No		Yes ^{14/}	18 Month
Leafy Vegetables (except Brassica vegetables) Group ^{15/}					
- Celery	TEP	No		No ^{16/17/}	
- Lettuce	TEP	Yes	00108159	No ^{16/}	
- Spinach	TEP	No		No ^{16/18/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
Brassica Leafy Vegetable Group ^{19/}					
- Cabbage	TEP	Yes	00108159	No ^{20/}	
- Cauliflower	TEP	No		No ^{20/21/}	
- Kale	TEP	No		No ^{20/22/}	
- Mustard greens	TEP	No		No ^{20/23/}	
Legume Vegetables (succulent or dried) Group ^{24/}					
- Dried beans	TEP	Yes	00108159	No ^{25/}	
- Lentils	TEP	Yes	00108159	No ^{25/}	
- Lima beans	TEP	Yes	00108159	No ^{25/}	
- Peas (succulent or dried)	TEP	Yes	00108159	No ^{25/}	
- Snap beans	TEP	Yes	00108159	No ^{25/}	
- Soybeans	TEP	Yes	00015759 00015767 00015760 00024503 00015761 00033954 00015762 00038908 00015763 00040084	No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
- Soybeans - continued			00015764 00061555 00015765 00108153 00015766 00108203		
- Soybean hulls	EP	Yes	00015759 00015767 00015760 00024503 00015761 00033954 00015762 00038908 00015763 00040084 00015764 00061555 00015765 00108153 00015766 00108203	No	
- Soybean soapstock	EP	No		Yes ^{26/}	24 Months
Foliage of Legumes Vegetable Group ^{27/}					
- Bean vines and hay	TEP	Yes	00108159	No ^{28/}	
- Lentil forage and hay	TEP	Yes	00108159	No ^{28/}	
- Soybean forage and hay	TEP	Yes	00015759 00015767 00015760 00033954 00015761 00038908 00015762 00040084 00015763 00061555 00015764 000108153 00015765 000108203 00015766	No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
Fruiting Vegetables (except cucurbits) Group ^{29/}					
Cucurbits Vegetables Group ^{30/}					
Citrus Fruits Group	TEP	Partially	00039142	Yes ^{31/}	18 Months
- Dried citrus pulp	EP	No		Yes ^{31/}	24 Months
Pome Fruits Group	TEP	Yes	00108129	No	
Stone Fruits Group ^{32/}	TEP	Partially	00111949	Yes	18 Months
- Prunes	EP	No		Yes ^{33/}	24 Months
Small Fruits and Berries Group ^{34/}					
- Blackberries ^{35/}					
- Blueberries ^{35/}					
- Cranberries	TEP	Partially	00053002	Yes ^{36/}	18 Months
- Grapes	TEP	Yes	00038770 00108132	No	
- Processed products of grapes	EP	No		Yes ^{37/}	24 Months
- Raspberries ^{35/}					
- Strawberries ^{35/}					

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>{158.125 Residue Chemistry - Continued</u>					
Tree Nuts	TEP	Yes	00111945	No	
- Almond hulls	EP	Yes	00111945	No	
Cereal Grain Group ^{38/}					
- Barley grain	TEP	Yes	00038908 00040087 00044422 00108203	No ^{39/}	
- Barley milled products	EP	No		No ^{40/}	
- Corn grain (including popcorn) and sweet corn (kernels plus cob with husks removed)	TEP	Yes	00023336 00040085 00023512 00048284 00037687 00108203 00038908	No ^{39/}	
- Corn oil (crude and Refined)	EP	No		Yes ^{41/}	24 Months
- Corn milled products	EP	No		Yes ^{41/}	24 Months
- Oat grain	TEP	Yes	00038908 00040087 00044422 00108203	No	
- Oat milled products	EP	No		No ^{42/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
- Rice grain	TEP	Yes	00038908 00040087 00044422	No ^{39/}	
- Sorghum grain	TEP	Partially	00038908 00108203 00040087 00109271 00044422	Yes ^{43/}	18 Months
- Grain sorghum processed products	EP	No		Yes ^{44/}	24 Months
- Wheat grain	TEP	Yes	00038908 00108203 00040086 00122715 00044426	No ^{39/}	
- Wheat milled products	EP	No		Yes ^{45/}	24 Months
Forage, Fodder, and Straw of Cereal Grains Group ^{46/}					
- Barley forage, hay, and straw	TEP	Yes	00038908 00044422 00040087 00108203	No ^{47/}	
- Corn forage, silage, and fodder	TEP	Yes	00023336 00040085 00023512 00048284 00037687 00108203 00038908	No ^{47/}	
- Oat forage, hay and straw	TEP	Yes	00038908 00044422 00040087 00108203	No ^{47/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
- Rice straw	TEP	Yes	00038908 00040087 00044422	No <u>47</u> /	
- Sorghum forage, fodder, silage and hay	TEP	Partially	00038908 00108203 00040087 00109271 00044422	Yes <u>47/48</u> /	18 Months
- Wheat forage, hay, and straw	TEP	Yes	00038908 00108203 00040086 00122715 00044426	No <u>47</u> /	
Grass Forage, Fodder, and Hay Group	TEP	Yes	00076805 00108147	No <u>49</u> /	
Nongrass Animal Feeds (forage, fodder, straw and hay) Group	TEP	Yes	00076805 00108174	No <u>50</u> /	
- Alfalfa seed	EP	No		Yes <u>51</u> /	18 Months
Miscellaneous Commodities					
- Acerola ⁵² /					
- Asparagus	TEP	Partially	00108144	Yes <u>53</u> /	18 Months
- Avocados	TEP	Yes	00108149	No	
- Bananas (including plantains)	TEP	Yes	00108175	No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
- Coconut ^{54/}					
- Coffee	TEP	Partially	00051980	Yes ^{55/}	18 Months
- Cotton	TEP	Yes	00060103 00108153 00061553 00108203 00108176	No	
- Cotton forage and hay ^{56/}					
- Figs ^{57/}					
- Guava	TEP	Yes	00059050	No	
- Kiwi Fruit ^{58/}					
- Mangoc	TEP	No		Yes ^{59/}	18 Months
- Okra	TEP	No		No ^{60/}	
- Olives, processed	EP	Partially	00108175	Yes ^{61/}	24 Months
- Olive oil	EP	Partially	00108175	Yes ^{61/}	24 Months
- Palm Oils	EP	Yes	GS0178-028	No	
- Papayas	TEP	Yes	00063713	No	
- Peanuts	TEP	Partially	00028852	Yes ^{62/}	18 Months
- Peanut forage and hay	TEP	Partially	00028852	Yes ^{62/}	18 Months

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
- Peanut hulls	TEP	Partially	00028852	Yes ^{62/}	18 Months
- Peanut meal	EP	No		Yes ^{63/}	24 Months
- Peanut soapstock	EP	No		Yes ^{63/}	24 Months
- Peanut oil (crude and refined)	EP	No		Yes ^{63/}	24 Months
- Pineapple	TEP	No		No ^{64/}	
- Pineapple forage	TEP	No		Yes ^{65/}	18 Months
- Pistachio nuts	TEP	Yes	00111945	No	
- Sugarcane	TEP	Partially	00027235 00108140 00108168	Yes ^{66/}	18 Months
- Sugarcane forage	TEP	No		Yes ^{66/}	18 Months
- Sugarcane mollasses	EP	Yes	00027235 00108140 00108168	No ^{67/}	
- Tea	EP	Partially	00078823 00078824	Yes ^{68/}	24 Months
- Instant tea	EP	Partially	00078823 00078824	Yes ^{68/}	24 Months
- Watercress	TEP	No		No ^{69/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Does EPA Have Data?	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.125 Residue Chemistry - Continued</u>					
Magnitude of the Residue in Plants Resulting from the Use of Irrigation Water	EP	Partially	00039381	Yes <u>70/71/</u>	18 Months
Magnitude of the Residue in Meat, Milk, Poultry, Eggs, Fish, and Shellfish					
- Cattle, Goats, Hogs, Horses, Poultry, and Sheep	TGAI or Plant Metabolites	Partially	00108115	No <u>72/</u>	
- Fish and Shellfish	EP	Partially	00036229 00076491	No <u>73/</u>	
Nature and Magnitude of the Residue in Drinking and Irrigation Water	EP	Yes	00039377 00077233 00039381 00077234 00077227 00077235 00077228 00077236 00077229 00077237 00077230 00077238 00077231 00077301 00077232 00108173	No <u>74/</u>	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes

- 1/ Metabolism studies utilizing ruminants and poultry are required. Animals must be dosed for 3 days with N-phosphonomethyl ¹⁴C glycine at a concentration in the total diet which will result in sufficient residues in the tissues, milk, and eggs for characterization. Animals must be sacrificed within 24 hours of the final dose (milk and eggs must be collected twice daily.) The distribution, characterization, and quantification of residues must be determined in eggs, milk, muscle, fat, kidney, and liver. The samples from these studies must be analyzed by enforcement methods to ascertain that all metabolites of concern are adequately determined.
- 2/ The HPLC procedure that has undergone a successful method tryout, should be published in the PAM, Vol. II and a statement should be inserted in Method I (GLC) of the PAM, Vol II that discourages its use due to the lengthiness of the procedure.
- 3/ This crop group tolerance is not appropriate and should be deleted for the following reasons.
 - ° Residue data are required for an additional commodity (radishes).
 - ° The use pattern is much different for parsnips and rutabagas (wiper applications) and for turnips (spot treatment for site preparation) than for other root crops (preemergence or preplant). Should a new crop group tolerance be sought these group members should be deleted.
- 4/ The available data support the group tolerance of 0.2 part per million (ppm); however, individual tolerances should be established because the group in which the commodity is included is obsolete or the requirement for the appropriate current crop group should be satisfied.
- 5/ Residues must be determined in granules, chips, and dried potatoes processed from tubers bearing measurable residues. Exaggerated application rates may be necessary to achieve measurable residues. If residues are found to concentrate in any of these processed commodities, appropriate food additive tolerances must be proposed.
- 6/ The requested data for parsnips will be upon their receipt, translated to rutabagas and based in these data, a separate tolerance should be established for rutabagas since the root crop vegetable group in which rutabagas was included is now obsolete.
- 7/ Residues of glyphosate and AMPA in or on parsnips harvested 14 days following two wiper applications made in opposite directions on the same day with 3 pound active ingredient/gallon (lb ai/gal) SC/L formulation using (in separate tests) roller and wick devices are required. One gal product in 10 gal solution must be applied by roller and one gallon product in 3 gal of solution must be applied by wick. Tests must be conducted in CA, IL, and PA or NY. These data will be translated to rutabagas.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

- 8/ Residues must be determined in dehydrated pulp, molasses, and refined sugar processed from sugar beets bearing measurable weathered residues. Exaggerated application rates may be necessary to achieve measurable residues. If residues are found to concentrate in any of these processed commodities, appropriate food/feed additive tolerances will be needed.
- 9/ Residues of glyphosate and its metabolites AMPA in or on turnips following two preplant treatments with the 0.96% RTU (0.72% ai) formulation sprayed directly on undesirable foliage to the point just before the spray begins to drip or run are required. A separate tolerance, based on the results of the requested data, be established for residues in or on turnips since the root crops vegetables group in which turnips was included is now obsolete.
- 10/ A crop group tolerance is not appropriate at the present time for the following reasons:
 - Residue data are required for one additional group member (turnip tops); residue data for only one group member (sugar beet tops) are available.
 - The use pattern is much different for turnips (spot treatment for site preparation) than for sugar beets, chicory, and garden beets (preemergence or preplant). Should a new crop tolerance be sought, turnips should be excluded.
- 11/ Based on data from other vegetables and root crops a separate tolerance of 0.2 ppm should be established for residues in or on this commodity since the leafy vegetables group in which the commodity was included is obsolete.
- 12/ Residues of glyphosate and its metabolite AMPA in or on turnip greens following two preplant treatments with 0.96% RTU (0.72% ai) formulation directed on underside foliage to the point just before the spray begins to drip or run off foliage are required.
- 13/ A crop group tolerance is not appropriate at the present time for the following reason:
 - No residue data have been presented for any member of this group. In order to satisfy minimum data requirements, data should be submitted for onions (green and bulb) and either garlic, leeks, or shallots.
- 14/ Since the root crop vegetable group in which this commodity was included is obsolete and no data are available to support the established 0.2 ppm tolerance on onions a separate tolerance must be established. The following additional residue data are required:
 - Combined residues of glyphosate and AMPA in or on onions (bulb and green) following preemergence applications with the 3 lb ai/gal SC/L formulation totaling 6 lb ai/A (the final application must be at 3.75 lb ai/A) in the states of CA and TX for spring onions and the states of CA and NY for dry bulb onions.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

- 15/ A group tolerance is not appropriate at this time because no residue data have been submitted for celery and spinach. The following data are required if a crop group tolerance is desired:
 - Data depicting combined residues of glyphosate and AMPA in or on celery following preemergence applications with 3 lb ai/gal SC/L formulation totaling 6 lb ai/A (with the final application at 3.75 lb ai/A). Separate tests must be conducted utilizing high and low volume equipment. Tests must be conducted in CA.
 - Data depicting combined residues of glyphosates and AMPA in or on spinach following preemergence applications with the 3 lb ai/gal SC/L formulation totaling 6 lb ai/A (with the final application at 3.75 lb ai/A). Separate tests must be conducted utilizing both high and low volume ground equipment. Tests must be conducted in CA.
- 16/ The CFR will be amended by deletion of now obsolete leafy vegetable crop group and separate tolerances of 0.2 ppm should be established for glyphosate residues in or on lettuce, spinach, and celery.
- 17/ No data are available for celery, but based on the large amount of data available for various vegetable and root crops, we find the 0.2 ppm tolerances adequate.
- 18/ No data are available for spinach, but based on the large amount of data available for various vegetable and root crops we find the 0.2 ppm tolerance adequate.
- 19/ A crop group tolerance is not appropriate because no residue data have been presented for broccoli and mustard green, which are representative commodities of this group. The following data are needed if a crop group tolerance is desired:
 - Combined residues of glyphosate and AMPA in or on mustard greens following preemergence applications with the 3 lb ai/gal SC/L formulation totaling 6 lb ai/A (the final application must be at 3.75 lb ai/A). Separate tests must be conducted utilizing both high and low volume ground equipment.
 - A use on broccoli must be proposed and residue data reflecting the proposed use must be submitted.
- 20/ A separate tolerance of 0.2 ppm should be established since the tolerance was established as a member of the leafy vegetable group now obsolete. Alternatively, the appropriate crop group tolerance could be sought upon completion of the requirements.
- 21/ No data are available for cauliflower; however, based on the large amount of data available for various vegetable and root crops, we find the 0.2 ppm tolerance adequate.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Continued

- 22/ No data are available for kale; however, based on the large amount of data available for various vegetable and root crops, we find the 0.2 ppm tolerance adequate.
- 23/ No data are available for mustard greens; however, based on the large amount of data available for various vegetable and root crops, we find the 0.2 ppm tolerance adequate.
- 24/ A group tolerance of 0.2 ppm should be established for the combined residues of glyphosate and AMPA in or on legume vegetables except soybeans. Soybeans must be excluded from the crop group tolerance for the following reasons:
- ° The established 6 ppm for residues in or on soybeans differs from the 0.2 ppm tolerance for residues in or on other legumes by a factor greater than > 5.
 - ° The use pattern for soybeans (postemergence and spot treatment) is much different than for other legumes (preemergence treatment only).
- 25/ A separate tolerance of 0.2 ppm should be established for legume vegetables except soybeans, since the seed and pod vegetable group in which these commodities were included is now obsolete.
- 26/ The following additional data are required to determine whether residues concentrate from processed soybeans to soapstock:
- ° Data depicting residues on soapstock processed from soybeans bearing measurable, weathered residues. If residues concentrate in soapstock, a feed additive tolerance must be proposed.
- 27/ A crop group tolerance should be established for the combined residues of glyphosate and AMPA in or on the foliage of legume vegetables, except soybean forage and hay. Soybean forage and hay must be excluded from the crop group tolerance for the following reasons:
- ° The established tolerances for residues in or on soybean forage and soybean hay (15 ppm) differ from the 0.2 ppm tolerance for residues in or on forage and hay of other legumes by a factor > 5.
 - ° The use pattern for soybeans (postemergence spot and directed treatment) is much different than for other legumes (preemergence treatment only).
- 28/ A separate tolerance of 0.2 ppm be established for residues in or on the foliage of legume vegetables, except soybeans, since the seed and pod vegetables group in which these commodities were included is now obsolete.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

- 29/ A crop group tolerance is not appropriate at the present time because residue data for members of the fruiting vegetables (except cucurbits) group are currently under review.
- 30/ A crop group tolerance is not appropriate at the present time because residue data for members of the cucurbit vegetable group are currently under review.
- 31/ Data are inadequate to support the citrus fruits group tolerance or a feed additive tolerance for dried citrus pulp. The following data are required on whole citrus fruit:
- ° Data depicting residues of glyphosate in or on whole grapefruit, lemons, and oranges harvested 14 days after the last of three applications of glyphosate at 3-4 month intervals (combined total application > 7.95 lb ai/A/yr) are required. Tests must be conducted in CA, FL, and TX. Alternatively you may clarify the calculation used to derive whole fruit residues from juice and peel fraction residues submitted under Pesticide Petition No. 6G1734.
 - ° Data concerning residues from whole citrus fruit are required before concentration factors can be determined for processed citrus fractions (dried pulp, juice, molasses, oil).
- 32/ The data are insufficient to assess the 0.2 ppm tolerance for residues of glyphosate on stone fruits because data were not submitted on peaches, nectarines, or apricots harvested at the established 14-day PHI. The following additional data are required:
- ° Residues of concern in or on sweet or sour cherries, peaches, and plums or fresh prunes (representative commodities) harvested 14 days after the last of multiple applications with the 3 lb ai/gal SC/L (the final treatment at 3.75 lbs ai/A) totaling 7.95 lb ai/A. Tests on sour cherries must be conducted in MI; tests on sweet cherries must be conducted in MI; tests on plums or fresh prunes must be conducted in CA, OR, WA, and MI, and tests on peaches must be conducted in CA, SC, or GA, NJ, or PA. Applications are to be made using any appropriate method specified for these states in the label directions.
- 33/ Insufficient data were submitted to evaluate the concentration of residues in prunes processed from plums. The following additional data are required:
- ° Processing data from prunes derived from plums bearing measurable, weathered residues. If residues are found to concentrate in dried prunes, then an appropriate food additive tolerance must be proposed.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

34/ Establishment of a crop group tolerance for small fruits and berries is not appropriate at the present time for the following reasons:

- a. Data in support of a proposed tolerance for combined residues of glyphosate and the metabolite AMPA in or on small fruits (blueberries, blackberries, raspberries, and strawberries) are currently under review.
- b. Additional data are required to support the established tolerance for residues in or on cranberries.

35/ No tolerance has been established for this commodity. A tolerance of 0.2 ppm has been proposed for crop group small fruits. These data are still under review and the adequacy of the proposed tolerance will not be addressed.

36/ The following additional data are needed to fully assess the established tolerance on cranberries:

- Residue data from tests in MA and WI reflecting wiper application at the maximum allowable concentration of 0.6 lb ai/gal solution, samples must be collected 30 days after application. These tests must be conducted in heavily weed-infested bogs, with the equipment operated at a slow ground speed and with the initial application in one direction followed by a second application in the opposite direction. Residue data from MA should reflect both flood- and dry-harvest cranberries.

37/ The following additional data are needed to determine whether food/feed additive tolerances are required for processed products of grapes:

- Data depicting residues in or on wet and dry pomace, raisin waste, and juice processed from grapes bearing measurable weathered residues. It may be necessary to treat with exaggerated rates to obtain measurable residues in the raw agricultural commodity. If concentration occurs, appropriate food/feed additive tolerances must be proposed.

38/ The established crop group tolerance for glyphosate residues in or on grain crops is not appropriate and should be deleted for the following reasons:

- The use pattern for rice (preemergence) is much different than for other grain crops (preemergence and post-emergence).
- State labels [24(c) registrations] permit postemergence wiper applications on sorghum grown in KS, MO, NE, NM, OK and TX and section 18 wheat grown in ID, OK, OR, and WA; the available data show that this application method may result in residues in or on sorghum and wheat grain in excess of the established 0.1 ppm tolerance.
- A tolerance increase for residues in or on wheat grain (but no other commodities in this group) has been proposed and these data are currently under review.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Continued

- 39/ A separate tolerance of 0.1 ppm must be established for residues on this commodity because a group tolerance for grain crops is not appropriate at the present time.
- 40/ No additional data are needed because similar data requirements exist for wheat-milled products which, upon their receipt, will be translated to barley milled products.
- 41/ The following additional data are needed to determine whether concentration of residues occurs in the processed products of field corn grain:
 - Field corn grain bearing detectable weathered residues of glyphosate must be processed into oil (crude and refined) and milled products; residues of glyphosate per se and AMPA in these products must be sought. Exaggerated rates may be necessary to obtain detectable residues in or on grain. If residues concentrate in any of these processed products, appropriate food additive tolerances must be proposed.
- 42/ Additional data are not required for this topic because similar data requirements exist for wheat milled products which, upon their receipt, will be translated to oat milled products.
- 43/ Wiper application data reflecting the 14-day PHI should be submitted and an appropriate tolerance for glyphosate residues in or on sorghum grain following postemergence treatments using wiper devices must be proposed. Otherwise, the following active existing 24(c) registrations must be cancelled KS 820001, MO 820014, NE 820009, NM 820001, OK 820010, and TX 820023 must be canceled.
- 44/ The following additional data are required to determine whether concentration of residues occurs in processed products of grain sorghum:
 - Sorghum grain bearing detectable weathered residues of glyphosate must be processed into flour and milled products; residues of glyphosate per se and AMPA in these products must be sought. Exaggerated rates may be necessary to obtain detectable residues in or on grain. If residues concentrate in any of these processed products, appropriate food additive tolerances must be proposed.
- 45/ The following additional data are required to determine whether concentration of residues occur in processed products of wheat grain:
 - Wheat grain bearing detectable weathered residues of glyphosate must be processed into milled products, and residues of glyphosate per se and AMPA in these products must be sought. Exaggerated rates may be necessary to obtain detectable residues in or on grain. If residues concentrate in any of these processed products, appropriate food additive tolerances must be proposed.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

46/ A crop group tolerance is not appropriate at the present time for the following reasons:

- The use pattern for rice (preemergence) is much different than for other grain crops (preemergence and post-emergence).
- State labels [24(c) registrations] permit postemergence wiper applications on sorghum in KS, MO, NE, NM, OK, and TX. The available data show that this application method may result in residues in or on sorghum forage in excess of the established 0.2 ppm tolerance (forage grasses group).

47/ Separate tolerances of 0.2 ppm should be established for residues in or on these commodities because a group tolerance for forage grasses is not appropriate at the present time.

48/ The existing 24(c) registrations (KS 820001, MO 820014, NE 820009, NM 8200001, OK 820010, and TX 820023) must be cancelled or you could submit data depicting residues 14 days after wiper applications at maximum registered rates and propose appropriate tolerances for glyphosate residues in or on sorghum forage, fodder, hay, and silage.

49/ Separate crop group tolerances of 100 ppm should be established for residues in or on grass forage and hay. All the established tolerances for residues in or on grasses, including "forage grasses" and "grasses, forage" should be deleted.

50/ The existing, conflicting tolerances on alfalfa, clover, and forage legumes should be deleted. Separate tolerances for residues of glyphosate and AMPA of 100 ppm should be established for residues of forage and hay of nongrass animal feeds.

51/ The following data are required to determine whether a food additive tolerance must be proposed for residues in or on alfalfa seed:

- Data depicting residues in or on alfalfa seed from alfalfa hay bearing measurable weathered residues. If the concentration of residues in seed is higher than in hay, an appropriate feed additive tolerance must be proposed.

52/ The data supporting this tolerance are currently under review, therefore a conclusion on the adequacy of this tolerance will not be made at this time.

53/ Residue data from green asparagus harvested 8-15 days following the last two preemergent broadcast applications are required. The first treatment must be made at 2.25 lb ai/A and the last at 3.75 lb ai/A to total 6 lb ai/A. Test sites should include the Sacramento/San Joaquin River delta of CA, MI, and MD or NJ.

GENERIC DATA REQUIREMENTS FOR GLYPHOSATE
TABLE A

§158.125 Residue Chemistry - Footnotes (cont'd)

- 54/ The available data supporting the proposed tolerance for glyphosate residues in or on coconut are currently under review, therefore, a conclusion regarding the adequacy of the proposed tolerance will not be made at this time.
- 55/ Residue data must be submitted of concern in or on coffee beans harvested at 14 days after the last of multiple directed spray applications with the 3 lb ai/gal SC/L totaling 7.95 lb ai/A. Tests must be conducted in HI, Brazil, Columbia, El Salvador, and Mexico.
- 56/ The established tolerances for residues in or on cotton forage and hay are inappropriate and should be cancelled since hay is not considered to be a raw agricultural commodity of cotton and feeding and grazing restrictions exist.
- 57/ The available data in support of the proposed tolerance for glyphosate residues in or on figs are currently under review, therefore, a conclusion regarding the adequacy of the proposed tolerance will not be made at this time.
- 58/ The available data in support of the proposed tolerance for glyphosate residues in or on kiwi fruit are currently under review; therefore, a conclusion regarding the adequacy of the proposed tolerance will not be made at this time.
- 59/ No residue data for glyphosate in or on mangos were submitted to support the established tolerance. The following data are required:
- Data depicting residues in or on mangos harvested 14 days after the last of two directed-spray applications at 3.75 lb ai/A. Test must be conducted in FL.
- 60/ No data are available concerning residues in okra. However, based on the large amount of data available for various vegetables and root crops, we find a 0.2 ppm tolerance adequate.
- 61/ The following additional documentation and data are required:
- Documentation that the approved labels (use directions) from Greece, Italy and Spain reflect the data submitted in PP#9F2223/FAP#OH5255 (a maximum, single application rate of 3.8 lb ai/A or multiple applications at lesser rates but with the total of all annual applications not to exceed 3.8 lb ai/A). The labeled preharvest interval should not be less than 21 days. If the labels do not reflect these data, you may revise the labels or submit additional residue data to adequately support the amount labeled. If the latter, we recommend data be generated from processed olives from Spain and processed olive oil from Italy and Spain.
 - Documentation of the olive-curing process described as "The standard commercialization procedure for table olives" in PP#9F2223/FAP#OH5255.

GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

62/ The following additional data are required on peanut nutmeats, forage, hay, and hulls to assess the appropriateness of the established tolerances:

- Data depicting residues in or on nutmeats, forage, hay, and hulls sampled 60 days after a spot treatment at 6 lb ai/A (0.15 lb ai/gal solution). Samples must be collected in and at the edge of treated areas. Tests must be conducted in VA, GA, and TX.

63/ The following processing data are required:

- Data depicting residues in or on meal, soapstock, and crude and refined oil processed from nutmeats bearing measurable weathered residues. If residues concentrate in any of these processed commodities, appropriate food/feed additive tolerances must be proposed.

64/ No data were submitted to support the request for a tolerance for glyphosate residues in or on pineapple. Based on the built-in 21-month PHI (interval from intercycle, fallow period to harvest of mature fruit), we defer the requirement for residue data for fruit.

65/ Since forage of pineapple is considered a food item, the following are required:

- A feeding and grazing restriction for pineapple forage. Alternatively, you may submit tests from HI reflecting residues in or on forage harvested 8 weeks after the last of two preplant broadcast applications at 2.25 and 3.75 lb ai/A, respectively, and propose an appropriate tolerance.

66/ The following additional data are required on sugarcane and sugarcane forage:

- Data depicting residues in or on cane harvested on the day of a postemergence. Directed spray application must be applied at 6-15 lb ai/100 gal (7.95 lb ai/A) and in or on forage harvested 8 weeks after treatment. Tests must be conducted in LA and FL. A tolerance must be proposed for residues in or on forage and an appropriate tolerance revision must be proposed for residues in or on cane. Alternatively, a grazing restriction may be proposed and no forage data submitted.

67/ The established tolerance on molasses appears adequate at present, but will be reevaluated on receipt of data requested for cane.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.125 Residue Chemistry - Footnotes (cont'd)

68/ The following additional data are required to fully assess the adequacy of food additive tolerances for imported dried tea:

- Reaffirmation of foreign distribution of glyphosate for use on tea plantations.

- Documentation of label directions from all countries in which glyphosate is registered for this use.

We recommend that a 7 ppm food additive tolerance revision for instant tea be made to sufficiently cover the 5-7X processing concentration factor.

69/ No data are available to support the established tolerance for residues in or on watercress. Based on the large amount of data available for vegetable and root crop vegetables a 0.2 ppm tolerance is adequate for watercress.

70/ The following data are required:

- Data must be submitted reflecting sprinkler irrigation of crops with natural waters which have been treated with glyphosate to control severe aquatic weed infestations. The protocol should include irrigation of several foliar crops such as corn (forage), alfalfa, grasses, and a leafy vegetable treated with water from large impounded bodies of water and rivers.

71/ The tolerances established for the currently obsolete crop groupings should be deleted and tolerances for residues in or on all crop groups in the currently accepted crop grouping scheme and all major irrigated crops not included in a crop group (cotton, sugarcane, peanuts, etc.) be established at a level consistent with data resulting from the protocol requested.

72/ Presently, the nature and storage stability of residues in ruminants (including milk) and poultry (including eggs) are not adequately understood. Additional residue data are required for raw agricultural commodities and processed commodities. Once the requested data are received, the adequacy of the available data and established tolerances will be assessed.

73/ Insufficient data are available to ascertain the nature of residues in natural waters. Therefore, we will defer an opinion as to the adequacy of available data and established tolerances until the requested data are received. The proposed tolerance on shellfish will not be evaluated because the data supporting this tolerance are currently under review.

74/ If aquatic metabolism data requested by Exposure Assessment Branch indicate the presence of additional degradates of toxicological concern in natural waters following treatment with glyphosate, additional residue data depicting the levels of such degradates in natural water following registered use will be required. A restriction prohibiting use of treated pond water for irrigation purposes within 24 hours of treatment must be placed on the label.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.130 Environmental Fate</u>						
<u>DEGRADATION STUDIES-LAB:</u>						
161-1 - Hydrolysis	TGAI or PAIRA	A,B,C,D, F,G,H	Yes	00108192	No	
<u>Photodegradation</u>						
161-2 - In water	TGAI or PAIRA	A,B,C,D,G	No		Yes	9 Months
161-3 - On soil	TGAI or PAIRA	A,G	No		Yes	9 Months
161-4 - In Air	TGAI or PAIRA	A,F	No		Yes	9 Months
<u>METABOLISM STUDIES-LAB:</u>						
162-1 - Aerobic Soil	TGAI or PAIRA	A,B,F,G,H	No		Yes	27 Months
162-2 - Anaerobic Soil	TGAI or PAIRA	A	No		Yes ^{1/}	27 Months
162-3 - Anaerobic Aquatic	TGAI or PAIRA	C,D	No		Yes	27 Months
162-4 - Aerobic Aquatic	TGAI or PAIRA	C,D	No		Yes	27 Months
<u>MOBILITY STUDIES:</u>						
163-1 - Leaching and Adsorption/Desorption	TGAI or PAIRA	A,B,C,D	Partially	00108192	Yes	12 Months
163-2 - Volatility (Lab)	TEP	A,F	No		Yes	12 Months
163-3 - Volatility (Field)	TEP	A,F	No		Yes ^{2/}	15 Months

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.130 Environmental Fate - Continued</u>						
<u>DISSIPATION STUDIES-FIELD:</u>						
164-1 - Soil	TEP	A,B,H	No		Yes	27 Months
164-2 - Aquatic (Sediment)	TEP	C,D	No		Yes	27 Months
164-3 - Forestry	TEP	G	No		Yes	27 Months
164-4 - Combination and Tank Mixes						---
164-5 - Soil, Long-Term	TEP	A,C	No		Yes ^{3/}	50 Months
<u>ACCUMULATION STUDIES:</u>						
165-1 - Rotational Crops (confined)	PAIRA	A,C	No		Yes	39 Months
165-2 - Rotational Crops (field)	TEP	A,C	No		Yes	50 Months
165-3 - Irrigated Crops	TEP	C,D	No		Yes	39 Months
165-4 - In Fish	TGAI or PAIRA	A,B,C, D,G	No		Yes	12 Months
165-5 - In Aquatic Non-Target Organisms	TEP	A,B,C D,G	No		Yes	12 Months
Subpart K Re-entry	TEP ^{4/}					

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.130 Environmental Fate - Footnotes

- 1/ Not required if an acceptable anaerobic aquatic metabolism study is conducted.
- 2/ Deferred pending receipt of acceptable laboratory volatility data.
- 3/ Requirement is contingent upon results of studies in 162-1 and/or studies in 164-1 and 164-2.
- 4/ No data required because of low toxicity and exposure from present use patterns.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.135 Toxicology</u>						
<u>ACUTE TESTING:</u>						
81-1 - Acute Oral Toxicity - Rat	TGAI	A, B, C, D, F, G, H	Yes	00067039	No	
81-2 - Acute Dermal Toxicity - Rabbit	TGAI	A, B, C, D, F, G, H	Yes	00067039	No	
81-3 - Acute Inhalation Toxicity - Rat	TGAI	A, B, C, D, F, G, H	No		Yes	9 Months
81-7 - Delayed Neurotoxicity - Hen	TGAI	A, B, C, D, F, G, H	No		No ^{1/}	
<u>SUBCHRONIC TESTING:</u>						
82-1 - 90-Day Feeding: - Rodent	TGAI	A, B, C, D, F, G, H	No		No ^{2/}	
- Non-rodent (dog)		A, B, C, D, F, G, H	No		No ^{2/}	
82-2 - 21-Day Dermal - Rabbit	TGAI	A, B, C, D, F, G, H	Yes	00098460	No	
82-3 - 90-Day Dermal - Rabbit	TGAI	A, B, C, D, F, G, H	No		No ^{3/}	
82-4 - 90-Day Inhalation - Rat	TGAI	A, B, C, D, F, G, H	No		No ^{4/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.135 Toxicology - Continued</u>						
82-5 - 90-Day Neurotoxicity: - Hen	TGAI	A,B,C,D, F,G,H	No		No ^{5/}	
- Mammal		A,B,C,D, F,G,H	No		No ^{5/}	
<u>CHRONIC TESTING:</u>						
83-1 - Chronic Toxicity - 2 species - Rodent	TGAI	A,C,D, F,H	Yes	00093879	No	
- Non-rodent (dog)		A,C,D, F,H	Partially	00153374	Yes ^{6/}	50 Months
83-2 - Oncogenicity - 2 species - Rat (preferred)	TGAI	A,C,D, F,H	Partially	00093879	Yes ^{7/}	50 Months
- Mouse (preferred)		A,C,D, F,H	Partially	00130406	Yes ^{8/}	50 Months
83-3 - Teratogenicity - 2 Species - Rat	TGAI	A,B,C,D, F,G,H	Yes	00046362	No	
- Rabbit		A,B,C,D, F,G,H	Yes	00046363	No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.135 Toxicology - Continued</u>						
83-4 - Reproduction - Rat 2-generation	TGAI	A,C,D,H	Yes	00081674 00105995	No	
<u>MUTAGENICITY TESTING:</u>						
84-2 - Gene Mutation (Ames Test)	TGAI	A,B,C,D F,G,H	Yes	00078620 00132683	No	
84-2 - Structural Chromosomal Aberration	TGAI	A,B,C,D, F,G,H	Yes	00046364 00132681 00132685	No	
84-4 - Other Genotoxic Effects	TGAI	A,B,C,D, F,G,H	Yes	00078619 00132686	No	
<u>SPECIAL TESTING:</u>						
85-1 - General Metabolism	PAI or PAIRA	A,C,D F,G,H	No		Yes	24 Months
85-2 - Dermal Penetration	Choice	N/A ^{9/}			No	
86-1 - Domestic Animal Safety	Choice	H	No		No ^{10/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.135 Toxicology - Footnotes

- 1/ Glyphosate is not an organophosphate insecticide or carbamate; therefore, this test is not required.
- 2/ These studies are not required because the one year dog and chronic rat study will fulfill these requirements.
- 3/ This study is not required because the use pattern does not indicate a potential for purposeful dermal application or prolonged contact.
- 4/ This study is not required because the use pattern does not indicate a potential for repeated inhalation exposure at concentrations likely to be toxic.
- 5/ These studies are not required because glyphosate is not an organophosphate insecticide or carbamate and there is no evidence of neurotoxicity or neuropathy in any of the submitted studies.
- 6/ Additional data is required to address findings in this study.
- 7/ A repeat rat study is required in which the highest dose tested is a maximally tolerated dose (MTD).
- 8/ A repeat mouse study is required. A protocol should be submitted prior to initiation of a new study.
- 9/ N/A = Not applicable for the purpose of this standard.
- 10/ It is unlikely that a hazard to domestic animals exist as a result of this use; therefore the test is not required.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.140 Reentry Protection</u>						
132-1 - Foliar Dissipation	TEP	N/A ^{1/}			No	
132-1 - Soil Dissipation	TEP	N/A			No	
133-3 - Dermal Exposure	TEP	N/A			No	
133-4 - Inhalation Exposure	TEP	N/A			No	
<u>§158.142 Spray Drift</u>						
201-1 - Droplet Size Spectrum	TEP	N/A			No	
201-1 - Drift Field Evaluation	TEP	N/A			No	
<u>Special Tests</u>						

^{1/} N/A = not applicable for the purposes of this Standard.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.145 Wildlife and Aquatic Organisms</u>						
<u>AVIAN AND MAMMALIAN TESTING</u>						
71-1 - Acute Avian Oral Toxicity	TGAI	A,B,C,D F,G,H	Yes <u>1/</u>	00108204	No	
71-2 - Avian Subacute Dietary Toxicity - Upland game bird	TGAI	A,B,C,D, F,G,H	Yes <u>1/2/</u>	00108107	No	
- Waterfowl		A,B,C,D, F,G,H	Yes	00076492	No	
71-3 - Wild Mammal Toxicity	TGAI	A,B,C,D F,G,H	No	00076492	No <u>3/</u>	
71-4 - Avian Reproduction - Upland game bird	TGAI	A,B,C, D,G	Yes <u>4/</u>	00108207	No	
- Waterfowl		A,B,C, D,G	Yes	00036328 00111953	No	
71-5 - Simulated Field Testing - Mammals	TEP	A,B,C, D,G	No		No <u>5/</u>	
- Birds		A,B,C, D,G	No		No <u>5/</u>	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.145 Wildlife and Aquatic Organisms - Continued</u>						
- Actual Field Testing	TEP	A, B, C, D, G	No		No ^{5/}	
- Mammals						
- Birds		A, B, C, D, G	No		No ^{5/}	
<u>AQUATIC ORGANISM TESTING</u>						
72-1 - Freshwater Fish Toxicity	TGAI	A, B, C, D, F, G, H	Yes ^{1/2/}	00136339 GS0178-025	No	
- Coldwater fish species						
- Warmwater fish species	TEP ^{4/}	A, B, C, D, F, G, H	Yes	00108112 00108205	No	
		A, B, C, D, G	Yes ^{6/}	00070895 00078661 00070897 00078662 00078655 00078664 00078656 00078665 00078658 00108205 00078659 00124760 GS0178-025	No	
72-2 - Acute Toxicity to Freshwater Invertebrates	TGAI	A, B, C, D, F, G, H	Yes	00108172	No	
	TEP ^{4/}	A, B, C, D, G	Yes ^{6/}	00070893 00078666 00078657 00124762 00078660 GS0178-025 00078663	No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.145 Wildlife and Aquatic Organisms - Continued</u>						
72-3 - Acute Toxicity to Estuarine and Marine Organisms	TGAI	A, B, C, D	No ^{7/}		No ^{8/}	
- Fish						
- Mollusk	TGAI	A, B, C, D	Partially ^{7/}	00108110	No ^{9/}	
- Shrimp	TGAI	A, B, C, D	Yes ^{7/}	00108111	No	
72-4 - Fish Early Life Stage	TGAI	N/A ^{10/}	No		No	
- Aquatic Invertebrate Life Cycle		A, B, C, D G, H	Yes	00124763	No	
72-5 - Fish Life Cycle	TGAI	A, B, C, D, G, H	Yes	00108171	No	
72-6 - Aquatic Organism Accumulation	TGAI, PAI or Degradation Product					
- Crustacean		N/A ^{10/}	No		No	
- Fish		N/A ^{10/}	No		No	
- Insect Nymph		N/A ^{10/}	No		No	
- Mollusk		N/A ^{10/}	No		No	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.145 Wildlife and Aquatic Organisms - Continued</u>						
72-7 - Simulated Field Testing - Aquatic Organisms	TEP	N/A	No		No ^{11/}	
- Actual Field Testing - Aquatic Organism		N/A	No		No ^{11/}	

1/ Required to support manufacturing use product for reformulation into end use.

2/ Only one species required.

3/ These data are required if available acute toxicology data indicate an acute hazard. Available data do not trigger this requirement.

4/ Label directions allow for repeat applications.

5/ These data are required if available acute data on birds and mammals indicate an acute hazard. Available data do not trigger these requirements.

6/ These tests are required when inerts are likely to be toxic.

7/ These studies are required because of the potential exposure of estuarine species, for application on cotton, sugarcane, corn, soybeans, ditchbanks and tide areas, and potential hazard to endangered mussels.

8/ Existing glyphosate data for freshwater and estuarine crustacean plus numerous freshwater fish studies suggest little toxicity to estuarine fish.

9/ The glyphosate TL50 > 10 mg/L is 2.7 times greater than the amount expected after direct application to a 6-inch-acre layer of water. Therefore, further testing is not warranted.

10/ N/A = not applicable for purposes of this standard.

11/ These studies are required if available acute toxicity data on aquatic organisms indicate an acute hazard. Available data do not trigger these requirements.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.150 Plant Protection</u>						
<u>121-1 - TARGET AREA PHYTOTOXICITY</u>						
	TEP	B,D,G	No		No ^{1/}	
<u>NONTARGET AREA PHYTOTOXICITY</u>						
<u>TIER I</u>						
122-1 - Seed Germination/ Seedling Emergence	TGAI	B,D,G	No		Yes ^{2/}	9 Months
122-1 - Vegetative Vigor	TGAI	B,D,G	No		Yes ^{2/}	9 Months
122-2 - Aquatic Plant Growth	TGAI	B,D,G	No		Yes ^{2/}	9 Months
<u>TIER II</u>						
123-1 - Seed Germination/ Seedling Emergence	TGAI	B,D,G	No		Reserved ^{3/}	
123-1 - Vegetative Vigor	TGAI	B,D,G	No		Reserved ^{3/}	
123-2 - Aquatic Plant Growth	TGAI	B,D,G	No		Reserved ^{3/}	

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>TIER III</u>						
124-1 - Terrestrial Field	TEP	B, G	No		Reserved ^{4/}	
124-2 - Aquatic Field	TEP	D	No		Reserved ^{4/}	

1/ Data are required only for Special Review and certain public health situations.

2/ These studies are required because there is evidence of phytotoxicity problems from application of this pesticide and open literature data are not available on these tests and because the use of this product may pose hazards to endangered or threatened species.

3/ These studies are reserved pending results of Tier I testing.

4/ These studies are reserved pending results of Tier II testing if required.

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>158.155 Nontarget Insect</u>						
<u>NONTARGET INSECT TESTING - POLLINATORS:</u>						
141-1 - Honeybee acute contact toxicity	TGAI	A, B, G, H	Yes	00026489	No	
141-2 - Honeybee - toxicity of residues on foliage	TEP	A, B, G, H	No		No ^{1/} -	
141-4 - Honeybee subacute feeding study	(Reserved) ^{2/} -					
141-5 - Field testing for pollinators	TEP	A, B, G, H	No		No ^{1/} -	
<u>NONTARGET INSECT TESTING AQUATIC INSECTS:</u>						
142-1 - Acute toxicity to aquatic insects	(Reserved) ^{3/} -					
142-2 - Aquatic insect life-cycle study	(Reserved) ^{3/} -					
142-3 - Simulated or actual field testing for aquatic insects	(Reserved) ^{3/} -					
143-1 - NONTARGET INSECT thru TESTING - PREDATORS	(Reserved) ^{3/} -					
143-3 AND PARASITES						

TABLE A
GENERIC DATA REQUIREMENTS FOR GLYPHOSATE

§158.155 Nontarget Insect - Footnotes

- 1/ As data from the acute study indicate very low toxicity, no further testing is required.
- 2/ Reserved pending development of test methodology.
- 3/ Reserved pending Agency decision as to whether this data requirement should be established.

TABLE B
PRODUCT SPECIFIC DATA REQUIREMENTS FOR MANUFACTURING-USE PRODUCTS CONTAINING GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.120 Product Chemistry</u>						
<u>Product Identity:</u>						
61-1 - Product Identity and Disclosure of Ingredients	MP		No	N/A	Yes	6 Months
61-2 - Description of Beginning Materials and Disclosure of Manufacturing Process	MP		No	N/A	Yes ^{2/3/}	6 Months
61-3 - Discussion of Formation of Impurities	MP		No	N/A	Yes ^{4/}	6 Months
<u>Analysis and Certification of Product Ingredients</u>						
62-1 - Preliminary Analysis	MP		No	N/A	Yes ^{5/}	12 Months
62-2 - Certification of Limits	MP		No	N/A	Yes ^{6/}	12 Months
62-3 - Analytical Methods to Verify Certified Limit	MP		No	N/A	Yes ^{7/}	12 Months
<u>Physical and Chemical Characteristics</u>						
63-2 - Color	MP		No	N/A	Yes	6 Months
63-3 - Physical State	MP		No	N/A	Yes	6 Months
63-4 - Odor	MP		No	N/A	Yes	6 Months

TABLE B
PRODUCT SPECIFIC DATA REQUIREMENTS FOR MANUFACTURING-USE PRODUCTS CONTAINING GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data? ¹	Bibliographic Citation ¹	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.120 Product Chemistry - Continued</u>						
<u>Physical and Chemical Characteristics</u> (Continued)						
63-7 - Density, Bulk Density, or Specific Gravity	MP		No	N/A	Yes	6 Months
63-12 - pH	MP		No	N/A	Yes	6 Months
63-14 - Oxidizing or Reducing Action	MP		No	N/A	Yes	6 Months
63-15 - Flammability	MP		No	N/A	Yes	6 Months
63-16 - Explodability	MP		No	N/A	Yes	6 Months
63-17 - Storage Stability	MP		No	N/A	Yes	15 Month
63-18 - Viscosity	MP		No	N/A	Yes	6 Months
63-19 - Miscibility	MP		No	N/A	Yes	6 Months
63-20 - Corrosion Characteristics	MP		No	N/A	Yes	15 Months
<u>Other Requirements</u>						
64-1 - Submittal of samples	MP		No	N/A	Yes	6 Months

^{1/} Not applicable. Although product chemistry data may have been submitted in the past, the Agency has determined that these data must be resubmitted for each manufacturing-use product. New requirements have been introduced and previously submitted data must be updated. Therefore bibliographic citations for the old data are not applicable.

TABLE B
PRODUCT SPECIFIC DATA REQUIREMENTS FOR MANUFACTURING-USE PRODUCTS CONTAINING GLYPHOSATE

§158.120 Product Chemistry - Footnotes (cont'd)

- 2/ Details of manufacturing process, including the relative amounts of beginning materials, a description of equipment used to produce the product, reaction conditions, the duration of each step of the process, and purification procedures and quality control measures for 41.09% ai formulation intermediate (FI), the 53.5% ai FI, the 62% ai FI, the unregistered technical isopropylamine salt glyphosate used to produce the FI's, and the unregistered technical trisodium salt are required.
- 3/ The names and addresses of manufacturers, producers, or suppliers of each beginning material used to manufacture the 41.04% ai FI, the 53% ai FI, the unregistered technical products to produce the FI's and the unregistered trisodium salt are required. Also, a copy of all available technical specifications, data sheets, and other documents in which the manufacturer, producer, or supplier of the beginning material describes its composition and properties must be submitted.
- 4/ A discussion is required of each impurity believed to be present at 0.1% or greater, based on knowledge of beginning materials, all possible chemical reactions and any contamination.
- 5/ Five or more representative samples of 41.04% ai FI, the 53.5% ai FI, the 62% ai FI, and the unregistered technical trisodium salt analyzed for the amount of active ingredient and each impurity present at 0.1% (w/w) (including any nitroso-amines which may be present at ~0.1 ppm) are required.
- 6/ The following additional data are required:
 - Upper and lower limits must be provided and certified for each intentionally added inert in the FI's. Also, the purpose of each intentionally added inert in EPA Registration Nos. 524-318 and 524-333 must be specified.
 - Upper and lower limits must be provided and certified (FI's only) for each impurity present at 0.1% (w/w) or greater in the FI's, the unregistered isopropylamine salt technical(s) from which the FI's are produced, and the technical trisodium salt.
 - Upper and lower limits must be provided and certified (FI's only) for glyphosate in the FI's, the unregistered technical products from which the FI's are produced, and in the technical trisodium salt.
 - All nitrosoamines must be identified and quantified in six samples each of the registered FI's, the unregistered technical trisodium salt, and the unregistered technicals from which the FI's are produced; two samples of each must be analyzed shortly after production, 3 months after production, and 6 months after production. A method sensitive to 1 ppm on N-nitroso contaminants must be used. An upper limit must be presented and certified (FI's only) for all nitrosoamines found.

TABLE B
PRODUCT SPECIFIC DATA REQUIREMENTS FOR MANUFACTURING-USE PRODUCTS CONTAINING GLYPHOSATE

§158.120 Product Chemistry - Footnotes (cont'd)

7/ The following additional data are required:

- Quantitative methods to determine glyphosate and all impurities and intentionally-added inerts for which a certified limit is required in the 40.04% ai FI, the 53.3% ai FI, and the 62% ai FI. Analytical methods for glyphosate and impurities at > 0.1% (w/w) are also required for the unregistered technical glyphosate product(s) used to produce the FI's and the unregistered technical trisodium salt. Each method must be accompanied by validation studies of the precision and accuracy of the method.

TABLE B
PRODUCT SPECIFIC DATA REQUIREMENTS FOR MANUFACTURING-USE
PRODUCTS CONTAINING GLYPHOSATE

Data Requirement	Test Substance	Use Patterns	Does EPA Have Data?	Bibliographic Citation	Must Additional Data be Submitted?	Timeframe for Submission
<u>§158.135 Toxicology</u>						
<u>ACUTE TESTING</u>						
81-1 - Acute Oral Toxicity - Rat	MP	A,B,C,D, F,G,H	Yes	00067039	No	
81-2 - Acute Dermal Toxicity - Rabbit	MP	A,B,C,D, F,G,H	Yes	00067039	No	
81-2 - Acute Inhalation Toxicity - Rat	MP	A,B,C,D, F,G,H	No		Yes	9 Months
81-4 - Primary Eye Irritation - Rabbit	MP	A,B,C,D, F,G,H	Yes	00067039	No	
81-4 - Primary Dermal Irritation - Rabbit	MP	A,B,C,D, F,G,H	Yes	00067039	No	
81-6 - Dermal Sensitization - Guinea Pig	MP	A,B,C,D, F,G,H	No		Yes	9 Months

II. LABELING APPENDICES

Summary of label requirements and table

40 CFR 162.10 Labeling Requirements

Physical/Chemicals Hazards Labeling Statements

Storage Instructions

Pesticide Disposal Instructions

Container Disposal Instructions

SUMMARY-1

LABEL CONTENTS

40 CFR 162.10 requires that certain specific labeling statements appear at certain locations on the label. This is referred to as format labeling. Specific label items listed below are keyed to the table at the end of this Appendix.

Item 1. PRODUCT NAME - The name, brand or trademark is required to be located on the front panel, preferably centered in the upper part of the panel. The name of a product will not be accepted if it is false or misleading.

Item 2. COMPANY NAME AND ADDRESS - The name and address of the registrant or distributor is required on the label. The name and address should preferably be located at the bottom of the front panel or at the end of the label text.

Item 3. NET CONTENTS - A net contents statement is required on all labels or on the container of the pesticide. The preferred location is the bottom of the front panel immediately above the company name and address, or at the end of the label text. The net contents must be expressed in the largest suitable unit, e.g., "1 pound 10 ounces" rather than "26 ounces." In addition to English units, net contents may be expressed in metric units. [40 CFR 162.10(d)]

Item 4. EPA REGISTRATION NUMBER - The registration number assigned to the pesticide product must appear on the label, preceded by the phrase "EPA Registration No.," or "EPA Reg. No." The registration number must be set in type of a size and style similar to other print on that part of the label on which it appears and must run parallel to it. The registration number and the required identifying phrase must not appear in such a manner as to suggest or imply recommendation or endorsement of the product by the Agency. [40 CFR 162.10(e)]

Item 5. EPA ESTABLISHMENT NUMBER - The EPA establishment number, preceded by the phrase "EPA Est." is the final establishment at which the product was produced, and may appear in any suitable location on the label or immediate container. It must also appear on the wrapper or outside container of the package if the EPA establishment number on the immediate container cannot be clearly read through such wrapper or container. [40 CFR 162.10(f)]

Item 6A. INGREDIENTS STATEMENT - An ingredients statement is required on the front panel. The ingredients statement must contain the name and percentage by weight of each active ingredient and the total percentage by weight of all inert ingredients. The preferred location is immediately below the product name. The ingredients statement must run parallel with, and be clearly distinguished from, other text on the panel. It must not be placed in the body of other text. [40 CFR 162.10(g)]

SUMMARY-2

Item 6B. POUNDS PER GALLON STATEMENT - For liquid agricultural formulations, the pounds per gallon of active ingredient must be indicated on the label.

Item 7. FRONT LABEL PRECAUTIONARY STATEMENTS - Front panel precautionary statements must be grouped together, preferably within a block outline. The table below shows the minimum type size requirements for various size labels.

<u>Size of Label on Front Panel in Square Inches</u>	<u>Signal Word Minimum Type Size All Capitals</u>	<u>"Keep Out of Reach of Children" Minimum Type Size</u>
5 and under	6 point	6 point
above 5 to 10	10 point	6 point
above 10 to 15	12 point	8 point
above 15 to 30	14 point	10 point
over 30	18 point	12 point

Item 7A. CHILD HAZARD WARNING STATEMENT - The statement "Keep Out of Reach of Children" must be located on the front panel above the signal word except where contact with children during distribution or use is unlikely. [40 CFR 162.10(h)(1)(ii)]

Item 7B. SIGNAL WORD - The signal word (DANGER, WARNING, or CAUTION) is required on the front panel immediately below the child hazard warning statement. [40 CFR 162.10 (h)(1)(i)]

Item 7C. SKULL & CROSSBONES AND WORD "POISON" - On products assigned a toxicity Category I on the basis of oral, dermal, or inhalation toxicity, the word "Poison" shall appear on the label in red on a background of distinctly contrasting color and the skull and crossbones shall appear in immediate proximity to the word POISON. [40 CFR 162.10(h)(1)(i)]

Item 7D. STATEMENT OF PRACTICAL TREATMENT - A statement of practical treatment (first aid or other) shall appear on the label of pesticide products in toxicity Categories I, II, and III. [40 CFR 162.10(h)(1)(iii)]

Item 7E. REFERRAL STATEMENT - The statement "See Side (or Back) Panel for Additional Precautionary Statements" is required on the front panel for all products, unless all required precautionary statements appear on the front panel. [40 CFR 162.10(h)(1)(iii)]

Item 8. SIDE/BACK PANEL PRECAUTIONARY LABELING - The precautionary statements listed below must appear together on the label under the heading "PRECAUTIONARY STATEMENTS." The preferred location is at the top of the side or back panel preceding the directions for use, and it is preferred that these statements be surrounded by a block outline. Each of the three hazard warning statements must be headed by the appropriate hazard title. [40 CFR 162.10(h)(2)].

SUMMARY-3

Item 8A. HAZARD TO HUMANS AND DOMESTIC ANIMALS - Where a hazard exists to humans or domestic animals, precautionary statements are required indicating the particular hazard, the route(s) of exposure and the precautions to be taken to avoid accident, injury or damage. [40 CFR 162.10(h)(2)(i)]

Item 8B. ENVIRONMENTAL HAZARD - Where a hazard exists to non-target organisms excluding humans and domestic animals, precautionary statements are required stating the nature of the hazard and the appropriate precautions to avoid potential accident, injury, or damage. [40 CFR 162.10(h)(2)(ii)]

Item 8C. PHYSICAL OR CHEMICAL HAZARD - FLAMMABILITY
Precautionary statements relating to flammability of a product are required to appear on the label if it meets the criteria in the PHYS/CHEM Labeling Appendix. The requirement is based on the results of the flashpoint determinations and flame extension tests required to be submitted for all products. These statements are to be located in the side/back panel precautionary statements section, preceded by the heading "Physical/Chemical Hazards." Note that no signal word is used in conjunction with the flammability statements.

Item 9A. RESTRICTED USE CLASSIFICATION - FIFRA sec. 3(d) requires that all pesticide formulations/uses be classified for either general or restricted use. Products classified for restricted use may be limited to use by certified applicators or persons under their direct supervision (or may be subject to other restrictions that may be imposed by regulation).

In the Registration Standard, the Agency has (1) indicated certain formulations/uses are to be restricted (Section III indicates why the product has been classified for restricted use); or (2) reserved any classification decision until appropriate data are submitted.

The Regulatory Position and Rationale states whether products containing this active ingredient are classified for restricted use. If they are restricted the draft label(s) submitted to the Agency as part of your application must reflect this determination (see below).

If you do not believe that your product should be classified for restricted use, you must submit any information and rationale with your application for reregistration. During the Agency's review of your application, your proposed classification determination will be evaluated in accordance with the provisions of 40 CFR 162.11(c). You will be notified of the Agency's classification decision.

SUMMARY-4

Classification Labeling Requirements

If your product has been classified for restricted use, the following label requirements apply:

1. All uses restricted.

a. The statement "Restricted Use Pesticide" must appear at the top of the front panel of the label. The statement must be set in type of the same minimum size as required for human hazard signal word (see table in 40 CFR 162.10(h)(1)(iv))

b. Directly below this statement on the front panel, a summary statement of the terms of restriction must appear (including the reasons for restriction if specified in Section I). If use is restricted to certified applicators, the following statement is required: "For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification."

2. Some but not all uses restricted. If the Regulatory Position and Rationale states that some uses are classified for restricted use, and some are unclassified, several courses of action are available:

a. You may label the product for Restricted use. If you do so, you may include on the label uses that are unrestricted, but you may not distinguish them on the label as being unrestricted.

b. You may delete all restricted uses from your label and submit draft labeling bearing only unrestricted uses.

c. You may "split" your registration, i.e., register two separate products with identical formulations, one bearing only unrestricted uses, and the other bearing restricted uses. To do so, submit two applications for reregistration, each containing all forms and necessary labels. Both applications should be submitted simultaneously. Note that the products will be assigned separate registration numbers.

Item 9B [There is no Item 9B].

Item 9C. MISUSE STATEMENT - All products must bear the misuse statement, "It is a violation of Federal law to use this product in a manner inconsistent with its labeling." This statement appears at the beginning of the directions for use, directly beneath the heading of that section.

SUMMARY-5

Item 10A. REENTRY STATEMENT - If a reentry interval has been established by the Agency, it must be included on the label. Additional worker protection statements may be required in accordance with PR Notice 83-2, March 29, 1983.

Item 10B [There is no Item 10B].

Item 10C. STORAGE AND DISPOSAL BLOCK - All labels are required to bear storage and disposal statements. These statements are developed for specific containers, sizes, and chemical content. These instructions must be grouped and appear under the heading "Storage and Disposal" in the directions for use. This heading must be set in the same type sizes as required for the child hazard warning. Refer to Appendix II, STOR, PEST/DIS, and CONT/DIS to determine the storage and disposal instructions appropriate for your products.

Item 10D. DIRECTIONS FOR USE - Directions for use must be stated in terms which can be easily read and understood by the average person likely to use or to supervise the use of the pesticide. When followed, directions must be adequate to protect the public from fraud and from personal injury and to prevent unreasonable adverse effects on the environment.
[40 CFR 162.10]

COLLATERAL LABELING

Bulletins, leaflets, circulars, brochures, data sheets, flyers, or other written or graphic printed matter which is referred to on the label or which is to accompany the product are termed collateral labeling. Such labeling may not bear claims or representations that differ in substance from those accepted in connection with registration of the product. It should be made part of the response to this notice and submitted for review.

SUMMARY-6

LABELING REQUIREMENTS OF THE FIFRA, AS AMENDED

ITEM	LABEL ELEMENT	APPLICABILITY OF REQUIREMENT	PLACEMENT ON LABEL		COMMENTS
			REQUIRED	PREFERRED	
1	Product name	All products	Front panel	Center front panel	
2	Company name and address	All products	None	Bottom front panel or end of label text	If registrant is not the producer, must be qualified by "packed for . . .," "Distributed by . . .," etc.
3	Net contents	All products	None	Bottom front panel or end of label text	May be in metric units in addition to U.S. units
4	EPA Reg. No.	All products	None	Front panel	Must be in similar type size and run parallel to other type.
5	EPA Est. No.	All products	None	Front panel, immediately before or following Reg. No.	May appear on the container instead of the label.
6A	Ingredients statement	All products	Front panel	Immediately following product name	Text must run parallel with other text on the panel.
6B	Pounds/gallon statement	Liquid products where dosage given as lbs. ai/unit area	Front panel	Directly below the main ingredients statement	
7	Front panel precautionary statements	All products	Front panel		All front panel precautionary statements must be grouped together, preferably blocked.
7A	Keep Out of Reach of Children (Child hazard warning)	All products	Front panel	Above signal word	Note type size requirements.
7B	Signal word	All products	Front panel	Immediately below child hazard warning	Note type size requirements.

SUMMARY-7

ITEM	LABEL ELEMENT	APPLICABILITY OF REQUIREMENT	PLACEMENT ON LABEL		COMMENTS
			REQUIRED	PREFERRED	
7C	Skull & crossbones and word POISON (in red)	All products which are Category I based on oral, dermal, or inhalation toxicity	Front panel	Both in close proximity to signal word	
7D	Statement of practical treatment	All products in Categories I, II, and III	Category I: Front panel unless reference statement is used. Others: Grouped with side panel precautionary statements.	Front panel for all.	
7E	Referral statement	All products where precautionary labeling appears on other than front panel.	Front panel		
8	Side/back panel precautionary statements	All products	None	Top or side of back panel preceding directions for use	Must be grouped under the headings in 8A, 8B, and 8C; preferably blocked.
8A	Hazards to humans and domestic animals	All products in Categories I, II, and III	None	Same as above	Must be preceded by appropriate signal word.
8B	Environmental hazards	All products	None	Same as above	Environmental hazards include bee caution where applicable.

SUMMARY-8

ITEM	LABEL ELEMENT	APPLICABILITY OF REQUIREMENT	PLACEMENT ON LABEL		COMMENTS
			REQUIRED	PREFERRED	
8C	Physical or chemical hazards	All pressurized products, others with flash points under 150°F	None	Same as above	
9A	Restricted block	All restricted products	Top center of front panel	Preferably blocked	Includes a statement of the terms of restriction. The words "RESTRICTED USE PESTICIDE" must be same type size as signal word.
9C	Misuse statement	All products	Immediately following heading of directions for use		
10A	Reentry statement	All cholinesterase inhibitors	In the directions for use	Immediately after misuse statement	
10C	Storage and disposal block	All products	In the directions for use	Immediately before specific directions for use or at the end of directions for use	Must be set apart and clearly distinguishable from other directions for use.
10D	Directions for use	All products	None	None	May be in metric as well as U.S. units

PHYS/CHEM-1

PHYSICAL/CHEMICAL HAZARDS

<u>Criteria</u>	<u>Required Label Statement</u>
I. Pressurized Containers	
A. Flashpoint at or below 20°F; or if there is a flashback at any valve opening.	Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.
B. Flashpoint above 20°F and not over 80°F; or if the flame extension is more than 18 inches long at a distance of 6 inches from the valve opening.	Flammable. Contents under pressure. Keep away from heat, sparks, and flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.
C. <u>All Other Pressurized Containers</u>	Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.
II. Non-Pressurized Containers	
A. Flashpoint at or below 20°F.	Extremely flammable. Keep away from fire, sparks, and heated surfaces.
B. Flashpoint above 20°F and not over 80°F.	Flammable. Keep away from heat and open flame.
C. Flashpoint over 80°F and not over 150°F.	Do not use or store near heat and open flame.
D. Flashpoint above 150°F.	None required.

STORAGE INSTRUCTIONS FOR PESTICIDESHeading:

All products are required to bear specific label instructions about storage and disposal. Storage and disposal instructions must be grouped together in the directions for use portion of the label under the heading STORAGE AND DISPOSAL. Products intended solely for domestic use need not include the heading "STORAGE AND DISPOSAL."

Storage Instructions:

All product labels are required to have appropriate storage instructions. Specific storage instructions are not prescribed. Each registrant must develop his own storage instructions, considering, when applicable, the following factors:

1. Conditions of storage that might alter the composition or usefulness of the pesticide. Examples could be temperature extremes, excessive moisture or humidity, heat, sunlight, friction, or contaminating substances or media.
2. Physical requirements of storage which might adversely affect the container of the product and its ability to continue to function properly. Requirements might include positioning of the container in storage, storage or damage due to stacking, penetration of moisture, and ability to withstand shock or friction.
3. Specifications for handling the pesticide container, including movement of container within the storage area, proper opening and closing procedures (particularly for opened containers), and measures to minimize exposure while opening or closing container.
4. Instructions on what to do if the container is damaged in any way, or if the pesticide is leaking or has been spilled, and precautions to minimize exposure if damage occurs.
5. General precautions concerning locked storage, storage in original container only, and separation of pesticides during storage to prevent cross-contamination of other pesticides, fertilizer, food, and feed.
6. General storage instructions for household products should emphasize storage in original container and placement in locked storage areas.

CONTAINER DISPOSAL INSTRUCTIONS

The label of each product must bear container disposal instructions appropriate to the type of container.

1. Domestic use products must bear one of the following container disposal statements:

Container Type	Statement
Non-aerosol products (bottles, cans, jars)	Do not reuse container (bottle, can, jar). Rinse thoroughly before discarding in trash.
Non-aerosol products (bags)	Do not reuse bag. Discard bag in trash.
Aerosol products	Replace cap and discard containers in trash. Do not incinerate or puncture.

2. All other products must bear container disposal instructions, based on container type, listed below:

Container Type	Statement
Metal containers (non-aerosol)	Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
Plastic containers	Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
Glass containers	Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.
Fiber drums with liners	Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused ¹ , dispose of in the same manner.
Paper and plastic bags	Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.
Compressed gas cylinders	Return empty cylinder for reuse (or similar wording)

¹/ Manufacturer may replace this phrase with one indicating whether and how fiber drum may be reused.

PESTICIDE DISPOSAL INSTRUCTIONS

The label of all products, except those intended solely for domestic use, must bear explicit instructions about pesticide disposal. The statements listed below contain the exact wording that must appear on the label of these products:

1. The labels of all products, except domestic use, must contain the statement, "Do not contaminate water, food, or feed by storage or disposal."

2. Except those products intended solely for domestic use, the labels of all products that contain active ingredients that are Acute Hazardous Wastes (see list in this Appendix) or are assigned to Toxicity Category I on the basis of oral or dermal toxicity, skin or eye irritation potential, or Toxicity Category I or II on the basis of acute inhalation toxicity must bear the following pesticide disposal statement:

"Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

3. The labels of all products, except those intended for domestic use, containing active or inert ingredients that are Toxic Hazardous Wastes (see list in this Appendix) or meet any of the criteria in 40 CFR 261, Subpart C for a hazardous waste must bear the following pesticide disposal statement:

"Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

4. Labels for all other products, except those intended for domestic use, must bear the following pesticide disposal statement:

"Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility."

5. Products intended for domestic use only must bear the following disposal statement: "Securely wrap original container in several layers of newspaper and discard in trash."

PESTICIDE ACTIVE INGREDIENTS THAT ARE ACUTE HAZARDOUS WASTES

I. PESTICIDES ON THE "E" LIST (with RCRA # and CAS #
[40 CFR 261.33(e)])

Acrolein	P003	107-13-1
Aldicarb	P070	116-06-3
Aldrin	P004	309-00-2
Allyl alcohol	P005	107-18-6
Aluminum phosphide	P006	1302-45-0
4-Aminopyridine (Avitrol)	P008	504-24-5
Arsenic acid	P010	7778-39-4
Arsenic pentoxide	P011	1303-28-2
Arsenic trioxide	P012	1327-53-3
Calcium cyanide	P021	592-01-8
Carbon disulfide	P022	75-15-0
p-Chloroaniline	P024	106-47-8
Cyanides (soluble cyanide salts not otherwise specified)	P030	
Cyanogen chloride	P031	506-77-4
Dieldrin	P037	60-57-1
O,O-Diethyl S-[2-ethylthio)ethyl] phosphorodithioate (disulfoton)	P039	298-04-4
O,O-Diethyl O-pyrazinyl phosphorothioate (Zinophos®)	P040	297-97-2
Dimethoate	P044	60-51-5
O,O-Dimethyl O-p-nitrophenyl phosphorothioate (methyl parathion)	P071	298-00-0
4,6-Dinitro-o-cresol and salts	P047	534-52-1
4,6-Dinitro-o-cyclohexylphenol	P034	131-89-5
Dinoseb	P020	88-85-7
Endosulfan	P050	115-29-7
Endothall	P088	129-67-9
Endrin	P051	72-20-8
Famphur	P097	52-85-7
Fluoroacetamide	P057	640-19-7
Heptachlor	P059	76-48-8
Hexachlorohexahydro-exo,exo- dimethanonaphthalene (Isodrin)	P069	465-73-6
Hydrocyanic acid	P063	74-90-8
Methomyl	P066	16752-77-5
alpha-Naphthylthiourea (ANTU)	P072	86-88-41
Nicotine and salts	P075	54-11-5
Octamethylpyrophosphoramide (OMPA, schradan)	P085	152-16-9
Parathion	P089	56-38-2
Phenylmercuric acetate (PMA)	P092	62-38-4
Phorate	P094	298-02-2
Potassium cyanide	P098	151-50-8
Propargyl alcohol	P102	107-19-7
Sodium azide	P105	26628-22-8
Sodium cyanide	P106	143-33-9
Sodium fluoroacetate	P058	62-74-8

PEST/DIS-3

Strychnine and salts	P108	57-24-9 60-41-3
O,O,O,O-Tetraethyl dithiopyrophosphate (sulfotepp)	P109	3689-24-5
Tetraethyl pyrophosphate	P111	107-49-3
Thallium sulfate	P115	7446-18-6
Thiofanox	P045	39196-18-4
Toxaphene	P123	8001-35-2
Warfarin (>0.3%)	P001	81-81-2
Zinc phosphide (>10%)	P122	1314-84-7

50 ACTIVES

II. PESTICIDES DERIVED FROM TRI-, TETRA-, AND PENTACHLOROPHENOLS
[40 CFR 261.31]

2-Chloroethyl 2-(2,4,6-trichloro- phenoxy) ethyl ether	F027	5324-22-1
Dehydroabietylammmonium pentachlorophenoxide	F027	35109-57-0
Erbon	F027	136-25-4
O-ethyl O-(2,4,5-trichlorophenyl) ethylphosphonothioate	F027	327-98-0
2,2'-Methylenebis (3,4,6-trichlorophenol) (Hexachlorophene)	F027	70-30-4
--Potassium salt of	F027	67923-62-0
--Sodium salt of	F027	3247-34-5
--Disodium salt of	F027	5736-15-2
Pentachlorophenol	F027	87-86-5
--Potassium salt of	F027	7778-73-6
--Sodium salt of	F027	131-52-2
--Zinc salt of	F027	2917-32-0
--Zinc salt of N-alkyl (C ₁₆ -C ₁₈)-1,3-propanediamine	F027	
--Pentachlorophenyl laurate	F027	3772-94-9
Potassium trichlorophenate (2,4,6)	F027	2591-21-1
Potassium trichlorophenate (2,4,5)	F027	35471-43-3
Silvex	F027	93-72-1
--2-Butoxyethyl ester	F027	19398-13-1
--Butoxypolypropoxypropyl ester	F027	53404-07-2
--Butoxypropyl ester	F027	25537-26-2
--Diethanolamine salt	F027	51170-59-3
--Diisopropanolamine salt	F027	53404-09-4
--Dimethylamine salt	F027	55617-85-1
--Dipropylene glycol isobutyl ether ester	F027	53535-26-5
--Ethanolamine salt	F027	7374-47-2
--2-Ethylhexyl ester	F027	53404-76-5
--Isooctyl ester	F027	53404-14-1

PEST/DIS-4

--Isopropanolamine salt	F027	53404-13-0
--Monohydroxylaluminum salt	F027	69622-82-8
--Polypropoxypropyl ester	F027	83562-66-7
--Potassium salt	F027	2818-16-8
--Propylene glycol isobutyl ether ester	F027	53466-84-5
--Sodium salt	F027	37913-89-6
--Triethanolamine salt	F027	17369-89-0
--Triethylamine salt	F027	53404-74-3
--Triisopropanolamine salt	F027	53404-75-4
--Tripropylene glycol isobutyl ether ester	F027	53535-30-1
Sodium 2-(2,4,5-trichlorophenoxy) ethyl sulfate	F027	3570-61-4
Tetrachlorophenols	F027	25167-83-3
--Alkylamine*amine salt (as in fatty acids of coconut oil)	F027	
--Potassium salt	F027	53535-27-6
--Sodium salt	F027	25567-55-9
2,4,5-Trichlorophenol	F027	95-95-4
2,4,6-Trichlorophenol	F027	88-06-2
2,4,5-Trichlorophenol salt of 2,6-bis[(dimethylamino)methyl] cyclohexanone	F027	53404-83-4
2,4,5-Trichlorophenol, sodium salt	F027	136-32-3
2,4,6-Trichlorophenol, sodium salt	F027	3784-03-0
2,4,5-Trichlorophenoxyacetic acid	F027	93-79-8
--Alkyl C-12 amine salt	F027	53404-84-5
--Alkyl C-13 amine salt	F027	53404-85-6
--Alkyl C-14 amine salt	F027	53535-37-8
--N,N-diethylethanolamine salt	F027	53404-86-7
--Dimethylamine salt	F027	6369-97-7
--N,N-dimethylilinoleylamine salt	F027	53404-88-9
--N,N-dimethyloleylamine salt	F027	53404-89-0
--N-oley-1,3-propylene diamine salt	F027	53404-87-8
--Sodium salt	F027	13560-99-1
--Triethanolamine salt	F027	3813-14-7
--Triethylamine salt	F027	2008-46-0
--Alkyl (C3H7 - C7H9) ester	F027	
--Amyl ester	F027	120-39-8
--Butoxyethoxypropyl ester	F027	1928-58-1
--2-Butoxyethyl ester	F027	2545-59-7
--Butoxypropyl ester	F027	1928-48-9
--Butyl ester	F027	93-79-8
--Dipropylene glycol isobutyl ether ester	F027	53535-31-2
--2-Ethylhexyl ester	F027	1928-47-8
--Isobutyl ester	F027	4938-72-1

PEST/DIS-5

—Isopropyl ester	F027	93-78-7
--Propylene glycol isobutyl ether ester	F027	53466-86-7
--Tripropylene glycol isobutyl ether ester	F027	53535-32-3
4-(2,4,5-Trichlorophenoxy)butyric acid [2,4,5-TB]	F027	93-80-1
2-(2,4,5-Trichlorophenoxy)ethyl hydrogen sulfate [2,4,5-TES]	F027	69633-04-1
1,4',5'-Trichloro-2'-(2,4,5- trichlorophenoxy) methanesulfonanilide [Edolan U]	F027	69462-14-2

PESTICIDES THAT ARE TOXIC HAZARDOUS WASTES

<u>PESTICIDES ON THE "F" LIST</u> <u>[40 CFR 261.33(f)]</u>	<u>(with RCRA #, and CAS #</u>	
Acetone	U002	67-64-1
Acrylonitrile*	U009	107-13-1
Amitrole	U011	61-82-5
Benzene*	U019	71-43-2
Bis(2-ethylhexyl)phthalate	U028	117-81-7
Cacodylic acid	U136	75-60-5
Carbon tetrachloride*	U211	56-23-5
Chloral (hydrate)	U034	302-17-0
(chloroacetaldehyde)		
Chlordane, technical*	U036	57-74-9
Chlorobenzene*	U037	108-90-7
4-Chloro-m-cresol	U039	59-50-7
Chloroform*	U044	67-66-3
o-Chlorophenol	U048	95-57-8
Creosote	U051	8021-39-4
Cresylic acid (cresols)*	U052	1319-77-3
Cyclohexane	U056	110-82-7
Cyclohexanone	U057	108-94-1
Decachlorooctahydro-1,3,4-metheno- 2H-cyclobuta[c,d]-pentalen-2-one (Kepone, chlordecone)	U142	143-50-0
1,2-Dibromo-3-chloropropane (DBCP)	U066	96-12-8
Dibutyl phthalate	U069	84-74-2
S-2,3-(Dichloroallyl diisopropyl- thiocarbamate) (diallate, Avadex)	U062	2303-16-4
o-Dichlorobenzene*	U070	95-50-1
p-Dichlorobenzene*	U072	106-46-7
Dichlorodifluoromethane (Freon 12®)	U075	75-71-8
3,5-Dichloro-N-(1,1-dimethyl-2- propynyl) benzamide (pronamide, Kerb®)	U192	23950-58-5
Dichloro diphenyl dichloroethane (DDD)	U060	72-54-8
Dichloro diphenyl trichloroethane (DDT)	U061	50-29-3
Dichloroethyl ether	U025	1191-17-9
2,4-Dichlorophenoxyacetic, salts and esters (2,4-D)*	U240	94-75-7
1,2-Dichloropropane	U083	8003-19-8
1,3-Dichloropropene (Telone)	U084	542-75-6
Dimethyl phthalate	U102	131-11-3
Epichlorohydrin (1-chloro-2,3-epoxypropane)	U041	106-89-8
Ethyl acetate	U112	141-78-6
Ethyl 4,4'-dichlorobenzilate (chlorobenzilate)	U038	510-15-6

*Proposed for deletion by TCLP proposal

Ethylene dibromide (EDB)	U067	106-93-4
Ethylene dichloride*	U077	107-06-2
Ethylene oxide	U115	75-21-8
Formaldehyde	U122	50-00-0
Furfural	U125	98-01-1
Hexachlorobenzene*	U127	118-74-1
Hexachlorocyclopentadiene	U130	77-47-4
Hexachloroethane*	U131	67-72-1
Hydrofluoric acid	U134	7664-39-3
Isobutyl alcohol*	U140	78-83-1
Lead acetate	U144	301-04-2
Lindane*	U129	58-89-9
Maleic hydrazide	U148	123-33-1
Mercury	U151	7439-97-6
Methoxychlor*	U247	72-43-5
Methyl alcohol (methanol)	U154	67-56-1
Methyl bromide	U029	74-83-9
Methyl chloride	U045	74-87-3
2,2'-Methylenebis (3,4,6-trichlorophenol) (hexachlorophene) [acute waste per 261.31]	U132	70-30-4
Methylene chloride*	U080	75-09-2
Methyl ethyl ketone*	U159	78-93-3
4-Methyl-2-pentanone (methyl isobutyl ketone)	U161	108-10-1
Naphthalene	U165	91-20-3
Nitrobenzene*	U169	98-95-3
p-Nitrophenol	U170	100-02-7
Pentachloroethane	U184	76-01-7
Pentachloronitrobenzene (PCNB)	U185	82-68-8
Pentachlorophenol* [acute waste per 261.31]	U242	87-86-5
Phenol*	U188	108-95-2
Pyridine*	U196	110-86-1
Resorcinol	U201	108-46-3
Safrole	U203	94-59-7
Selenium disulfide	U205	7488-56-4
Silvex [acute waste per 261.31]	U233	93-72-1
1,1,2,2-Tetrachloroethane*	U209	79-34-5
Tetrachloroethylene*	U210	127-18-4
2,3,4,6-Tetrachlorophenol* [acute waste per 261.31]	U212	
Thiram	U244	137-26-8
Toluene*	U220	108-88-3
1,1,1-Trichloroethane* (methyl chloroform)	U226	71-55-6
Trichloroethylene*	U228	79-01-6
Trichloromonofluoromethane (Freon 11®)	U121	75-69-4
2,4,5-Trichlorophenol* [acute waste per 261.31]	U230	95-95-4
2,4,6-Trichlorophenol* [acute waste per 261.31]	U231	88-06-2

PEST/DIS-8

2,4,5-Trichlorophenoxyacetic acid	U232	93-76-5
(2,4,5-T)*		
[acute waste per 261.31]		
Warfarin (<0.3%)	U248	81-81-2
Xylene	U239	1330-20-7
Zinc phosphide (<10%)	U249	1314-84-7

83 ACTIVES

III. USE INDEX APPENDIX

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT*

TYPE PESTICIDE: HerbicideFORMULATIONS:

FI (3 lb/gal, 4 lb/gal, 62%)
EC (1.04 lb/gal)
SC/L (0.42 lb/gal, 3 lb/gal, 4 lb/gal, 5%, 6.6%)
RTU (0.5%, 0.96%, 1%)
PrL (0.75%)

GENERAL WARNINGS AND LIMITATIONS: Glyphosate is a broad spectrum post-emergence systemic herbicide that can be used for the control of most annual weeds, a large number of herbaceous and woody perennials, and grasses. Because of the non-selective nature of this herbicide, it may be applied either as a broadcast spray before planting or before emergence of the crop, or as a directed application in established crops, or to control weeds that are taller than the crop using recirculating or wiper applicators, or as a broadcast spray to achieve total vegetation kill for turf renovation or site preparation. It may also be used for weed control in non-crop areas and for spot treatment in crops. Apply with a nonionic surfactant. Do not allow spray, drift, or mist to come in contact with green foliage, green stems, or fruit of crops, desirable plants, or trees. Spray contact with any part other than mature bark on the main trunk of trees can result in serious damage to the plant. For best results, weeds should be actively growing and not under stress of drought or disease at the time of application. Control of perennials increases with plant maturity at the time of application. If weeds or brush have been mowed, or trees have been cut, allow regrowth to reach the recommended stage prior to application. Rainfall or irrigation occurring within 6 hours may reduce effectiveness; heavy rainfall or irrigation within 2 hours after application may require retreatment. Use the higher dosages and gallonages for control of dense vegetation unless otherwise specified. Do not disturb treated vegetation for a few days, and delay tillage for up to 7 days after application.

Thoroughly spray weed foliage, but not to the point of run-off. Repeat treatments may be necessary to control late germinating weeds or weeds regenerating from underground rhizomes.

Glyphosate does not provide residual control; plants that emerge after treatment will not be controlled. Dosages have been calculated using the acid equivalent of glyphosate. Tolerances have been given for combined residues of glyphosate (N-(phosphonomethyl)glycine) and its metabolite aminomethylphosphonic acid.

*Roundup

N-(phosphonomethyl)glycine, isopropylamine salt

Issued: 11-01-83

I-103601-1

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

METHODS OF APPLICATION (continued)

Wiper Applicators (Roller or Wick) - For roller applications, mix 3 lbs a.e. in 9 or 19 gallons of water. Maintain roller speed at 40 to 60 RPM. For wick applicators mix 3 lbs a.e. in 2 gallons of water. In severe infestations, reduce ground speed to ensure proper weed contact. Best results may be obtained if 2 applications are made in opposite directions.

Hand-Held Wipers - These are small-scale wiper applicators used for spot treatments.

TIME REQUIRED FOR CONTROL: Visible effects occur in 2 to 4 days on annual weeds and in 7 to 10 days on perennials.

PHYTOTOXICITY TO TARGET WEEDS: A gradual wilting and yellowing, leading to browning and necrosis.

PHYTOTOXICITY TO CROPS: Same as for the weeds.

MODE OF ACTION: The proposed mechanism of action is in the inhibition of the aromatic amino acid biosynthesis pathway leading to reduced protein synthesis and inhibited growth.

BROADLEAF WEEDS CONTROLLED:

0QBIBE	Alfalfa	
1AAAAAB	Annual broadleaf weeds	
1AAAAAE	Annual weeds	
3FAKAA	Aster	
1AAAAAG	Biennial weeds	
3GAFBJ	Bigroot morningglory	(9)(24)
3GACAA	Bindweed	
0QBIBB	Black medic	
0XADDH	Blackseed plantain	
3KAKBA	Blue mustard	
3FBAAA	Brassbuttons	
0XABBD	Broadleaf plantain	
1AAAAAC	Broadleaf weeds	
0XABBC	Buckhorn plantain	
3FAWBG	Bull thistle	
0QBIAA	Burclover	
EHAGAA	Buttercup	
3FAWBB	Canada thistle	(3)(5)(14)
3FCAAA	Catsear	
1ZAAAC	Chickweed	
3FAVBA	Chicory	
0QAAAB	Clover	
1RABBB	Coast fiddleneck	
3FDQAA	Cocklebur	(7)
1ZAOBB	Common chickweed	
3FCXBK	Common groundsel	

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

BROADLEAF WEEDS CONTROLLED (continued)

'ZAAHH	Little bittercress	
'AZAOBA	Little starwort	
'BKDBB	London rocket	
'DAAHAA	Mallow	
'BFAHBB	Mayweed	
'AMAAAB	Milkweed	(3)(5)(6)
'EFADBA	Moneywort	
'BGAAAB	Morningglory	
'AZADBC	Mouseear chickweed	
'BFAQBC	Musk thistle	(3)(5)
'BKAAAC	Mustard	
'EWAIAA	Nightshade	
'AAAACV	Nimblewill	
'EMAHAA	Oldenlandia	
'EUAIBA	Oldfield toadflax	
'EAAGBO	Pennsylvania smartweed	
'FFARAA	Pennywort	
'BKAWAA	Pepperweed	
'AAAAAD	Perennial broadleaf weeds	
'AAAAAF	Perennial weeds	
'AAAABI	Pigweed	
'DXABAA	Plantain	
'BFCEBF	Prickly lettuce	
'EFAEAA	Primrose	
'EAAGBD	Prostrate knotweed	
'AFACBC	Prostrate pigweed	
'BVAGBQ	Prostrate spurge	
'FMAFBB	Puncturevine	
'BFBPBF	Purple cudweed	
'AAAABP	Purslane	
'BFAEAA	Ragweed	
'CQBYBH	Red clover	
'COAFBC	Red deadnettle	
'ZAAHBB	Red sorrel	
'AFACBI	Redroot pigweed	(3)(5)(7)
'BDAKBA	Russian thistle	
'BKAHBA	Shepherdspurse	
'EWAIBD	Silverleaf nightshade	(3)(5)(16)
'BKAGBB	Smallseed falseflax	
'EAAGAD	Smartweed	
'BFCABA	Smooth catsear	
'AFACBE	Smooth pigweed	
'EAAHAB	Sour dock	
'BFDCAA	Sowthistle	
'3FAOBA	Spanishneedles	(1)(4)(9)
'BVAGBK	Spotted spurge	
'BVAGAA	Spurge	
'ZAAAGJ	Spurweed	
'FGAEBA	Stinging nettle	
'8FBUAA	Sunflower	(3)(5)(7)
'EAAGBG	Swamp smartweed	

Issued: 11-01-83

I-103601-5

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

BROADLEAF WEEDS CONTROLLED (continued)

- (18) Apply 3 lb a.e./A when most weeds have reached the late bud to flower stage. Apply in late summer or fall for best results. Allow 7 or more days after application before tillage.
- (20) Apply 3 to 3.75 lb a.e./100 gal using hand-held equipment only. Apply when weeds are at or beyond the bloom stage. Use higher dosage for weeds that have reached the woody stage. Allow 7 or more days after application before tillage.
- (21) Apply 2.25 lb a.e./A when most weeds have reached the late bud to flower stage. Allow 7 or more days after application before tillage.
- (24) Apply 6 lb a.e./100 gal using hand-held equipment to weeds that are at or beyond the bloom stage. Repeat applications will be required. Allow 7 or more days after application before tillage.
- (30) Apply 3 lb a.e./A as a broadcast spray, or 6 lb a.e./100 gal using hand-held equipment for control. Repeat applications will be necessary to maintain control.

GRASSES AND OTHER MONOCOTS CONTROLLED:

PCABMBE	Alta fescue	
PCACKBA	Annual bluegrass	
PCAAAAB	Annual grasses	
PCACFBM	Bahiagrass	
PCABSAA	Barley (volunteer)	
PCABHBB	Barryardgrass	
PCAADAA	Bentgrass	(3)(5)(11)
PCAAZBA	Bermudagrass	
PCAAAAN	Biennial grasses	
PCACKAA	Bluegrass	
PCAATAA	Brome	
PCACFBN	Brownseed paspalum	
PCACKBB	Bulbous bluegrass	
PCADHBA	Centipedegrass	(2)(4)
PCACTBA	Common rye	(2)(4)(8)
PCADPBA	Corn (volunteer)	
PCABFAA	Crabgrass	
PCAADBC	Creeping bentgrass	
PCACFBC	Dallisgrass	
PCAATBM	Downy brome	
PCABMAA	Fescue	
PCAAWBB	Field sandbur	
PCACUAA	Foxtail	
PCADEBA	Giant cutgrass	
PCABIBA	Goosegrass	
PCABUBF	Green foxtail	

Issued: 11-01-83

I-103601-7

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

GRASSES AND OTHER MONOCOTS CONTROLLED (continued)

- (9) Apply 1.5 lb a.e./A for control.
- (10) Partial control only.
- (11) Apply 2.25 to 3.75 lb a.e./A. Use the lower dosage for partial control and the higher dosage for control. Apply when seedheads are present. Retreatment may be necessary for control. Allow 7 or more days after application before tillage.
- (13) Apply 1.5 to 2.25 lb a.e./A when most grasses have reached the boot to head stage. Allow 7 or more days after application before tillage.
- (17) Apply 2.25 lb a.e./A, or 3 lb a.e./100 gal using hand-held equipment when most weeds have reached the 7-leaf stage. Allow 7 or more days after application before tillage.
- (19) In annual cropping systems apply 0.75 to 1.5 lb a.e./A, using 0.75 lb a.e. plus surfactant in 5 to 10 gallons of water per acre; or 1.5 lb a.e. in 10 to 40 gallons of water per acre. In noncrop areas or in areas where annual tillage is not performed, apply 1.5 to 2.25 lb a.e. in 10 to 40 gallons of water per acre. For best results, apply when most weeds are at least 18 inches in height and have reached the boot to head stage of growth. Allow 7 or more days after application before tillage. Do not tank mix with residual herbicides when applying 0.75 lb a.e./A rate.
- (22) Apply 2.25 lb a.e./A as a broadcast spray, or 3 lb a.e./100 gal using hand-held equipment to control existing weeds and immature nutlets attached to treated weeds. Apply when weeds are in flower or when new nutlets can be found at rhizome tips. Nutlets which have not germinated will not be controlled. Repeat. Tillage will stimulate nutlet germination.
- (23) In annual cropping systems apply 0.75 to 1.5 lb a.e./A, using 0.75 lb a.e. plus a surfactant in 5 to 10 gallons of water per acre; or 1.5 lb a.e. in 10 to 40 gallons of water per acre. In pastures, areas coming out of sod, areas which are not tilled, or areas where annual crops are not grown, apply 1.5 to 2.25 lb a.e. in 10 to 40 gallons of water per acre. Make applications when weeds are 8 to 12 inches in height (3- to 4-leaf stage). Do not till between harvest and fall applications or in the fall or spring prior to spring applications. Allow 3 or more days after application before tillage. Do not tank mix with residual herbicides when applying 0.75 lb a.e./A.
- (25) Apply 3 to 3.75 lb a.e./A to provide partial control when most weeds are at or beyond the seedhead stage. To maintain control, repeat applications will be required. Make fall applications before a frost. Allow 7 or more days after application before tillage.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

WOODY PLANTS CONTROLLED (continued)

1AQACBA	Trumpet creeper	(28)
1CZABBA	Tuliptree	(10)
1ACABBB	Vine maple	(10)
1FKADBA	Virginia creeper	
1BWAFFB	White oak	(10)
1EOACAA	Willow	(35)
1AHABBB	Winged sumac	(10)

(10) Partial control only.

(27) Apply 2.25 to 3 lb a.e./A as a broadcast spray, or 3 to 4.5 lb a.e./100 gal using hand-held equipment for weed control.

(28) Apply 1.5 to 2.25 lb a.e./A as a broadcast spray, or 3 to 4.5 lb a.e./100 gal using hand-held equipment for weed control.

(29) Apply 1.5 lb a.e./A as a broadcast spray, or 3 lb a.e./100 gal using hand-held equipment for weed control.

(32) Apply 3 to 3.75 lb a.e./A as a broadcast spray, or 6 lb a.e./100 gal using hand-held equipment. Repeat applications may be necessary to maintain control. Make fall applications before leaves lose green color.

(33) Apply 3 to 4.5 lb a.e./100 gal using hand-held equipment for weed control when at least 50 percent of the new leaves are fully developed.

(34) Apply 1.5 to 3 lb a.e./A as a broadcast spray for partial control when weeds are at or beyond full flowering.

(35) Apply 2.25 lb a.e./A as a broadcast spray, or 3 lb a.e./100 gal using hand-held equipment for weed control.

(40) Apply 1 ml/2 to 3 inch DBH by frill or injection treatment for control.

(41) Apply 1 ml/2 to 3 inch DBH by frill or injection treatment for suppression.

AQUATIC WEEDS CONTROLLED:

1AFABBA	Alligatorweed	(36)
1FDABAA	Cattail	(37)
1IGABAA	Chara	
1CACJAA	Phragmites	(38)
1DLAEBB	Spatterdock	(39)

Issued: 11-01-83 .

I-103601-11

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(1b a.e./A)

Tolerance, Use, Limitations

TERRESTRIAL FOOD CROP

(Agricultural Crops)

General Warnings and Limitations: Applications may be made using any type of equipment outlined under Methods of Application, except as indicated in use paragraphs.

/23001AA	<u>Alfalfa</u>	0.2 ppm (fresh alfalfa and alfalfa hay)
/24001AA	<u>Barley</u>	0.1 ppm (grain crops)
/24003AA	<u>Oats</u>	Do not graze or feed treated foliage to livestock within 8 weeks after application. The combined total of all treatments must not exceed 6 lb a.e./A per year. Do not plant subsequent crops other than those registered for glyphosate for 1 year following application.
/24006AA	<u>Sorghum (Milo)</u>	
/24007AA	<u>Wheat</u>	
	0.75-1.5 (3 lb/gal SC/L)	Preplant. Broadcast. Annual weed control. Use the higher dosage when weeds are more than 6 inches tall.
	0.75-3.75 (3 lb/gal SC/L)	Preplant. Broadcast. Perennial weed control.
	3-6 lb a.e./100 gal (3 lb/gal SC/L)	Postemergence. Spot treatment. Apply prior to heading of small grains and milo. Do not treat more than 10 percent of the total field area to be harvested.
/03001AA	<u>Almond</u>	0.2 ppm (nuts)
/03005AA	<u>Filbert</u>	1.0 ppm (almond hulls)
/03007AA	<u>Macadamia Nut</u>	Twenty-one day preharvest interval. Do not graze or feed treated foliage to livestock within 8 weeks after application.
/03008AA	<u>Pecan</u>	
/03011AA	<u>Pistachio</u>	
/03009AA	<u>Walnut</u>	

Refer to Apple cluster for general information and use and dose instructions.

Issued: 11-01-83

I-103601-13

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage and Formulation (lb a.e./A)

Tolerance, Use, Limitations

/05001AA
/05003AA
/05005AA
/05006AA

Apricot
Nectarine
Plum
Prune

0.2 ppm (stone fruits)
Fourteen day preharvest interval. Do not graze or
feed treated forage to livestock within 8 weeks
after application.

General Information: Any appropriate method of
application may be used in AZ, CA, CO, ID, ND, OK,
OR, TX, UT and WA. In all other states use wiper
equipment only.

Refer to Apple cluster for general information and
use and dose instructions.

/14009AA
/28001AA
/13001AA
/14001AA
/13007AA
/14003AA
/13008AA
/13003AA
/14008AA
/13011AA
/15011AA
/13011AA
/13021AA
/15015AA
/14011AA
/28016AA
/14013AA
/14014AA
/13024AA
/25002AA
/14018AA

Artichoke (Jerusalem)
Beans
Beet Greens
Beets (red)
Cabbage
Carrot
Cauliflower
Chicory
Horseradish
Kale
Lentils
Lettuce
Mustard Greens
Okra
Onion
Peas
Potato (Irish)
Radish
Spinach
Sugar Beets
Sweet Potato

0.2 ppm (leafy vegetables, root crop vegetables,
seed and pod vegetables, seed and pod
vegetable forage and hay)
Do not graze or feed treated foliage to livestock
within 8 weeks after application. The combined
total of all treatments must not exceed 6 lb a.e./A
per year. Do not plant subsequent crops other
than those registered for glyphosate for 1 year
following application.

0.75-1.5
or
3 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Annual weed control. Use
the higher dosage where weeds are more than 6
inches tall.

0.75-3.75
or
3-6 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Perennial weed and brush
control.

Issued: 11-01-83

I-103601-15

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

	<u>Site, Dosage and Formulation</u> (lb a.e./A)	<u>Tolerance, Use, Limitations</u>
06002AA	<u>Banana</u>	0.2 ppm Do not graze or feed treated foliage to livestock within 8 weeks after application. <u>General Information:</u> Delay application for 3 months after transplanting to allow plants to become established. Refer to Apple cluster for general information and use and dose instructions.
	<u>Barley</u>	See Alfalfa cluster.
33017BA	<u>Bermudagrass (seed crop)</u> 0.28 (3 lb/gal SC/L)	N.F. (seed) 0.2 ppm (forage grasses) Dormant application. Broadcast. For the control of annual bluegrass. Apply to actively growing annual bluegrass prior to initiation of bermudagrass greenup in the spring. Apply in 5 to 20 gallons of water per acre with a nonionic surfactant.
	<u>Cabbage</u>	See Artichoke (Jerusalem) cluster.
	<u>Carrot</u>	See Artichoke (Jerusalem) cluster.
	<u>Cauliflower</u>	See Artichoke (Jerusalem) cluster.
	<u>Cherry</u>	See Apple cluster.
	<u>Chicory</u>	See Artichoke (Jerusalem) cluster.
'07002AA	<u>Coffee</u>	1 ppm (coffee beans) Fourteen day preharvest interval. Do not graze or feed treated foliage to livestock within 8 weeks after application. <u>General Information:</u> Delay application for 3 months after transplanting to allow plants to become established. Refer to Apple cluster for general information and use and dose instructions.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

Corn (continued)

1.5-3
(3 lb/gal SC/L)

At planting or preemergence in minimum tillage systems. Perennial weed control. At normal application dates in minimum tillage systems, weeds may not be at proper growth stage for control. When applied under these conditions, application will provide top kill and will reduce competition from many emerged perennial grasses and broadleaf weeds. To spray at the desired growth stage, it may be necessary to apply glyphosate alone in the late summer or fall and then follow with a label approved seedling weed control program at planting. Tank mix with alachlor; alachlor plus atrazine; alachlor plus bladex; alachlor plus simazine; or atrazine plus simazine.

3-6 lb a.e./100 gal Postemergence. Spot Treatment. Apply prior to silking of corn. Do not treat more than 10 percent of the total field area to be harvested.
(3 lb/gal SC/L)

8007AA

Cotton

15 ppm (cottonseed, forage, hay)
Seven day preharvest interval. Do not graze treated fields or feed treated forage to livestock. The combined total of all applications must not exceed 6 lb a.e./A per year. Do not plant subsequent crops other than those registered for glyphosate for 1 year following application.

General Information: Do not apply to crops grown for seed.

0.75-1.5
or
3 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Annual weed control. Use the higher dosage for weeds over 6 inches tall.

0.75-3.75
or
3-6 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Perennial weed and brush control.

3-6 lb a.e./100 gal Postemergence. Spot treatment. Apply prior to boll opening. Do not treat more than 10 percent of the total field area to be harvested.
(3 lb/gal SC/L)

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

<u>Site, Dosage and Formulation</u> (lb a.e./A)	<u>Tolerance, Use, Limitations</u>
01014AA <u>Grapes</u>	0.2 ppm Fourteen day preharvest interval. The combined total of all applications must not exceed 7.95 lb a.e./A per year. <u>General Information:</u> Avoid contact of spray with green foliage, green bark, suckers, or vines and renewals less than 3 years of age. In the north-east and Great Lakes regions, apply prior to the end of bloom stage of grapes. Refer to Apple cluster for general information and use and dose instructions.
28066BA <u>Grasses Grown for Seed</u>	N.F. (seed) 0.2 ppm (forage grasses) Do not feed or graze treated areas within 8 weeks after application. <u>General Information:</u> Do not disturb soil before treatment. Tillage should be delayed for 7 days after application. Delay planting to determine if there is any regrowth from underground parts. Where repeat applications are necessary, allow sufficient regrowth of vegetation. Summer or fall applications provide best control of warm season grasses.
0.75-1.5 or 3 lb a.e./100 gal (3 lb/gal SC/L)	Site preparation. Broadcast. Annual weed control. Use the higher dosage when weeds are over 6 inches tall.
1.5-3.75 or 3-6 lb a.e./100 gal (3 lb/gal SC/L)	Site preparation. Perennial weed and woody brush control. Repeat treatment may be necessary to control plants generating from underground rhizomes or late germinating weeds.
06006AA <u>Guava</u> 06010AA <u>Papaya</u>	0.2 ppm One day preharvest interval. Do not graze or feed treated foliage to livestock within 8 weeks after application. Refer to Apple cluster for general information and use and dose instructions.
<u>Horseradish</u>	See Artichoke (Jerusalem) cluster.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

<u>Site, Dosage and Formulation</u> (lb a.e./A)	<u>Tolerance, Use, Limitations</u>
3004AA <u>Peach</u>	0.2 ppm Fourteen day preharvest interval. Do not graze on feed treated foliage to livestock within 8 weeks after application.
0.75-3.75 or 3 lb a.e./4 gal (3 lb/gal SC/L)	Use limited to AL, AR, FL, NC, SC and TN. Directed spray. Apply with a shielded boom sprayer or shielded wiper applicator. When using a shielded wiper applicator, dilute 1 gallon of product in 4 gallons of water. To avoid injury, apply no later than 90 days after first bloom. Remove suckers and low hanging limbs at least 10 days prior to application. Avoid making applications near trees with recent pruning wounds. Apply near trees that are 2 or more years old.
0.75-1.5 or 3 lb a.e./100 gal (3 lb/gal SC/L)	Use limited to AZ, CA, CO, ID, ND, OK, OR, TX, UT and WA. Broadcast. Annual weed control. Use the higher dosage when weeds are over 6 inches tall.
0.75-3.75 or 3-6 lb a.e./100 gal (3 lb/gal SC/L)	Use limited to AZ, CA, CO, ID, ND, OK, OR, TX, UT, and WA. Broadcast. Perennial weed and brush con- trol.
3 lb a.e./4 gal (3 lb/gal SC/L)	Use limited to states other than AZ, CA, CO, ID, ND, OK, OR, TX, UT and WA. Wiper applications.
<u>Peas</u>	See Artichoke (Jerusalem) cluster.
28015AA <u>Peanuts</u>	0.1 ppm (peanuts) 0.5 ppm (forage, hay, hulls) The combined total of all treatments must not ex- ceed 6 lb a.e./A per year. Do not plant subsequent crops other than those registered for glyphosate for 1 year following application.
0.75-1.5 or 3 lb a.e./100 gal (3 lb/gal SC/L)	Preplant. Broadcast. Annual weed control. Use the higher dosage when weeds are more than 6 inches tall.
0.75-3.75 or 3-6 lb a.e./100 gal (3 lb/gal SC/L)	Preplant. Broadcast. Perennial weed and brush control.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

Soybeans (continued)

1.5-3
(3 lb/gal SC/L)

At planting or preemergence in minimum tillage systems. Perennial weed control. At normal application dates in minimum tillage systems, weeds may not be at proper growth stage for control. When applied under these conditions, application will provide top kill and will reduce competition from many emerged perennial grass and broadleaf weeds. To spray at the desired growth stage of weeds, it may be necessary to apply glyphosate alone in the late summer or fall and then follow with a label approved seedling weed control program at planting.
Tank mix with alachlor; alachlor plus atrazine; alachlor plus bladex; alachlor plus simazine; or atrazine plus simazine.

3-6 lb a.e./100 gal (3 lb/gal SC/L) Postemergence. Spot treatment. Apply prior to initial pod set. Do not treat more than 10 percent of the total field area to be harvested.

Spinach

See Artichoke (Jerusalem) cluster.

Sugar Beets

See Artichoke (Jerusalem) cluster.

25003AA

Sugarcane

2.0 ppm (sugarcane)
30 ppm (sugarcane molasses)
Do not graze or feed treated foliage to livestock within 8 weeks after application. The combined total of all treatments must not exceed 7.95 lb a.e./A per year.

General Information: Do not apply to vegetation in or around ditches, canals or ponds containing water to be used for irrigation.

0.75-1.5
or
3 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Annual weed control. Use the higher dosage when weeds are over 6 inches tall.

0.75-3.75
or
3-6 lb a.e./100 gal
(3 lb/gal SC/L)

Preplant. Broadcast. Perennial weed control.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

(Non-Crop and General Outdoor Treatments)

60020A

Fallowland

N.F.

Do not plant field crops other than those registered for glyphosate for 1 year following application. The combined total of all treatments must not exceed 6 lb. a.e./A per year.

General Information: These dosages may also be used in reduced tillage systems prior to emergence of the crop. Do not apply dicamba, dimethylamine salt or 2,4-D, dimethylamine salt tank mixtures by air in CA. Some crop injury may occur if dicamba, dimethylamine salt is applied within 45 days of planting. Refer to specific product labels for crop rotation restrictions of tank mix chemicals.

0.19
(3 lb/gal SC/L)

Preplant. Broadcast. For the control of foxtail. Apply by ground in 3 to 10 gallons or by air in 3 to 5 gallons of water per acre with a nonionic surfactant.

0.28
(3 lb/gal SC/L)

Preplant. Broadcast. For the control of downy brome, volunteer barley, barnyardgrass, jagged chickweed, mustard (blue, tansy, tumble, wild), volunteer rye and volunteer wheat. Apply by ground in 3 to 10 gallons or by air in 3 to 5 gallons of water per acre with a nonionic surfactant.

0.38
(3 lb/gal SC/L)

Preplant. Broadcast. For the control of annual ryegrass, bulbous bluegrass, lambsquarters, field pennycress, smallseed falseflax and wild oats. Apply by ground in 3 to 10 gallons or by air in 3 to 5 gallons of water per acre with a nonionic surfactant.

0.28
(3 lb/gal SC/L)

Preplant. Broadcast. For the control of field bindweed, kochia, lambsquarters, prickly lettuce, redroot pigweed and Russian thistle. Tank mix with dicamba, dimethylamine salt.

0.38
(3 lb/gal SC/L)

Preplant. Broadcast. For the control of kochia, prickly lettuce and Russian thistle. Tank mix with 2,4-D, dimethylamine salt.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

<u>Site, Dosage and Formulation (lb a.e./A)</u>	<u>Tolerance, Use, Limitations</u>
33017AA <u>Bermudagrass (Common and Coastal)</u>	
0.75-1.13 (3 lb/gal SC/L)	Roadside release of bermudagrass. For partial control of rhizome johnsongrass. Some injury may result from application, but regrowth will occur under moist conditions. Repeat applications during the same season are not recommended.
0.75 (3 lb/gal SC/L)	Roadside release of bermudagrass. For control of johnsongrass. Some injury may occur, but regrowth will occur under moist conditions. Tank mix with sulfometuron methyl.
320000A <u>Ornamentals</u>	<u>General Information:</u> Any ornamental species may be planted following preplant applications. When repeat applications are necessary, do not exceed 7.95 pounds a.e./A per year.
0.75-1.5 or 3 lb a.e./100 gal (3 lb/gal SC/L)	Site preparation. Annual weed control. Use the higher dosage when weeds are over 6 inches tall. Repeat treatments may be necessary to control late germinating weeds.
1.5-3.75 or 3-6 lb a.e./100 gal (3 lb/gal SC/L)	Site preparation. Perennial weed and woody brush control.
33008AA <u>Ornamental Turf</u>	<u>General Information:</u> Do not disturb soil before treatment. Renovation techniques should be delayed for 7 days after application. Turfgrass may be planted after control is evident. Where existing vegetation is growing under mowed conditions, apply after omitting at least 1 mowing to allow sufficient vegetative growth. Where repeat applications are necessary, allow sufficient regrowth of vegetation. Summer or fall applications provide best control in warm season grasses.
0.75-1.5 or 3 lb a.e./100 gal (3 lb/gal SC/L)	Turf renovation or site preparation. Broadcast. Annual weed control. Use the higher dosage when weeds are over 6 inches tall.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

Airports cluster (continued)

0.75-1.5
or
3 lb a.e./100 gal
(3 lb/gal SC/L) Annual weed control in industrial, recreational and public areas. Use the higher dosage when weeds are over 6 inches tall. May be tank mixed with bromacil and diuron; simazine; or oryzalin.

1.5-3.75
or
3-6 lb a.e./100 gal
(3 lb/gal SC/L) Perennial weed and woody brush control in industrial, recreational and public areas. May be tank mixed with bromacil and diuron; simazine; or oryzalin.

1.5-2.25
(3 lb/gal SC/L) Johnsongrass control. Apply anytime from early postemergence through the boot to head stage. Tank mix with sulfometuron methyl.

Also refer to AQUATIC NON-FOOD, Agricultural Drainage Systems cluster for additional information pertinent to Ditch Banks, Dry Ditches and Canals.

GREENHOUSE NON-FOOD CROP

(Ornamental Plants and Forest Trees)

510060A

Greenhouse

3-6 lb a.e./100 gal
(3 lb/gal SC/L) Spot treatment. Thoroughly spray weed foliage. Desirable vegetation must not be present during application and air circulation fans must be turned off.

DOMESTIC OUTDOOR

(Household)

GENERAL WARNINGS AND LIMITATIONS: Make spot treatments to kill undesirable weeds and grasses around trees, shrubs, in ornamental plantings, landscaped sites or mulched areas, along sidewalks, driveways, gravelled pathways, fences, patios, around buildings, lawns, gardens, and parking areas. Overall spray applications may be made where total vegetation kill is desired for lawn renovation or landscaping. Wiper, wick or sponge type applicators may be used with undiluted concentrates where specified. If foliage of desirable plants is accidentally sprayed, immediately wash off with water. Do not cut treated vegetation for 7 days after application. Hard-to-kill weeds and grasses may require retreatment after 14 to 21 days.

Issued: 11-01-83

I-103601-31

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

Flower Beds cluster (continued)

—
(0.96% RTU)

130100A

Ornamental Lawns

General Information: Treated lawn can be reseeded
or sodded after 7 days.

8 fl.oz product/gal Spot treatment.
(0.42 lb/gal SC/L)
(5% SC/L)

6 fl.oz product/gal
(6.6% SC/L)

—
(0.5% RTU)
(0.96% RTU)
(0.75% PrL)

0.53 lb a.e./
5,000 sq.ft

Broadcast application for lawn renovation.

or
1.25 gal product/
5,000 sq.ft
(0.42 lb/gal SC/L)
(5% SC/L)

0.94 gal product/
5,000 sq.ft
(6.6% SC/L)

—
(0.5% RTU)

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(1b a.e./A)

Tolerance, Use, Limitations

022MA	<u>Agricultural Drainage</u>	0.1 ppm (potable water)
	<u>Systems</u>	
013MB	<u>Ditch Banks, Dry</u>	Tolerances are established for the combined resi-
	<u>Ditches and Canals</u>	dues of glyphosate (N-phosphonomethylglycine) and
021MA	<u>Irrigation Systems</u>	its metabolite aminomethylphosphonic acid, result-
031MA	<u>Lakes, Ponds, and</u>	ing from the use of irrigation water containing
	<u>Seeps</u>	residues of 0.5 ppm following applications on or
015MA	<u>Reservoirs</u>	around aquatic sites, at 0.1 ppm on the crop
032MA	<u>Rivers and Streams</u>	groupings citrus, cucurbits, forage grasses, forage
013MA	<u>Drainage Systems</u>	legumes, fruiting vegetables, grain crops, leafy
		vegetables, nuts, pome fruits, root crop vegeta-
		bles, seed and pod vegetables, stone fruit, and
		individual commodities cottonseed, hops, and avo-
		cados. Where no tolerances are established at
		higher levels from other uses of glyphosate in or
		on the subject crops, the higher tolerance should
		also apply to residues from the aquatic uses cited
		in this paragraph.
	0.75-1.5 (3 lb/gal SC/L)	Annual weed control. Use the higher dosage for
		weeds that are over 6 inches tall. Apply with
		boom, high-volume or hand-held equipment. Thor-
		oughly spray weed foliage. Spray gallonage should
		be increased with an increase in density of weeds.
	1.5-3.75 or 3-6 lb a.e./100 gal (3 lb/gal SC/L)	Perennial weed, woody brush and aquatic weed con-
		trol. Use the higher dosage for control of aquatic
		weeds. Apply with boom, high-volume or hand-held
		equipment. Repeat treatments may be necessary.
		Refer to TERRESTRIAL NON-FOOD CROP, Airports
		cluster for additional information pertinent to
		Ditch Banks, Dry Ditches and Canals.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Site, Dosage
and Formulation
(lb a.e./A)

Tolerance, Use, Limitations

Christmas Tree Plantations (continued)

1.5-3.75
or
3-6 lb a.e./100 gal
(3 lb/gal SC/L)

Directed spray. Perennial weed and woody brush control in established silvicultural sites. Application may be made by any suitable ground equipment. Thoroughly spray weed foliage, but avoid spray contact with foliage or green bark of desirable plants. Repeat treatments may be necessary to control plants regenerating from underground rhizomes or late germinating seeds.

0039AA Douglas-Fir (forest)
0043AA Fir (forest)
0046AA Hemlock (forest)
0059AA Pine (forest)
0064AA Spruce (forest)
0149AA Western Hemlock
(forest)

General Information: Do not use over-the-top broadcast applications in silvicultural nurseries or Christmas tree plantations. Apply only where conifers have been established for more than a year. Some injury to treated conifers will result where spray patterns overlap, or the higher dosages are used, or when applications are made during periods of active conifer growth. Application may be made by air, or by any suitable ground equipment.

1.13-1.5
(3 lb/gal SC/L)

Use limited to areas East of the crest of the Cascades, except AL, AK, GA, LA, MS, NC, SC, TN, TX and VA. Conifer release. Broadcast. Apply after dormancy in fall or prior to bud swell in the spring. In fall, apply before major leaf fall of the undesirable deciduous species, although some autumn colors may be present.

0.75
(3 lb/gal SC/L)

Use limited to areas West of the crest of the Cascades. Conifer release. Broadcast. Spring application. Apply prior to bud swell for control of annual weeds.

0.75-1.13
(3 lb/gal SC/L)

Use limited to areas West of the crest of the Cascades. Conifer release. Broadcast. Fall application. Apply before leaf abscission of undesirable deciduous species, although some autumn colors may be present. Use only the lower dosage on western hemlock.

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Listing of Registered Pesticide Products by Formulation

.03.0002 3 lb/gal formulation intermediate
glyphosate, isopropylamine salt (103601)
000524-00339

.04.0002 4 lb/gal formulation intermediate
glyphosate, isopropylamine salt (103601)
000524-00318

.62.0002 62% formulation intermediate
glyphosate, isopropylamine salt (103601)
000524-00333

101.0412 1.04 lb/gal emulsifiable concentrate
glyphosate, isopropylamine salt (103601) plus alachlor (090501)
000524-00341

100.4215 0.42 lb/gal soluble concentrate/liquid
glyphosate, isopropylamine salt (103601)
000239-02469 000769-00497 046515-00003

103.0015 3 lb/gal soluble concentrate/liquid
glyphosate, isopropylamine salt (103601)
000524-00308 000524-00326

104.0015 4 lb/gal soluble concentrate/liquid
glyphosate, isopropylamine salt (103601)
000524-00343

205.0015 5% soluble concentrate/liquid
glyphosate, isopropylamine salt (103601)
007401-00306 034911-00025

206.6015 6.6% soluble concentrate/liquid
glyphosate, isopropylamine salt (103601)
000802-00534

200.5016 0.5% liquid-ready to use
glyphosate, isopropylamine salt (103601)
000239-02467 000769-00523 000802-00535 007401-00304
007401-00307 046515-00002

200.9616 0.96% liquid-ready to use
glyphosate, isopropylamine salt (103601)
000524-00330 000769-00537

.201.0016 1% liquid-ready to use
glyphosate, isopropylamine salt (103601)
007401-00357

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix A

Listing of Common Chemical Names Used on the Entry

<u>Chemical Code</u>	<u>Common Name (source)</u>	<u>EPA Acceptable Common/Chemical Name</u>
030029	2,4-D, dimethyl- amine salt	2,4-dichlorophenoxyacetic acid, dimethylamine salt
100101	Bladex	2-[[4-chloro-6-(ethylamino)-s- triazin-2-yl]amino]-2-methyl- propionitrile
101101	Metribuzin	4-amino-6-(1,1-dimethylethyl)-3- (methylthio)-1,2,4-triazin-5(4H)-one
122001	Sulfometuron methyl	methyl 2-[[[(4,6-dimethyl-2- pyrimidinyl)amino]-carbonyl]amino]- sulfonyl]benzoate

EPA Index to Pesticide Chemicals
GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

4001AA Barley
(3 lb/gal SC/L)
000524-00308 000524-00326

3001AA Beans
(3 lb/gal SC/L)
000524-00308 000524-00326

(0.96% RTU)
000524-00330

3001AA Beet Greens
(3 lb/gal SC/L)
000524-00308

(0.96% RTU)
000524-00330

4001AA Beets (red)
(3 lb/gal SC/L)
000524-00308

(0.96% RTU)
000524-00330

3017BA Bermudagrass (seed
crop)
(3 lb/gal SC/L)
000524-00308

3007AA Cabbage
(3 lb/gal SC/L)
000524-00308

(0.96% RTU)
000524-00330

4003AA Carrot
(3 lb/gal SC/L)
000524-00308

(0.96% RTU)
000524-00330

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

8042AA	<u>Gardens</u> (5% SC/L)	007401-000306	034911-00025
	(0.5% RTU)	007401-00304	
	(1% RTU)	007401-00357	
2002AA	<u>Grapefruit</u> (3 lb/gal SC/L)	000524-00308	000524-00326
	(0.96% RTU)	000524-00330	
1014AA	<u>Grapes</u> (3 lb/gal SC/L)	000524-00308	000524-00326
	(0.96% RTU)	000524-00330	
18066BA	<u>Grasses Grown for Seed</u> (3 lb/gal SC/L)	000524-00308	000524-00326
16006AA	<u>Guava</u> (3 lb/gal SC/L)	000524-00308	
14008AA	<u>Horseradish</u> (3 lb/gal SC/L)	000524-00308	
	(0.96% RTU)	000524-00330	
1111AA	<u>Kale</u> (3 lb/gal SC/L)	000524-00308	
	(0.96% RTU)	000524-00330	

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

3021AA	<u>Mustard Greens</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
5003AA	<u>Nectarine</u> (3 lb/gal SC/L) 000524-00308	
4003AA	<u>Oats</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5015AA	<u>Okra</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
4011AA	<u>Onion</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
2006AA	<u>Orange</u> (3 lb/gal SC/L) 000524-00308	000524-00326
	(0.96% RTU) 000524-00330	
6010AA	<u>Papaya</u> (3 lb/gal SC/L) 000524-00308	
8035AA	<u>Pastures</u> (3 lb/gal SC/L) 000524-00308	
3004AA	<u>Peach</u> (3 lb/gal SC/L) 000524-00308	

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

4014AA	<u>Radish</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
4006AA	<u>Sorghum (Milo)</u> (3 lb/gal SC/L) 000524-00308	000524-00326
8023AA	<u>Soybeans</u> (3 lb/gal SC/L) 000524-00308	000524-00326
	(1.04 lb/gal EC) 000524-00341	
3024AA	<u>Spinach</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
5002AA	<u>Sugar Beets</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
5003AA	<u>Sugarcane</u> (3 lb/gal SC/L) 000524-00308	000524-00326
4018AA	<u>Sweet Potato</u> (3 lb/gal SC/L) 000524-00308	
	(0.96% RTU) 000524-00330	
2007AA	<u>Tangelo</u> (3 lb/gal SC/L) 000524-00308	000524-00326
	(0.96% RTU) 000524-00330	

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

33017AA	<u>Bermudagrass (Common and Coastal)</u> (3 lb/gal SC/L) 000524-00308	
4031AA	<u>Boxwood</u> (3 lb/gal SC/L) 000524-00308	000524-00326
4013AA	<u>Euonymus</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5051AA	<u>Fir</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5056AA	<u>Flowering Crabapple</u> (3 lb/gal SC/L) 000524-00308	000524-00326
4070AA	<u>Holly</u> (3 lb/gal SC/L) 000524-00308	000524-00326
4088AA	<u>Ligustrum</u> (3 lb/gal SC/L) 000524-00308	000524-00326
4089AA	<u>Lilac</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5082AA	<u>Magnolia</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5083AA	<u>Maple</u> (3 lb/gal SC/L) 000524-00308	000524-00326
5093AA	<u>Oak</u> (3 lb/gal SC/L) 000524-00308	000524-00326
20000A	<u>Ornamentals</u> (3 lb/gal SC/L) 000524-00308	000524-00326

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

70090A Industrial Plant
Sites, Lumberyards,
Petroleum Tank Farms
and Pumping Instal-
lations, Storage
Areas
(3 lb/gal SC/L)
000524-00308 000524-00326

70110A Parking Areas
(3 lb/gal SC/L)
000524-00308 000524-00326

70060A Pipeline, Power and
Telephone Rights-of-
Way
(3 lb/gal SC/L)
000524-00308 000524-00326

70050A Railroads
(3 lb/gal SC/L)
000524-00308 000524-00326

60000A Uncultivated Agricul-
tural Areas, Farm-
stead Building Foun-
dations
(3 lb/gal SC/L)
000524-00308 000524-00326

GREENHOUSE NON-FOOD CROP

(Ornamental Plants and Forest Trees)

610060A Greenhouse
(3 lb/gal SC/L)
000524-00308

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

70110A	<u>Driveways, Parking</u> <u>Areas, Sidewalks</u> (5% SC/L)	007401-00306	034911-00025	046515-00003
	(6.6% SC/L)	000802-00534		
	(0.42 lb/gal SC/L)	000239-02469	000769-00497	
	(0.5% RTU)	000239-02467	000769-00523	000802-00535 007401-00304
		007401-00307	046515-00002	
	(0.96% RTU)	000524-00330	000769-00537	
	(1% RTU)	007401-00357		
	(0.75% PrL)	000239-02466		
70150A	<u>Fencerows</u> (5% SC/L)	007401-00306	034911-00025	046515-00003
	(6.6% SC/L)	000802-00534		
	(0.42 lb/gal SC/L)	000239-02469	000769-00497	
	(0.5% RTU)	000239-02467	000769-00523	000802-00535 007401-00304
		007401-00307	046515-00002	
	(0.96% RTU)	000524-00330	000769-00537	
	(1% RTU)	007401-00357		
	(0.75% PrL)	000239-02466		

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

30100A Ornamental Lawns

(5% SC/L)

007401-00306 034911-00025 046515-00003

(6.6% SC/L)

000802-00534

(0.42 lb/gal SC/L)

000239-02469 000769-00497

(0.5% RTU)

000239-02467 000769-00523 000802-00535 007401-00304

007401-00307 046515-00002

(0.96% RTU)

000524-00330 000769-00537

(0.75% PrL)

000239-02466

20010A Ornamental Trees and Shrubs

(5% SC/L)

007401-00306 034911-00025 046515-00003

(6.6% SC/L)

000802-00534

(0.42 lb/gal SC/L)

000239-02469 000769-00497

(0.5% RTU)

000239-02467 000769-00523 000802-00535 007401-00304

007401-00307 046515-00002

(0.96% RTU)

000524-00330 000769-00537

(1% RTU)

007401-00357

(0.75% PrL)

000239-02466

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

0000A Storage Areas, Vacant
Lots, Yards

(5% SC/L)
007401-00306 034911-00025 046515-00003

(6.6% SC/L)
000802-00534

(0.42 lb/gal SC/L)
000239-02469 000769-00497

(0.5% RTU)
000239-02467 000769-00523 000802-00535 007401-00304
007401-00307 046515-00002

(0.96% RTU)
000524-00330 000769-00537

(1% RTU)
007401-00357

(0.75% PrL)
000239-02466

AQUATIC FOOD CROP

(Agricultural Crop)

004AA Rice
(3 lb/gal SC/L)
000524-00308

AQUATIC NON-FOOD

(Aquatic Sites)

0022MA Agricultural Drainage
Systems
(4 lb/gal SC/L)
000524-00343

EPA Index to Pesticide Chemicals

GLYPHOSATE, ISOPROPYLAMINE SALT

Appendix B

Listing of Registration Numbers By Site and Formulation (continued)

000AA	<u>Forest Trees</u> (3 lb/gal SC/L) 000524-00308	000524-00326
0046AA	<u>Hemlock (forest)</u> (3 lb/gal SC/L) 000524-00308	000524-00326
0097AA	<u>Loblolly Pine</u> (forest) (3 lb/gal SC/L) 000524-00308	
0059AA	<u>Pine (forest)</u> (3 lb/gal SC/L) 000524-00308	000524-00326
0006AA	<u>Silvicultural Nur-</u> <u>series</u> (3 lb/gal SC/L) 000524-00308	000524-00326
00104AA	<u>Slash Pine (forest)</u> (3 lb/gal SC/L) 000524-00308	
00064AA	<u>Spruce (forest)</u> (3 lb/gal SC/L) 000524-00308	000524-00326
00149AA	<u>Western Hemlock</u> (forest) (3 lb/gal SC/L) 000524-00308	000524-00326

IV. BIBLIOGRAPHY APPENDICES

Guide to Bibliography

Bibliography

Guide to Use of This Bibliography

1. CONTENT OF BIBLIOGRAPHY. This bibliography contains citations of all studies considered relevant by EPA in arriving at the positions and conclusions stated elsewhere in the Standard. Primary sources for studies in this bibliography have been the body of data submitted to EPA and its predecessor agencies in support of past regulatory decisions. Selections from other sources including the published literature, in those instances where they have been considered, will be included.
2. UNITS OF ENTRY. The unit of entry in this bibliography is called a "study." In the case of published materials, this corresponds closely to an article. In the case of unpublished materials submitted to the Agency, the Agency has sought to identify documents at a level parallel to the published article from within the typically larger volumes in which they were submitted. The resulting "studies" generally have a distinct title (or at least a single subject), can stand alone for purposes of review, and can be described with a conventional bibliographic citation. The Agency has attempted also to unite basic documents and commentaries upon them, treating them as a single study.
3. IDENTIFICATION OF ENTRIES. The entries in this bibliography are sorted numerically by "Master Record Identifier," or MRID, number. This number is unique to the citation, and should be used at any time specific reference is required. It is not related to the six-digit "Accession Number" which has been used to identify volumes of submitted studies; see paragraph 4(d)(4) below for a further explanation. In a few cases, entries added to the bibliography late in the review may be preceded by a nine-character temporary identifier. These entries are listed after all MRID entries. This temporary identifier number is also to be used whenever specific reference is needed.
4. FORM OF ENTRY. In addition to the Master Record Identifier (MRID), each entry consists of a citation containing standard elements followed, in the case of material submitted to EPA, by a description of the earliest known submission. Bibliographic conventions used reflect the standards of the American National Standards Institute (ANSI), expanded to provide for certain special needs.

- a. Author. Whenever the Agency could confidently identify one, the Agency has chosen to show a personal author. When no individual was identified, the Agency has shown an identifiable laboratory or testing facility as author. As a last resort, the Agency has shown the first submitter as author.
- b. Document Date. When the date appears as four digits with no question marks, the Agency took it directly from the document. When a four-digit date is followed by a question mark, the bibliographer deduced the date from evidence in the document. When the date appears as (19??), the Agency was unable to determine or estimate the date of the document.
- c. Title. In some cases, it has been necessary for Agency bibliographers to create or enhance a document title. Any such editorial insertions are contained between square brackets.
- d. Trailing Parentheses. For studies submitted to the Agency in the past, the trailing parentheses include (in addition to any self-explanatory text) the following elements describing the earliest known submission:
- (1) Submission Date. The date of the earliest known submission appears immediately following the word "received."
 - (2) Administrative Number. The next element, immediately following the word "under," is the registration number, experimental use permit number, petition number, or other administrative number associated with the earliest known submission.
 - (3) Submitter. The third element is the submitter, following the phrase "submitted by." When authorship is defaulted to the submitter, this element is omitted.
 - (4) Volume Identification (Accession Number). The final element in the trailing parentheses identifies the EPA accession number of the volume in which the original submission of the study appears. The six-digit accession number follows the symbol "CDL," standing for "Company Data Library." This accession number is in turn followed by an alphabetic suffix which shows the relative position of the study within the volume. For example, within accession number 123456, the first study would be 123456-A; the second, 123456-B; the 26th, 123456-Z; and the 27th, 123456-AA.

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

- | <u>MRID</u> | <u>CITATION</u> |
|-------------|---|
| 00015759 | Kahrs, R.A.; Cheung, M.W. (1979) Tank Mixes of Metolachlor (8E) plus Linuron or Metribuzin plus Glyphosate--Soybeans; Tank Mixes of Metolachlor (8E) plus Linuron or Metribuzin plus Paraquat--Soybeans: No and Minimum Tillage Applications: Report No. ABR-79029. Summary of studies 237821-B through 237821-Q. (Unpublished study received Mar 16, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-A) |
| 00015760 | Kincaid, L. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4763 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-B) |
| 00015761 | Schnappinger, M.G. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4886 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-C) |
| 00015762 | Searcy, V.; Herman, D. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4893 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-D) |
| 00015763 | Rose, W.; Worsham, D. (197) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4956 I,II A. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Rocky Mount Experiment Station, ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-E) |
| 00015764 | Kincaid, L. (1979) Metolachlor (Dual(R) 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4765 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-F) |

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

- | <u>MRID</u> | <u>CITATION</u> |
|-------------|--|
| 00015765 | Schnappinger, M.G. (1978) Metolachlor (Dual 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4887 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-G) |
| 00015766 | Searcy, S.; Herman, D. (1979) Metolachlor (Dual 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4895 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-H) |
| 00015767 | Rose, W.; Worsham, D. (1979) Metolachlor (Dual 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4958 I,II A. (Unpublished study including letter dated May 23, 1978 from J.D. Rigglesman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-I) |
| 00023336 | Monsanto Company (1974) Residues of Glyphosate, Atrazine and Simazine in or on Field Corn Grain, Sweet Corn and Corn Forage and Fodder following a Tank Mix, Pre-emergent, Minimum Till Application of Roundup, Atrazine and Simazine. (Unpublished study received Dec 19, 1977 under 524-308; CDL:232518-B) |
| 00023512 | Houseworth, L.D.; Schnappinger, H.G.; Slagowski, J.L.; et al. (1979) Tank Mixes of Metolachlor (6E, 8E) plus Simazine and/or Atrazine plus Paraquat or Glyphosate--Corn: Summary of Residue Data: Report No. ABR-79105. (Unpublished study received Dec 10, 1979 under 100-583; prepared in cooperation with Chevron Chemical Co. and others, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:241647-A) |
| 00024503 | Monsanto Company (1974) Summary of Residue Data. (Unpublished study received Jan 16, 1978 under 524-285; CDL:232680-B) |
| 00027235 | Monsanto Company (1979) Analytical Residue Method for N-Phosphonomethylglycine (Glyphosate) and Aminomethylphosphonic acid in Sugarcane, Bagasse, Raw Sugar and Molasses. (Unpublished study received Dec 28, 1979 under 524-332; CDL:099157-B) |

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00028852	Monsanto Company (1976) Glyphosate Residues in Peanuts following Preemergent Treatment with Roundup Herbicide. (Unpublished study received Feb 22, 1980 under 524-308; CDL:099306-A)
00028853	Monsanto Company (19??) Analytical Residue Method for N-(Phosphonomethyl) glycine, Aminomethylphosphonic acid and N-Nitroso-N-(phosphonomethyl) glycine in Peanuts. (Unpublished study received Feb 22, 1980 under 524-308; CDL:099306-B)
00033954	Monsanto Company (1973) Summary and Conclusion: Residue Data. (Unpublished study received Dec 30, 1975 under 524-308; CDL: 224062-A)
00036222	Monsanto Company (1974) Analytical Residue Method for N-Phosphonomethyl glycine and Aminomethylphosphonic acid in Soil and Water. Method B dated Nov 21, 1974. (Unpublished study received Sep 25, 1975 under 6G1679; CDL:095356-A)
00036223	Monsanto Company (1974) Analytical Residue Method for N-Phosphonomethyl glycine and Aminomethylphosphonic acid in Forage and Grain. Method B dated Mar 1, 1974. (Unpublished study received Sep 25, 1975 under 6G1679; CDL:095356-B)
00036229	Kramer, R.M.; Beasley, R.K.; Steinmetz, J.R.; et al. (1975) Interim Report on CP 67573, Residue and Metabolism. Part 28: Determination of Residues of Glyphosate and Its Metabolite in Fish: Agricultural Research Report No. 378. (pp. 1-13 only; unpublished study received Sep 25, 1975 under 6G1679; submitted by Monsanto Co., Washington, D.C.; CDL:095356-I)
00036231	Monsanto Company (1975) Analytical Residue Method for N-Phosphonomethylglycine and Aminomethylphosphonic acid in Fish Tissue. Method dated Sep 2, 1975. (Unpublished study received Sep 25, 1975 under 6G1679; CDL:095356-K)
00036328	Fink, R. (1975) Final Report: One Generation Reproduction Study-- Mallard Duck: Project No. 139-101. (Unpublished study received Sep 26, 1975 under 6G1679; prepared by Truslow Farms, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:096483-N)
00037687	Monsanto Company (1976) Residues of Glyphosate, Alachlor and Cyana-zine in or on Field Corn Forage, Fodder, and Grain following a Tank Mix, Pre-emergent, Minimum Till Application of Round-up, Lasso and Blades. (Unpublished study received Apr 18, 1979 under 524-285; CDL:238167-B)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00037688	Monsanto Company (1979) Analytical Residue Method for N-Phosphonomethyl Glycine, Aminomethylphosphonic acid and N-Nitrosoglyphosate in Field Corn Forage, Fodder and Grain. Method dated Jan 22, 1979. (Unpublished study received Apr 18, 1979 under 524-285; CDL:238167-C)
00038770	Cowell, J.E.; Taylor, A.L.; Stranz, J.L.; et al. (1974) Final Report on CP 67563, Residue and Metabolism: Part 21: Determination of CP 67573 and CP 50435 Residues in Grapes: Agricultural Research Report No. 337. Includes undated method entitled: Roundup and metabolite residue analytical method. (Unpublished study received Oct 4, 1974 under 5F1560; submitted by Monsanto Co., Washington, D.C.; CDL:094261-A)
00038771	Rueppel, M.L.; Suba, L.A.; Moran, S.J.; et al. (1974) Final Report on CP 67573, Residue and Metabolism: Part 20: The Metabolism of CP 67573 in Grape Plants: Agricultural Research Report No. 335. (Unpublished study received Oct 4, 1974 under 5F1560; submitted by Monsanto Co., Washington, D.C.; CDL:094261-B)
00038908	Beasley, R.K.; Daniels, R.J.; Lauer, R.; et al. (1974) Final Report on CP 67573, Residue and Metabolism--Part 17: Determination of Crop Residues in Corn, Wheat, Soybeans, Small Grains, Soil and Water: Agricultural Research Report No. 325. (Unpublished study received Jan 31, 1977 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:095787-B)
00038979	Cowell, J.E.; Taylor, A.L.; Stranz, J.L.; et al. (1974) Roundup and Metabolite Residue Analytical Method. (Unpublished study received 1974 under 5G1561; submitted by Monsanto Co., Washington, D.C.; CDL:094264-B)
00039141	Sutherland, M.L.; Marvel, J.T.; Banduhn, M.C.; et al. (1975) Summary of Metabolism Studies of Glyphosate in Citrus Plants. (Unpublished study received Jan 26, 1976 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:094958-B)
00039142	Beasley, R.K.; Kramer, R.M.; Carstarphen, B.A.; et al. (1975) Summary of Glyphosate (Roundup) Residue Studies in Citrus Fruits and Processed Fractions. (Unpublished study received Jan 26, 1976 under 6G1734; submitted by Monsanto Co., Washington, D.C.; CDL:095065-A)
00039377	Conkin, R.A.; Hannah, L.H.; Stewart, E.R. (1975) Residue Data for Roundup on Rice and in Fish. (Unpublished study received Sep 26, 1975 under 6H5106; submitted by Monsanto Co., Washington, D.C.; CDL:094900-C)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00039381	Kramer, R.M.; Arras, D.D.; Beasley, R.K.; et al. (1975) Final Report on CP 67573 Residue and Metabolism: Agricultural Research Report No. 372. (Unpublished study received Sep 25, 1975 under 6G1679; prepared in cooperation with Washington State Univ. and others, submitted by Monsanto Co., Washington, D.C.; CDL: 095355-A)
00040083	Monsanto Company (1975) Storage Stability of Field Residue Samples and Glyphosate-14C Treated Crops. (Unpublished study received Aug 13, 1975 under 5F1536; CDL:094866-A)
00040084	Monsanto Company (1975) Glyphosate Residues in Soybeans. (Unpublished study received Aug 13, 1975 under 5F1536; CDL:094866-B)
00040085	Monsanto Company (1975) Glyphosate Residues in Corn. (Unpublished study received Aug 13, 1975 under 5F1536; CDL:094866-C)
00040086	Monsanto Company (1975) Glyphosate Residues in Wheat Grain. (Unpublished study received Aug 13, 1975 under 5F1536; CDL: 094866-D)
00040087	Monsanto Company (1975) Glyphosate Residues in Small Grains. (Unpublished study received Aug 13, 1975 under 5F1536; CDL: 094866-E)
00044422	Monsanto Company (19??) Summary and Conclusions: Roundup on Barley, Buckwheat, Oats, Rice, Rye and Sorghums. (Unpublished study received on unknown date under 5G1523; CDL:094036-B)
00044423	Monsanto Company (1974) Analytical Residue Method for N-Phosphonomethyl glycine and Aminomethylphosphonic acid in Forage and Grain. Method dated Mar 1, 1974. (Unpublished study received on unknown date under 5G1523; CDL:094036-C)
00044426	Monsanto Company (1973) Roundup Metabolite in Various Grains. (Unpublished study received on unknown date under 5G1523, CDL: 094155-F)
00046362	Rodwell, D.E.; Tasker, E.J.; Blair, A.M.; et al. (1980) Teratology Study in Rats: IRDC No. 401-054. (Unpublished study including IRDC no. 999-021; received May 23, 1980 under 524-308; prepared by International Research and Development Corp., submitted by Monsanto Co., Washington, D.C.; CDL:242516-A)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00046363	Rodwell, D.E.; Tasker, E.J.; Blair, M.; et al. (1980) Teratology Study in Rabbits: IRDC No. 401-056. (Unpublished study received May 23, 1980 under 524-308; prepared by International Research and Development Corp., submitted by Monsanto Co., Washington, D.C.; CDL:242516-B)
00048284	Monsanto Company (1973) Residue Data. (Compilation; unpublished study received on unknown date under 524-EX-21; CDL:223373-E)
00051980	Monsanto Company (1975) Residue Results. (Unpublished study received Jun 3, 1976 under 524-308; CDL:096177-D)
00051982	Monsanto Company (1976) Analytical Residue Method for N-Phosphonomethylglycine and Aminomethylphosphonic acid in Green Coffee Beans. Method dated May 1, 1976. (Unpublished study received Jun 3, 1976 under 524-308; CDL:096177-F)
00051983	Malik, J.M.; Curtis, T.S.; Marvel, J.T. (1975) Final Report on CP-67573, Residue and Metabolism; Part 24: The Metabolism of CP-67573 in Coffee Plants: Agricultural Research Report No. 344. (Unpublished study received Jun 3, 1976 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:096177-I)
00053005	Beasley, R.K.; Steinmetz, J.R.; Taylor, A.L.; et al. (1977) Analytical Residue Method for N-Phosphonomethyl glycine and Aminomethylphosphonic acid in Forage Legumes and Grasses: Report No. MSL-0061. Method dated Jun 28, 1977. (Unpublished study received Sep 16, 1980 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:099625-B)
00059050	Interregional Research Project Number 4 (1978) Summary of Glyphosate Residues in Guava. (Unpublished study received Nov 19, 1980 under 1E2443; CDL:099739-A)
00060103	Baszis, S.R.; Cowell, J.; Lottman, M.; et al. (1980) Glyphosate Residues in Cotton following Topical Treatment with Roundup Herbicide: Report No. MSL-1283. Final rept. Includes method dated Aug 12, 1980 entitled: Analytical residue method for N-(Phosphonomethyl)glycine, Aminomethylphosphonic acid and N-Nitroso-N-(Phosphonomethyl)glycine in forages and grains. (Unpublished study received Nov 12, 1980 under 524-EX-54; submitted by Monsanto Co., Washington, D.C.; CDL:099720-A)
00061555	Monsanto Company (1974) Residue Results. (Unpublished study received on unknown date under 524-EX-24; CDL:095345-J)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00061559	Monsanto Company (19??) Analytical Residue Method for N-Phosphonomethyl glycine (Glyphosate) and Aminomethylphosphonic acid in Sugarcane, Sugarcane Leaves, Bagasse, Sugar and Molasses, Irrigation Water and Soil. (Unpublished study received Mar 11, 1976 under 524-308; CDL:095141-E)
00063713	Monsanto Company (1979) Summary of Glyphosate Residues in Papaya. (Unpublished study received Nov 20, 1980 under 524-308; CDL: 099751-A)
00063714	Monsanto Company (1979) Analytical Residue Method for N-Phosphonomethylglycine and Aminomethylphosphonic acid in Papaya: Project No. 5064. (Unpublished study received Nov 20, 1980 under 524-308; CDL:099751-B)
00065751	Monsanto Company (1966?) Analytical Residue Method for N-(Phosphonomethyl)-glycine, Aminomethylphosphonic Acid and N-Nitroso-N-(phosphonomethyl)-glycine in Forages, Grains, Soil and Water. Undated method 1. (Unpublished study received May 12, 1977 under 524-308; CDL:229787-C)
00065752	Monsanto Company (1966?) Analytical Residue Method for N-(Phosphonomethyl)-glycine, Aminomethylphosphonic Acid and N-Nitroso-N-(phosphonomethyl)-glycine in Forages, Grains and Water. Undated method 2. (Unpublished study received May 12, 1977 under 524-308; CDL:229787-D)
00065753	Frazier, H.W.; Rueppel, M.L. (1976) Crop Metabolism Studies of N-(Phosphonomethyl)-glycine: N-Nitrosoglyphosate: Report No. 477. Interim rept. (Unpublished study received May 12, 1977 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL: 229787-E)
00067039	Birch, M.D. (1970) Toxicological Investigation of CP 67573-3: Project No. Y-70-90. (Unpublished study received Jan 30, 1973 under 524-308; prepared by Younger Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:008460-C)
00067425	Monsanto Company (1980) Residues of Glyphosate and Other Herbicides in Wheat following Chemical Fallow Applications of Roundup Tank Mix Combinations. Includes method dated Jul 1, 1979 and undated methods entitled: 2,4-D in wheat forage, straw and grain; Dicamba in wheat forage, straw and grain; Residues of alachlor in wheat grain, forage and straw; Atrazine in wheat forage, straw and grain; Cyanazine in wheat forage, straw and grain; Metribuzin and metabolites in wheat forage, straw and grain. (Unpublished study, including published data, received Dec 29, 1980 under 524-308; CDL:243990-A; 243991)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00070893	LeBlanc, G.A.; Surprenant, D.C.; Sleight, B.H., III (1980) Acute Toxicity of Roundup to the Water Flea (<i>Daphnia magna</i>): Report #BW-80-4-636; Monsanto Study No. BN-80-079. (Unpublished study, including letter dated Feb 21, 1980 from R. Oleson to Robert B. Foster, received Apr 2, 1981 under 524-308; prepared by EG & G, Bionomics, submitted by Monsanto Co., Washington, D.C.; CDL:244749-B)
00070895	LeBlanc, G.A.; Surprenant, D.C.; Sleight, B.H., III (1980) Acute Toxicity of Roundup to Rainbow Trout (<i>Salmo gairdneri</i>): Report #BW-80-4-635; Monsanto Study No. BN-80-074. (Unpublished study received Apr 4, 1981 under 524-308; prepared by EG & G, Bionomics, submitted by Monsanto Co., Washington, D.C.; CDL: 244749-D)
00070897	LeBlanc, G.A.; Surprenant, D.C.; Sleight, B.H., III (1980) Acute Toxicity of Roundup to Bluegill (<i>Lepomis macrochirus</i>): Report #BW-80-4-634; Monsanto Study No. BN-80-075. (Unpublished study received Apr 2, 1981 under 524-308; prepared by EG & G, Bionomics, submitted by Monsanto Co., Washington, D.C.; CDL: 244749-F)
00076491	Sleight, B.H., III (1973) Research Report Submitted to Monsanto Company: Exposure of Fish to 14C-Roundup: Accumulation, Distribution, and Elimination of 14C-Residues. (Unpublished study received Nov 9, 1973 under 524-308; prepared by Bionomics, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:120640-B)
00076492	Fink, R. (1973) Final Report: Eight-day Dietary LC50--Bobwhite Quail: Project No. 241-106. (Unpublished study received Nov 9, 1973 under 524-308; prepared by Environmental Sciences Corp., submitted by Monsanto Co., Washington, D.C.; CDL:120640-D)
00076805	Baszis, S.R.; Serdy, F.S.; Dubelman, S. (1980) Glyphosate Residues in Pasture Grasses, Legumes and Alfalfa following Postemergent Spot Treatment with Roundup Herbicide: Report No. MSL-1140. Includes method dated Jul 1, 1979. (Unpublished study received May 11, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070083-A)
00077227	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Acute Dermal Toxicity of Mon 2139 NF-80-W to Rabbits: EHL 800295. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-G)
00077228	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Eye Irritation of MON 2139 NF-80-W to Rabbits: EHL 800297. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-H)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00077229	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Skin Irritation of MON 2139 NF-80-W to Rabbits: EHL 800296. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-I)
00077230	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Acute Oral Toxicity of MON 2139 NF-80-AA to Rats: EHL 800290. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-J)
00077231	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Acute Dermal Toxicity of MON 2139 NF-80-AA to Rabbits: EHL 800291. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-K)
00077232	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Eye Irritation of MON 2139 NF-80-AA to Rabbits: EHL 800293. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-L)
00077233	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Skin Irritation of MON 2139 NF-80-AA to Rabbits: EHL 800292. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington D.C.; CDL:070170-M)
00077234	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Acute Oral Toxicity of Mon 0139 to Rats: EHL 800257. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-N)
00077235	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Acute Dermal Toxicity of MON 0139 to Rabbits: EHL 800258. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-O)
00077236	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Eye Irritation of MON 0139 to Rabbits: EHL 800260. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-P)
00077237	Branch, D.K.; Stout, L.D.; Folk, R.M. (1981) Primary Skin Irritation of MON 0139 to Rabbits: EHL 800259. (Unpublished study received Jul 1, 1981 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:070170-Q)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00077238	Dubelman, S.; Steinmetz, J.R. (1981) Glyphosate Residues in Water following Application of Roundup Herbicide to Flowing Bodies of Water: MSL-1486. Final rept. Includes method dated Sep 4, 1980. (Unpublished study received Jul 1, 1981 under 524-308; prepared in cooperation with Analytical Biochemistry Labs, submitted by Monsanto Co., Washington D.C.; CDL:070170-R)
00077301	Monsanto Company (1975) Residue Results. (Compilation; unpublished study, including published data, received Mar 11, 1976 under 524-308; CDL:095141-A)
00078619	Shirasu, Y.; Moriya, M.; Ohta, T. (1978) Microbial Mutagenicity Testing on CP67573 (Glyphosate). (Unpublished study received Apr 25, 1979 under 524-308; prepared by Institute of Environmental Toxicology, Japan, submitted by Monsanto Co., Washington, D.C.; CDL:238233-A)
00078620	Kier, L.D.; Flowers, L.J.; Hannah, L.H. (1978) Final Report on Salmonella Mutagenicity Assay of Glyphosate: Test No. LF-78-161. (Unpublished study received Apr 25, 1979 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:238233-B)
00078655	Thompson, C.M.; Griffen, J.; Boudreau, P. (1980) Acute Toxicity of MON 2139 NF-80W (AB-80-363) to Rainbow Trout (<i>Salmo gairdneri</i>): Static Acute Bioassay Report #26316. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-B)
00078656	Thompson, C.M.; Griffen, J.; (1980) Acute Toxicity of MON 2139 NF-80W (AB-80-364) to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Static Acute Bioassay Report #26315. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-C)
00078657	Forbis, A.D.; Boudreau, P. (1980) Acute Toxicity of MON 2139-NF-80W (AB-80-365) to <i>Daphnia magna</i> : Static Acute Bioassay Report #26317. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-D)
00078658	Thompson, C.M.; Griffen, J.; Forbis, A.D. (1980) Acute Toxicity of MON 2139 NF-80-AA (AB-80-367) to Rainbow Trout (<i>Salmo gairdneri</i>): Static Acute Bioassay Report #26319. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-E)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00078659	Thompson, C.M.; Griffen, J. (1980) Acute Toxicity of MON 2139-NF-80-AA (AB-80-368) to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Static Acute Bioassay Report #26318. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-F)
00078660	Boudreau, P.; Forbis, A.D. (1980) The Acute Toxicity of MON 2139 NF-80-AA (AB-80-369) to <i>Daphnia magna</i> : Static Acute Bioassay Report #26320. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-G)
00078661	Thompson, C.M.; Griffen, J. (1981) Acute Toxicity of MON 0139 (Lot LURT 12011) (AB-81-072) to Rainbow Trout (<i>Salmo gairdneri</i>): Static Acute Bioassay Report #27202. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-H)
00078662	Griffen, J.; Thompson, C.M. (1981) Acute Toxicity of MON 0139 (Lot LURT 12011) (AB-81-073) to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Static Acute Bioassay Report #27201. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-I)
00078663	Forbis, A.D.; Boudreau, P. (1981) Acute Toxicity of MON 0139 (Lot LURT 12011) (AB-81-074) to <i>Daphnia magna</i> : Static Acute Bioassay Report #27203. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-J)
00078664	Thompson, C.M.; Griffen, J. (1980) Acute Toxicity of MON-0139-X-77 (AB-80-262) to Rainbow Trout (<i>Salmo gairdneri</i>): Static Acute Bioassay Report #26020. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-K)
00078665	Thompson, C.M.; Griffen, J. (1980) Acute Toxicity of MON-0139-X-77 (AB-80-263) to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Static Acute Bioassay Report #26019. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-L)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00078666	Forbis, A.D.; Boudreau, P. (1980) Acute Toxicity of MON-0139-X-77 (AB-80-264) to <i>Daphnia magna</i> : Static Acute Bioassay Report #26021. (Unpublished study received Jul 1, 1981 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:070171-M)
00078823	Monsanto Company (1978) Glyphosate Residues in Tea Leaves following Postemergent Directed Treatment with Roundup Herbicide: MSL-0908. (Unpublished study received Jun 17, 1981 under 524-308; CDL:245567-A)
00078824	Monsanto Company (1980) Glyphosate Residues in Brewed and Instant Tea following Postemergent Directed Treatment in Tea Plantations with Roundup Herbicide: MSL-1582. (Unpublished study received Jun 17, 1981 under 524-308; CDL:245567-B)
00081674	Schroeder, R.E.; Hogan, G.K. (1981) A Three-generation Reproduction Study with Glyphosate in Rats: Project No. 77-2063. (Unpublished study received Sep 22, 1981 under 524-308; prepared by Bio/dynamics, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:245909-A)
00093879	Lankas, G.R.; Hogan, G.K. (1981) A Lifetime Feeding Study of Glyphosate (Roundup Technical) in Rats: Project No. 77-2062. (Unpublished study received Jan 20, 1982 under 524-308; prepared by Bio/dynamics, Inc., submitted by Monsanto Co., Washington, D.C.; CDL:246617-A; 246618; 246619; 246620; 246621)
00094971	Grabiak, M.C.; Malik, J.M.; Purdum, W.R. (1981) A Reinvestigation of the Static Exposure of Channel Catfish to ¹⁴ C-Labeled Glyphosate, N-(Phosphonomethyl) Glycine: Report No. MSL-2056. (Unpublished study, including final bioconcentration report no. 27497, received Mar 2, 1982 under 524-308; submitted by Monsanto Co., Washington, D.C.; CDL:246876-A)
00098460	Johnson, D.E.; Nair, K.P.C.; Riley, J.H.; et al. (1982) 21-day Dermal Toxicity Study in Rabbits: 401-168; Monsanto No. IR-81-195. (Unpublished study received Apr 12, 1982 under 524-308; prepared by International Research and Development Corp., submitted by Monsanto Co., Washington, D.C.; CDL:247228-A)
00105995	Street, R. (1982) Letter sent to R. Taylor dated Jul 6, 1982: Roundup herbicide: Addendum to pathology report for a three-generation reproduction study in rats with glyphosate. (Unpublished study received Jul 7, 1982 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:247793-A)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00108097	Rueppel, M.; Suba, L.; Conoyer, M.; et al. (1973) Final Report on CP 67573, Residue and Metabolism: Part 10: The Metabolism of CP 67573 in Soybeans, Cotton, Wheat, and Corn: Agricultural Research Report No. 304. (Unpublished study received Nov 12, 1973 under 4G1444; submitted by Monsanto Commercial Products Co., St. Louis, MO; CDL:093849-B)
00108098	Colvin, L.; Miller, J.; Marvel, J. (1973) Final Report on CP 67573 Residue and Metabolism: Part 8: The Gross Metabolism of ... (CP 67573-14C) in the Laboratory Rat following a Single Dose: Agricultural Research Report No. 297. (Unpublished study received Nov 12, 1973 under 4G1444; submitted by Monsanto Commercial Products Co., St. Louis, MO; CDL:093849-C)
00108099	Colvin, L.; Miller, J.; Marvel, J. (1973) Final Report on CP 67573 Residue and Metabolism: Part 9: The Gross Distribution of ... CP 67573-14C in the Rabbit: Agricultural Research Report No. 298. (Unpublished study received Nov 12, 1973 under 4G1444; submitted by Monsanto Commercial Products Co., St. Louis, MO; CDL:093849-D)
00108100	Colvin, L.; Moran, S.; Miller, J.; et al. (1973) Final Report on CP 67573 Residue and Metabolism: Part 11: The Metabolism of ... CP 50435-14C in the Laboratory Rat: Agricultural Research Report No. 303. (Unpublished study received Nov 12, 1973 under 4G1444; submitted by Monsanto Commercial Products Co., St. Louis, MO; CDL:093849-E)
00108101	Moran, S.; Colvin, L.; Rueppel, M.; et al. (1973) Final Report on CP 67573 Residue and Metabolism: Part 12: The Isolation and Identification of the Metabolites of CP 67573-14C Excreted by the Laboratory Rat: Agricultural Research Report No. 306. (Unpublished study received Nov 12, 1973 under 4G1444; submitted by Monsanto Commercial Products Co., St. Louis, MO; CDL:093849-F)
00108107	Fink, R. (1973) Final Report: Eight-day Dietary LC50--Mallard Ducks: Technical CP67573: Project No. 241-107. (Unpublished study received Jul 12, 1974 under 5F1536; prepared by Environmental Sciences Corp., submitted by Monsanto Co., Washington, DC; CDL:094171-I)
00108110	Bentley, R. (1973) Acute Toxicity of Roundup (Technical) to Atlantic Oyster (<i>Crassostrea virginica</i>). (Unpublished study received Jul 12, 1974 under 5F1536; prepared by Bionomics, Inc., submitted by Monsanto Co., Washington, DC; CDL:094171-L)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00108111	Bentley, R. (1973) Acute Toxicity of Roundup (Technical) to Grass Shrimp (<i>Palaemonetes vulgaris</i>) and Fiddler Crab (<i>Uca pagilator</i>). (Unpublished study received Jul 12, 1974 under 5F1536; prepared by Bionomics, Inc., submitted by Monsanto, Co., Washington, DC; CDL:094171-M)
00108115	Lauer, R.; Cowell, J.; Stranz, J.; et al. (1974) Final Report on CP 67573, Residue and Metabolism: Part 18: Determination of Residues in Meat, Milk and Eggs: Agricultural Research Report No. 326. (Unpublished study received Jul 12, 1974 under 5F1536; submitted by Monsanto Co., St. Louis, MO; CDL:094180-A)
00108116	Colvin, L.; Miller, J.; Marvel, J. (1973) Final Report on CP 67573 Residue and Metabolism: Part 13: The Dynamics of Accumulation and Depletion of Orally Ingested N-Phosphonomethylglycine-14C: Agricultural Research Report No. 309. (Unpublished study received Jul 12, 1974 under 5F1536; submitted by Monsanto Co., St. Louis, MO; CDL:094180-C)
00108129	Monsanto Co. (1976) Residue Studies and Methods of Analysis for Use of Glyphosate in Pome Fruit Orchards. (Compilation; unpublished study received Sep 7, 1976 under 524-308; CDL:095269-C)
00108132	Cowell, J.; Lottman, C.; Cable, M.; et al. (1976) Determination of Roundup Herbicide Residues in Raisins: Report No. 440. Final rept. (Unpublished study received Jan 11, 1977 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:095703-A)
00108133	Monsanto Co. (1976) Residue Studies in Green and Dry Alfalfa: Metabolism Studies in Pasture Crops: Glyphosate. (Compilation; unpublished study received Jan 11, 1977 under 524-308; CDL:095704-A)
00108140	Monsanto Co. (1975) Glyphosate Residue and Metabolism Studies in Sugarcane and Soils. (Compilation; unpublished study received Jul 1, 1976 under 6G1826; CDL:095972-B)
00108144	Monsanto Co. (1977) Study: Residue and Metabolism Analyses of Roundup on Specific Foodstuffs. (Compilation; unpublished study received Feb 14, 1978 under 524-EX-44; CDL:096821-A)
00108147	Monsanto Co. (1977) Residue and Metabolism: Roundup on Forage Grasses, Legumes and Pasture Crops. (Unpublished study received May 9, 1978 under 524-308; CDL:097094-B)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00108149	Cowell, J.; Jordan, L.; Kramer, R.; et al. (1976) Glyphosphate Residues in Avocados following Post-directed Treatments with Roundup Herbicide: Report No. 447. Final rept. (Unpublished study received Nov 15, 1977 under 524-308; prepared in cooperation with Univ. of California--Riverside, Dept. of Plant Sciences, submitted by Monsanto Co., Washington, DC; CDL:096631-A)
00108151	Monsanto Co. (1976) Residue, Uptake and Metabolism Studies: Roundup. (Compilation; unpublished study received Dec 22, 1977 under 524-EX-43; CDL:096684-A)
00108153	Monsanto Agricultural Products Co. (1975) Residues: Glyphosate on Soybeans & Cotton. (Compilation; unpublished study received Jun 21, 1977 under 7F1971; CDL:096191-A)
00108159	Monsanto Co. (1977) Residue and Metabolism Studies: Roundup. (Compilation; unpublished study received Oct 25, 1977 under 524-308; CDL:096398-A)
00108168	Monsanto Co. (1977) Residue Studies and Methods of Analysis for the Use of Glyphosate as a Sugarcane Ripener. (Compilation; unpublished study received Aug 30, 1978 under 524-330; CDL:097402-C)
00108171	EG & G, Bionomics (1975) Chronic Toxicity of Glyphosate to the Fathead Minnow (<i>Pimephales promelas</i> , Rafinesque). (Unpublished study received Dec 27, 1978 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:097759-B)
00108172	McAllister, W.; Forbis, A. (1978) Acute Toxicity of Technical Glyphosate (AB-78-201) to <i>Daphnia magna</i> . (Unpublished study received Dec 27, 1978 under 524-308; prepared by Analytical Bio-Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL:097759-C)
00108173	Monsanto Co. (1978) Residue Studies for Use of Roundup Herbicide in Aquatic Situations. (Compilation; unpublished study received Dec 27, 1978 under 524-308; CDL:097760-A; 097761; 097762)
00108174	Monsanto Co. (1975) Efficacy of Roundup on Corn and Other Grain. (Compilation; unpublished study received Dec 3, 1975 under 5F1536; CDL:097859-A)
00108175	Monsanto Co. (1979) Residue Studies--Bananas; Olives: Roundup. (Compilation; unpublished study received Jun 20, 1979 under 524-308; CDL:098332-A)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00108176	Monsanto Co. (1975) Residue Studies and Methods of Analysis for Pre-emergent Use of Glyphosate in Cotton. (Compilation; unpublished study received May 20, 1976 under 6F1798; CDL: 098511-A)
00108186	Monsanto Co. (1976) Residue Studies and Methods of Analysis for Use of Glyphosate in Pome Fruit Orchards. (Compilation; unpublished study received Sep 7, 1976 under 524-308; CDL:228995-B)
00108192	Brightwell, B.; Malik, J. (1978) Solubility, Volatility, Adsorption and Partition Coefficients, Leaching and Aquatic Metabolism of MON 0573 and MON 0101: Report No. MSL-0207. Final rept. (Unpublished study received Jun 12, 1978 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:234108-A)
00108200	Grapenthien, N.; Jenkins, D.; (1973) Report to ...: Milk and Tissue Residue Study with ... CP 67573 in the Cow: IBT No. 632-03894. (Unpublished study received Jun 21, 1978 under 524-308; prepared by Industrial Bio-Test Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL:234152-A)
00108203	Cowell, J.; Kramer, R.; Lottman, C.; et al. (1978) Residues in Crops following Spot Treatments with Roundup Herbicide: Report No. MSL-0282. Final rept. (Unpublished study received Jul 11, 1978 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:234319-B)
00108204	Fink, R.; Beavers, J.; Brown, R. (1978) Final Report: Acute Oral LD50--Bobwhite Quail: Technical Glyphosate: Project No. 139-140. (Unpublished study received Jul 14, 1978 under 524-308; prepared by Wildlife International, Ltd. and Washington College, submitted by Monsanto Co., Washington, DC; CDL:234395-A)
00108205	McAllister, W.; Forbis, A. (1978) Acute Toxicity of Technical Glyphosate to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Static Acute Bioassay Report. (Unpublished study received Jul 14, 1978 under 524-308; prepared by Analytical Bio Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL: 234395-B)
00108207	Fink, R.; Beavers, J. (1978) Final Report: One-generation Reproduction study--Bobwhite Quail: Glyphosate Technical: Project No. 139-141. (Unpublished study received Nov 13, 1978 under 524-308; prepared by Wildlife International, Ltd., submitted by Monsanto Co., Washington, DC; CDL:235924-B)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00108231	Conkin, R.; Serdy, F.; Street, R. (1979) A Short Residue Method for Glyphosate, Active Ingredient in Roundup Herbicide: MSL-0838. (Unpublished study received Jul 30, 1979 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:238888-A)
00109271	Monsanto Co. (19??) Crop Residues and Tolerances. (Unpublished study received Apr 9, 1982 under KS 82/1 for Monsanto; CDL: 247348-B)
00111945	Monsanto Co. (1976) Residue and Plant Metabolism Studies. (Compilation; unpublished study received Dec 8, 1976 under 524-308; CDL:095533-A)
00111949	Danhaus, R.; Kramer, R. (1978) Glyphosate Residues in Stone Fruit following Postemergent Directed Treatments with Roundup Herbicide: Report No. MSL-0454. Final rept. (Unpublished study received Nov 20, 1978 under 524-EX-47; prepared in cooperation with Analytical Development Corp., submitted by Monsanto Co., Washington, DC; CDL:097636-A)
00111953	Fink, R.; Beavers, J. (1978) Final Report: One-generation Reproduction Study--Mallard Duck: Glyphosate Technical: Project No. 139-143. (Unpublished study received Nov 13, 1978 under 524-308; prepared by Wildlife International Ltd., submitted by Monsanto Co., Washington, DC; CDL:235924-A)
00122715	Steinmetz, J.; Cowell, J. (1982) Glyphosate Residues in Wheat Grain following Ropewick Wiper Treatment with Roundup Herbicide: MSL-2569. (Unpublished study received Dec 17, 1982 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:071296-A)
00124760	Forbis, A.; Boudreau, P.; Cranor, W. (1982) Dynamic 96-hour Acute Toxicity of Roundup (AB-82-33) to Bluegill Sunfish (<i>Lepomis macrochirus</i>): Dynamic Acute Bioassay Report #28746. (Unpublished study received Dec 27, 1982 under 524-308; prepared by Analytical Bio-Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL:249159-A)
00124762	Forbis, A.; Boudreau, P.; Schofield, M. (1982) Dynamic 48-hour Acute Toxicity of Roundup (AB-82-035) to <i>Gammarus pseudolimnaeus</i> : Dynamic Acute Bioassay Report #28747. (Unpublished study received Dec 27, 1982 under 524-308; prepared by Analytical Bio-Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL:249159-C)

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
00124763	McAllister, W.; McKee, M.; Schofield, M.; et al. (1982) Chronic Toxicity of Glyphosate (AB-82-036) to <i>Daphnia magna</i> under Flow-through Test Conditions: Chronic Toxicity Final Report ABC #28742. (Unpublished study received Dec 27, 1982 under 524-308; prepared by Analytical Bio-Chemistry Laboratories, Inc., submitted by Monsanto Co., Washington, DC; CDL:249160-A)
00130406	Knezevich, A.; Hogan, G. (1983) A Chronic Feeding Study of Glyphosate (Roundup Technical) in Mice: Project No. 77-2061: BDN-77-420. Final rept. (Unpublished study received Aug 17, 1983 under 524-308; prepared by Bio/dynamics, Inc., submitted by Monsanto Co., Washington, DC; CDL:251007-A; 251008; 251009; 251010; 251011; 251012; 251013; 251014)
00132681	Li, A.; Kier, L.; Folk, R. (1983) CHO/HGPRT Gene Mutation Assay with Glyphosate: EHL Study No. ML-83-155. Final rept. (Unpublished study received Nov 15, 1983 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:251737-B)
00132683	Li, A.; Kier, L.; Folk, R. (1983) In vivo Bone Marrow Cytogenetics Study of Glyphosate in Sprague-Dawley Rats: Study No. 830083. (Unpublished study received Nov 15, 1983 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:251737-D)
00132685	Ridley, W.; Dietrich, M.; Folk, R.; et al. (1983) A Study of the Plasma and Bone Marrow Levels of Glyphosate following Intraperitoneal Administration in the Rat: Study No. 830109. (Unpublished study received Nov 15, 1983 under 524-308; submitted by Monsanto Co., Washington, DC; CDL:251737-F)
00132686	Williams, G.; Tong, C.; Dirks, R.; et al. (1983) The Hepatocyte Primary Culture/DNA Repair Assay on Compound JJN-1020 Using Rat Hepatocytes in Culture: NDI/In vitro Facility Experimental No. 083183A; Sponsor Order No. AH-83-181. (Unpublished study received Nov 15, 1983 under 524-308; prepared by Naylor Dana Institute for Disease Prevention, submitted by Monsanto Co., Washington, DC; CDL:251737-G)
GS0178-003	Suba, L. (1976) Metabolism of CP67573 in Representative Vegetables and Rotation Crops: Final Report No. 406. Unpublished study prepared by Monsanto Agricultural Research Dept. 57 p.
GS0178-004	Brightwell, B. (1978) Bioaccumulation and Metabolism of Glyphosate in Channel Catfish (<i>Ictalurus punctatus</i>): Final Report No. MSL-0381. Unpublished study prepared by Monsanto Agricultural Research Dept. 34 p.

OFFICE OF PESTICIDE PROGRAMS
REGISTRATION STANDARD BIBLIOGRAPHY
Citations Considered to be Part of the Data Base Supporting
Registrations Under the Glyphosate Standard

<u>MRID</u>	<u>CITATION</u>
GS0178-014	Lauer, R.; Cowell, J.; Briggs, L.; et al. (1974) Roundup and Metabolite Residue Method Development for Animal Tissues and Products: Appendix C. Unpublished study prepared by Monsanto. 20 p.
GS0178-017	Monsanto Co. (1976) Analytical Residue Method for N-nitroso-N-phosphonomethyl Glycine in Water: Method D. Unpublished method. 7 p.
GS0178-018	Monsanto Co. (1978) Analytical Residue Method for N-nitrosoglyphosate in Water: Method 3. Unpublished Method. 20 p.
GS0178-019	Storherr, R. (1980) Letter sent to E. Zager dated Sept. 19, 1980: Glyphosate HPLC Method trial on tomatoes and cottonseed. 3 p.
GS0178-020	Storherr, R. (1981) Letter sent to M. Nelson dated Jan 19, 1981: Method trial on PP #OF2329, glyphosate in or on peanuts, by an HPLC procedure. 3 p.
GS0178-022	Zee, K. (1975) Memorandum to J. Cummings dated Nov 1, 1975: PP #5F1536. Method tryout for glyphosate on soybeans. 2 p.
GS0178-023	Zee, K. (1977) Memorandum to J. Cummings dated Feb 9, 1977: PP #6F1733 and 6F1758. Method tryout for glyphosate in beef liver. 2 p.
GS0178-025	Folmar, L.; Sanders, H.; Julin, A. (1979) Toxicity of the herbicide glyphosate and several of its formulations to fish and aquatic invertebrates. Arch. Environm. Contam. Toxicol. 8:269-278.
GS0178-028	Monsanto Co. (1976) Information to Support Establishment of a Food Additive Tolerance for Glyphosate in Palm Oil: Special Report No. 424. Vol 1 of 1, Sections A-J. Unpublished study. 41 p.

IV. FORMS APPENDICIES

- EPA Form 8580-1 FIFRA §3(c)(2)(B) Summary Sheet
- EPA Form 8580-6 Certification of Attempt to Enter Into an Agreement
With Other Registrants for Development of Data
- EPA Form 8580- Product Specific Data Report (End-Use Products)
- EPA Form 8580- Formulator's Exemption Statement

FIFRA SECTION 3(C)(2)(B) SUMMARY SHEET		EPA REGISTRATION NO.
PRODUCT NAME		
APPLICANT'S NAME		DATE GUIDANCE DOCUMENT ISSUED
With respect to the requirement to submit "generic" data imposed by the FIFRA section 3(C)(2)(B) notice contained in the referenced Guidance Document, I am responding in the following manner:		
☐ 1. I will submit data in a timely manner to satisfy the following requirements. If the test procedures I will use deviate from (or are not specified in) the Registration Guidelines or the Protocols contained in the Reports of Expert Groups to the Chemicals Group, OECD Chemicals Testing Programme, I enclose the protocols that I will use:		
☐ 2. I have entered into an agreement with one or more other registrants under FIFRA section 3(C)(2)(B)(ii) to satisfy the following data requirements. The tests, and any required protocols, will be submitted to EPA by:		
NAME OF OTHER REGISTRANT		
☐ 3. I enclose a completed "Certification of Attempt to Enter Into an Agreement with Other Registrants for Development of Data" with respect to the following data requirements:		
☐ 4. I request that you amend my registration by deleting the following uses (this option is not available to applicants for new products):		
☐ 5. I request voluntary cancellation of the registration of this product. (This option is not available to applicants for new products.)		
REGISTRANT'S AUTHORIZED REPRESENTATIVE	SIGNATURE	DATE

CERTIFICATION OF ATTEMPT TO ENTER INTO AN AGREEMENT WITH OTHER REGISTRANTS FOR DEVELOPMENT OF DATA		
(To qualify, certify <u>ALL</u> four items)		
1. I am duly authorized to represent the following firm(s) who are subject to the requirements of a Notice under FIFRA Section 3(c)(2)(B) contained in a Guidance Document to submit data concerning the active ingredient:		GUIDANCE DOCUMENT DATE
		ACTIVE INGREDIENT
		EPA COMPANY NUMBER
(This firm or group of firms is referred to below as "my firm".)		
2. My firm is willing to develop and submit the data as required by that Notice, if necessary. However, my firm would prefer to enter into an agreement with one or more other registrants to develop jointly, or to share in the cost of developing, the following required items or data:		
3. My firm has offered in writing to enter into such an agreement. Copies of the offers are attached. That offer was irrevocable and included an offer to be bound by an arbitration decision under FIFRA Section 3(c)(2)(B)(iii) if final agreement on all terms could not be reached otherwise. This offer was made to the following firm(s) on the following date(s):		
NAME OF FIRM		DATE OF OFFER
However, none of those firm(s) accepted my offer.		
4. My firm requests that EPA not suspend the registration(s) of my firm's product(s), if any of the firms named in paragraph (3) above have agreed to submit the data listed in paragraph (2) above in accordance with the Notice. I understand EPA will promptly inform me whether my firm must submit data to avoid suspension of its registration(s) under FIFRA Section 3(c)(2)(B). (This statement does not apply to applicants for new products.) I give EPA permission to disclose this statement upon request.		
TYPED NAME	SIGNATURE	DATE

PRODUCT SPECIFIC DATA REPORT

EPA Registration No. _____ Guidance Document for _____

Date _____

Registration Guideline No.	Name of Test	Test not required for my product listed above (check below)	I am complying with data requirements by		(For EPA Use Only) Accession Numbers Assigned
			Citing MRID#	Submit- ting Data (At- tached)	
\$158.20 PRODUCT CHEMISTRY					
61-1	Identity of ingredients				
61-2	Statement of composition				
61-3	Discussion of formation of ingredients				
62-1	Preliminary analysis				
62-2	Certification of limits				
62-3	Analytical methods for enforcement limits				
63-2	Color				
63-3	Physical state				
63-4	Odor				
63-5	Melting point				
63-6	Boiling point				
63-7	Density, bulk- density, or specific gravity				
63-8	Solubility				
63-9	Vapor pressure				
63-10	Dissociation constant				
63-11	Octanol/water partition coefficient				
63-12	pH				

Registration Guideline No.	Name of Test	Test not required for my product listed above (check below)	I am complying with data requirements by		(For EPA Use Only) Accession Numbers Assigned
			Citing MRID#	Submit- ting Data (At- tached)	
63-13	Stability				
63-14	Oxidizing/reducing reaction				
63-15	Flammability				
63-16	Explosibility				
63-17	Storage stability				
63-18	Viscosity				
63-19	Miscibility				
63-20	Corrosion characteristics				
63-21	Dielectric break- down voltage				
\$158.135 TOXICOLOGY					
81-1	Acute oral LD-50, rat				
81-2	Acute dermal LD-50				
81-3	Acute inhalation, LC-50 rat				
81-4	Primary eye irritation, rabbit				
81-5	Primary dermal irritation				
81-6	Dermal sensitiza- tion				

FORMULATOR'S EXEMPTION STATEMENT
(40 CFR 152.85)

EPA File Symbol/Reg. No. _____ Product Name _____

Applicant's Name and Address _____

As an authorized representative of the applicant for registration of the product identified above, I hereby certify that:

(1) This product contains the active ingredient(s): _____

(2) Each active ingredient listed in paragraph (1) is present solely as the result of the incorporation into the product (during formulation or packaging) of another product which contains that active ingredient, which is registered under FIFRA sec. 3, and which is purchased by us from another producer.

(3) Indicate by circling (A) or (B) below which paragraph applies:

(A) An accurate Confidential Statement of Formula (EPA Form 8570-4) for the above identified product is attached to this statement. That formula statement indicates, by company name, registration number and product name, the source of the active ingredient(s) listed in paragraph (1).

OR

(B) The Confidential Statement of Formula dated _____ on file with the EPA is complete, current and accurate and contains the information required on the current CSF Form No. 8570-4. The registered source(s) of the active ingredient(s) listed in paragraph (1) is/are listed below:

Active ingredient

Source: Product name and Reg. No.

_____	_____
_____	_____
_____	_____

Signature _____

Date _____

Title _____